

# 2016 Civic Sedan

ENGINE	DX	LX	EX	EX-T	TOURING
2.0-litre, 16-valve, Port Injection, DOHC, i-VTEC® 4-cylinder	•	•	•		
1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder				•	•
Horsepower @ rpm <sup>1</sup>	158 @ 6500	158 @ 6500	158 @ 6500	174 @ 6000	174 @ 6000
Torque (lb.-ft. @ rpm) <sup>1</sup>	138 @ 4200	138 @ 4200	138 @ 4200	162 @ 1700-5500	162 @ 1700-5500
Displacement (cc)	1996	1996	1996	1498	1498
Emissions rating	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125
Bore and stroke (mm)	86 x 85.9	86 x 85.9	86 x 85.9	73 x 89.5	73 x 89.5
Compression ratio	10.8:1	10.8:1	10.8:1	10.6:1	10.6:1
Drive-by-Wire Throttle System™	•	•	•	•	•
Eco Assist™ system	•	•	•	•	•
Recommended fuel	Regular	Regular	Regular	Regular	Regular
DRIVETRAIN	DX	LX	EX	EX-T	TOURING
6-speed manual transmission (MT)	•	•			
Continuously variable transmission (CVT)		Available	•	•	•
ECON mode button	•	•	•	•	•
Front-wheel drive	•	•	•	•	•
CHASSIS	DX	LX	EX	EX-T	TOURING
16" steel wheels with full covers	•	•			
16" aluminum-alloy wheels			•		
17" aluminum-alloy wheels					•
17" aluminum-alloy wheels (aero design)				•	
Agile Handling Assist <sup>2</sup> (AHA)	•	•	•	•	•
All-season tires	P215/55 R16 93H	P215/55 R16 93H	P215/55 R16 93H	P215/50 R17 91H	P215/50 R17 91H
Capless fueling system	•	•	•	•	•
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•	•
Front and rear stabilizer bars	25.0/16.5	25.0/16.5	25.5/16.5	25.5/16.5	26.5/17.0
Independent strut front suspension	•	•	•	•	•
Independent multi-link rear suspension	•	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•	•
Straight Driving Assist	•	•	•	•	•
Temporary spare tire	T125/80 D16 97M	T125/80 D16 97M	T125/80 D16 97M	T125/80 D16 97M	T125/80 D16 97M
ACTIVE SAFETY	DX	LX	EX	EX-T	TOURING
4-wheel Anti-lock Braking System <sup>2</sup> (ABS)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•
Collision Mitigation Braking System™ <sup>2</sup> (CMBS®)		Honda Sensing™ model	Honda Sensing™ model	•	•
Forward Collision Warning (FCW) system <sup>2</sup>		Honda Sensing™ model	Honda Sensing™ model	•	•
Hill Start Assist <sup>2</sup>	•	•	•	•	•
Lane Departure Warning (LDW) system <sup>2</sup>		Honda Sensing™ model	Honda Sensing™ model	•	•
LED daytime running lights	•	•	•	•	•
Road Departure Mitigation (RDM) system <sup>2</sup>		Honda Sensing™ model	Honda Sensing™ model	•	•
Vehicle Stability Assist <sup>2</sup> (VSA®) with Traction Control	•	•	•	•	•
PASSIVE SAFETY	DX	LX	EX	EX-T	TOURING
3-point seat belts with front automatic tensioning system	•	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•	•
Childproof rear door locks	•	•	•	•	•
Dual-stage, multiple-threshold front airbags (SRS)	•	•	•	•	•
Side curtain airbags with rollover sensor system	•	•	•	•	•
Smartvent™ side airbags	•	•	•	•	•
Front height-adjustable seat belt anchors	•	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup>	•	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	•	•	•	•	•
DRIVER ASSIST TECHNOLOGY	DX	LX	EX	EX-T	TOURING
Adaptive Cruise Control (ACC) <sup>2</sup> with Low-Speed Follow		Honda Sensing™ model	Honda Sensing™ model	•	•
Honda LaneWatch™ blind spot display <sup>2</sup>			•	•	•
Lane Keeping Assist System (LKAS) <sup>2</sup>		Honda Sensing™ model	Honda Sensing™ model	•	•
EXTERIOR	DX	LX	EX	EX-T	TOURING
Body-coloured bumpers	•	•	•	•	•
Body-coloured door handles	•	•	•	•	Chrome
Deck lid spoiler				•	•
Fog lights				•	•
Folding door mirrors	•	•	•	•	•
Front splash guards	•	•	•	•	•
Heated power door mirrors including expanded view driver's mirror	Black	Body-coloured	Body-coloured	Body-coloured	Body-coloured with chrome accent
Intermittent windshield wipers	•	•			•
LED front turn signal indicators					•
LED headlights (High and low beam)					With auto-on/off
LED taillights	•	•	•	•	•
Mirror-integrated LED turn signal indicators					•

EXTERIOR	DX	LX	EX	EX-T	TOURING
One-touch power moonroof with tilt feature			•	•	•
Projector-beam halogen headlights	With auto-off	With auto-on/off	With auto-on/off	With auto-on/off	
Rain-sensing windshield wipers					•
Rear window defroster	•	•	•	•	•
Shark fin antenna					•
Speed-sensing, variable intermittent windshield wipers			•	•	•
COMFORT & CONVENIENCE	DX	LX	EX	EX-T	TOURING
12-volt power outlet	1	1	1	1	1
7" colour TFT centre meter display with Driver Information Interface		•	•	•	•
Acoustic windshield		•	•	•	•
Auto-dimming rearview mirror					•
Automatic climate control with air-filtration system	Without A/C	•	Dual-zone	Dual-zone	Dual-zone
Cargo area light	•	•	•	•	•
Display Audio System <sup>2</sup> with Honda Satellite-Linked Navigation System <sup>TM2,5</sup> with bilingual Voice Recognition					•
Driver's and front passenger's vanity mirrors	•	•	Illuminated	Illuminated	Illuminated
Exterior temperature indicator	•	•	•	•	•
Front and rear door pockets	•	•	•	•	•
HandsFreeLink <sup>TM</sup> -bilingual Bluetooth <sup>®</sup> wireless mobile phone interface <sup>2,3</sup>	•	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•	•
Maintenance Minder <sup>TM</sup> system	•	•	•	•	•
Map lights	•	•	•	•	•
Multi-angle rearview camera <sup>2</sup>	•	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines
Multi-functional centre console storage	•	•	•	•	•
One-touch turn signals	•	•	•	•	•
Passenger-side seatback pocket			•	•	•
Power windows with auto-up/down driver's and passenger's window	•	•	•	•	•
Power door locks	•	•	•	•	•
Proximity key entry system with pushbutton start			•	•	•
Rear armrest with cupholders		•	•	•	•
Rear-seat heater ducts	•	•	•	•	•
Remote engine starter			•	•	•
Remote entry system with electronic trunk release	•	•	•	•	•
Security system	•	•	•	•	•
Steering wheel-mounted cruise control		•	•	•	•
Tilt and telescopic steering column	•	•	•	•	•
Walk-away door lock			•	•	•
Wireless charging					•
SEATING & TRIM	DX	LX	EX	EX-T	TOURING
60/40 split fold-down rear seatback		•	•	•	•
Driver's seat with 6-way manual adjustment	•	•	•	•	
Driver's seat with 8-way power adjustment					•
Front passenger's seat with 4-way manual adjustment	•	•	•	•	
Front passenger's seat with 4-way power adjustment					•
Floor mats	•	•	•	•	•
Fold-down rear seatback	•				
Heated front seats		•	•	•	•
Heated rear seats					•
Leather-trimmed seating surfaces					•
Leather-wrapped steering wheel				•	•
ENTERTAINMENT	DX	LX	EX	EX-T	TOURING
160-watt AM/FM audio system with MP3/Windows Media <sup>®</sup> Audio playback capability and 4 speakers	•				
180-watt AM/FM audio system with MP3/Windows Media <sup>®</sup> Audio playback capability and 8 speakers		•	•	•	
450-watt AM/FM Premium audio system with MP3/Windows Media <sup>®</sup> Audio playback capability and 10 speakers including subwoofer					•
Apple CarPlay <sup>TM2,3</sup> / Android Auto <sup>TM2,3</sup>		•	•	•	•
Bluetooth <sup>®</sup> Streaming Audio <sup>2,3</sup>	•	•	•	•	•
5-inch colour LCD display	•				
Display Audio System <sup>2</sup> with HondaLink <sup>TM2,3</sup>		•	•	•	Including Navigation <sup>2,5</sup>
HD Radio <sup>TM5</sup>					•
Illuminated steering wheel-mounted audio controls	•	With capacitive touch controls	With capacitive touch controls	With capacitive touch controls	With capacitive touch controls
Siri Eyes Free compatibility <sup>2,3</sup>	•	•	•	•	•
SiriusXM <sup>TM7</sup>					•
SMS text message <sup>2,2</sup> / E-mail function <sup>2,3</sup>		•	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•	•	•
USB device connector <sup>3</sup>	1	2	2	2	2
Wi-Fi tethering <sup>3</sup>		•	•	•	•
FUEL ECONOMY* (L/100 KM)	DX	LX	EX	EX-T	TOURING
Continuously variable transmission (City/Hwy/Combined)		7.8 / 5.8 / 6.9	7.8 / 5.8 / 6.9	7.6 / 5.5 / 6.7	7.6 / 5.5 / 6.7
Manual transmission (City/Hwy/Combined)	8.8 / 5.9 / 7.5	8.8 / 5.9 / 7.5			

<b>DIMENSIONS</b>	<b>DX</b>	<b>LX</b>	<b>EX</b>	<b>EX-T</b>	<b>TOURING</b>
Cargo volume (L)	428	428	428	428	416
Curb weight – MT/CVT (kg)	1244/NA	1253/1260 1261 (Honda Sensing™ model )	NA/1276 1277 (Honda Sensing™ model)	NA/1324	NA/1339
Fuel tank capacity (L)	46.9	46.9	46.9	46.9	46.9
Ground clearance – no-load/full-load (mm)	125/108	125/108	125/108	125/108	125/108
Headroom – front/rear (mm)	997/942	997/942	953/935	953/935	953/935
Height (mm)	1416	1416	1416	1416	1416
Hip room – front/rear (mm)	1364/1201	1364/1201	1364/1201	1364/1201	1364/1201
Legroom – front/rear (mm)	1074/950	1074/950	1074/950	1074/950	1074/950
Length (mm)	4631	4631	4631	4631	4631
Passenger volume (L)	2769	2769	2690	2690	2690
Shoulder room – front/rear (mm)	1447/1397	1447/1397	1447/1397	1447/1397	1447/1397
Track – front/rear (mm)	1547/1563	1547/1563	1547/1563	1547/1563	1547/1563
Turning radius (m) (curb-to-curb)	5.4	5.4	5.4	5.4	5.4
Wheelbase (mm)	2700	2700	2700	2700	2700
Width – including mirrors/mirrors folded (mm)	2076 / 1878	2076 / 1878	2087 / 1878	2087 / 1878	2087 / 1878

- Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit [www.honda.ca/disclaimers](http://www.honda.ca/disclaimers) and refer to the vehicle's Owner's Manual.
- Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
- Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
- Coverage varies by market.
- Only available in certain areas. Includes a no-charge trial of three months.
- Estimated fuel economy based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.