

# 2016 Pilot

ENGINE	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6	•	•	•	•	•	•
Horsepower @ rpm <sup>1</sup>	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000
Torque (lb.-ft. @ rpm) <sup>1</sup>	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700
Displacement (cc)	3471	3471	3471	3471	3471	3471
Emissions rating	Tier 2 Bin 5	Tier 2 Bin 5	Tier 2 Bin 5	Tier 2 Bin 5	Tier 2 Bin 5	Tier 2 Bin 5
Bore and stroke (mm)	89 x 93	89 x 93	89 x 93	89 x 93	89 x 93	89 x 93
Compression ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1
Active Control Engine Mount (ACM) system	•	•	•	•	•	•
Eco Assist™ system	•	•	•	•	•	•
Idle-stop	•	•	•	•	•	•
Variable Cylinder Management® (VCM®)	•	•	•	•	•	•
Recommended fuel	Regular	Regular	Regular	Regular	Regular	Regular

  

DRIVETRAIN	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
6-speed automatic transmission with Grade Logic Control	•	•	•	•	•	•
9-speed automatic transmission with Grade Logic Control						•
Steering wheel-mounted paddle shifters						•
ECON mode button	•	•	•	•	•	•
Final drive ratio	4.25	4.25	4.25	4.25	4.25	4.33
Intelligent Variable Torque Management (i-VTM4™) AWD system	Available	•	•	•	•	•
Intelligent Traction Management System	AWD models	•	•	•	•	•
Towing capacity <sup>2</sup> (kg)	Available 1588 (2WD)/ Available 1588 (AWD)	Available 1588 or 2268	Available 1588 or 2268	Available 1588 or 2268	Available 1588 or 2268	Available 1588 or 2268 <sup>2</sup>

  

BODY/SUSPENSION/CHASSIS	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
18" aluminum-alloy wheels	•	•	•	•	•	•
20" aluminum-alloy wheels						•
All-season tires	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/50 R20 102H
Spare tire	T165/80 D17	T165/80 D17	T165/80 D17	T165/80 D17	T165/80 D17	T165/80 D17
Agile Handle Assist	•	•	•	•	•	•
Battery Management System	•	•	•	•	•	•
Amplitude Reactive Dampers	•	•	•	•	•	•
MacPherson strut front suspension	•	•	•	•	•	•
Multi-link independent rear suspension	•	•	•	•	•	•
Electric power-assisted rack-and-pinion steering (EPS)	•	•	•	•	•	•
Stabilizer bars – front/rear (mm)	25/26.5	25/26.5	25/26.5	25/26.5	25/26.5	25/26.5
Steering wheel turns, lock-to-lock	3.14	3.14	3.14	3.14	3.14	3.14
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•	•	•

  

ACTIVE SAFETY	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
4-wheel Anti-lock Braking System <sup>2</sup> (ABS)	•	•	•	•	•	•
Brake Assist	•	•	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•	•
Collision Mitigation Braking System™ <sup>3</sup> (CMBS®)	AWD Honda Sensing™ model	•	•	•	•	•
Forward Collision Warning <sup>3</sup> (FCW) system	AWD Honda Sensing™ model	•	•	•	•	•
Lane Departure Warning <sup>3</sup> (LDW) system	AWD Honda Sensing™ model	•	•	•	•	•
Road Departure Mitigation <sup>3</sup> (RDM) system	AWD Honda Sensing™ model	•	•	•	•	•
Hill Start Assist <sup>3</sup>	•	•	•	•	•	•
LED daytime running lights	•	•	•	•	•	•
Daytime running lights	•	•	•	•	•	•
Tire Pressure Monitoring System <sup>4</sup> (TPMS) with tire fill assist	•	•	•	•	•	•
Trailer Stability Assist	•	•	•	•	•	•
Vehicle Stability Assist <sup>3</sup> (VSA®) with Traction Control	•	•	•	•	•	•

  

PASSIVE SAFETY	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
3-point rear seat belts	•	•	•	•	•	•
Front 3-point seat belts with automatic tensioning system	•	•	•	•	•	•
Childproof rear door locks	•	•	•	•	•	•
Dual-stage, multiple-threshold front airbags (SRS)	•	•	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System <sup>3,5,6</sup>	•	•	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	4	4	4	4	4	3
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•	•	•
Smartvent™ side airbags	•	•	•	•	•	•
Three-row side curtain airbags with rollover sensor system	•	•	•	•	•	•

  

DRIVER ASSIST TECHNOLOGY	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
Adaptive Cruise Control <sup>3</sup> (ACC)	AWD Honda Sensing™ model	•	•	•	•	•
Lane Keeping Assist System <sup>3</sup> (LKAS)	AWD Honda Sensing™ model	•	•	•	•	•
Auto high beam						•
Blind Spot Information <sup>3</sup> (BSI) system						•
Honda LaneWatch™ blind spot display <sup>3</sup>		•	•	•	•	•
Rear Cross Traffic Monitor <sup>3</sup> system						•

  

EXTERIOR	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
Auto-levelling front headlights						•
Body-coloured door handles	•	•	•	•	•	Chrome
Body-coloured heated power side mirrors including expanded view driver's mirror	•	•	•	•	•	•
Fog lights		•	•	•	•	•

EXTERIOR	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
Front and rear splash guards	•	•	•	•	•	•
Front wiper de-icer	•	•	•	•	•	•
Intermittent rear window wiper/washer	•	•	•	•	•	•
LED taillights	•	•	•	•	•	•
Memory-linked side mirrors with reverse gear tilt-down						•
Mirror-integrated LED turn signal indicators		•	•	•	•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off	With auto-on/off	With auto-on/off	With auto-on/off	
Projector-beam LED headlights						With auto-on/off
One-touch power moonroof with tilt feature		•	•	•	•	
Panoramic moonroof						•
Power folding mirrors						•
Power tailgate			•	•	•	•
Rain-sensing windshield wipers						•
Rear window defroster	•	•	•	•	•	•
Roof rails		•	•	•	•	•
Rear privacy-tinted glass	•	•	•	•	•	•
Variable intermittent windshield wipers	•	•	•	•	•	•

COMFORT & CONVENIENCE	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
12-volt power outlets	2	3	3	3	3	3
110-volt power outlet					•	•
Acoustic windshield			•	•	•	•
Acoustic glass (front doors)						•
Active Noise Cancellation (ANC)	•	•	•	•	•	•
Ambient lighting						•
Auto-dimming rearview mirror			•	•	•	•
Body-coloured front and rear parking sensors			•	•	•	•
Cargo area tie-down anchors (4)	•	•	•	•	•	•
Colour TFT multi-information display	•	•	•	•	•	•
Compass	•	•	•	Navi-based	•	Navi-based
Conversation mirror with sunglasses holder	•	•	•	•	•	•
Display Audio System <sup>3</sup> with Honda Satellite-Linked Navigation System™ <sup>3,5</sup> and bilingual Voice Recognition				•		•
Door-pocket storage bins	•	•	•	•	•	•
Driver's and front passenger's seatback pockets			•	•	•	•
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	Illuminated	Illuminated	Illuminated
Electronic gear selector						•
Exterior temperature indicator	•	•	•	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface <sup>3,5</sup> with steering-wheel mounted controls	•	•	•	•	•	•
HomeLink® remote system <sup>7</sup>		•	•	•	•	•
Immobilizer Theft-Deterrent System	•	•	•	•	•	•
Integrated second-row sunshades					•	•
Maintenance Minder™ system	•	•	•	•	•	•
Multi-angle rearview camera <sup>3</sup> with dynamic guidelines	•	•	•	•	•	•
One-touch turn signals	•	•	•	•	•	•
Power windows with auto-up/down driver and passenger window	•	•	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•	•	•
Remote engine starter	•	•	•	•	•	•
Reversible cargo lid	•	•	•	•	•	•
Second-row folding centre armrest	•	•	•	•	•	•
Second- and third-row heater ducts	•	•	•	•	•	•
Second-row automatic HVAC controls	•	•	•	•	•	•
Security system	•	•	•	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone, multi-information display)	•	•	•	•	•	•
Tilt and telescoping steering column	•	•	•	•	•	•
Tri-zone automatic climate control with air-filtration system	•	•	•	•	•	•
Walk-away door lock	•	•	•	•	•	•

SEATING & TRIM	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
Driver's seat armrest	•	•	Adjustable	Adjustable	Adjustable	Adjustable
Passenger's seat armrest	•	•	•	•	•	Adjustable
Driver's seat with 6-way manual adjustment	•					
Driver's seat with 10-way power adjustment including power lumbar support		•	•	•	•	•
Driver's seat position memory						•
Heated front seats	•	•	•	•	•	•
Heated second-row seats (outboard positions only)			•	•	•	
Heated second-row captain's chairs						•
Heated leather-wrapped steering wheel			•	•	•	•
Leather-trimmed seating surfaces			•	•	•	Perforated
Passenger's seat with 4-way manual adjustment	•	•				
Passenger's seat with 4-way power adjustment			•	•	•	•
Sliding and reclining 60/40 split-folding second-row seat	•	•	•	•	•	•
Sliding and reclining second-row captain's chairs						•
One-touch second row seats			•	•	•	•
60/40 split-folding third-row seat	•	•	•	•	•	•
Seating capacity	8	8	8	8	8	7
Ventilated front seats						•

ENTERTAINMENT	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
225-watt AM/FM/CD audio system with MP3/Windows Media® Audio playback capability and 7 speakers including subwoofer	•	•	•	•	•	
540-watt AM/FM/CD Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer and 5.1 Surround Sound						•
Display Audio System <sup>3</sup> with HondaLink™ <sup>3,5</sup>	•	•	•	Including Navigation <sup>3,8</sup>	•	Including Navigation <sup>3,8</sup>
Honda Rear Entertainment System with 9-inch display, integrated remote control and wireless headsets with personal surround sound					DVD	Blu-ray™
Bluetooth® Streaming Audio <sup>3,5</sup>	•	•	•	•	•	•
MP3/auxiliary input jack	•	•	•	•	•	•
HDMI® (High-Definition Multimedia Interface) input jack <sup>5</sup>					•	•
HD Radio™ <sup>9</sup>						•
USB device connector <sup>5</sup>	3	3	3	3	3	5
Siri Eyes Free compatibility <sup>3,5</sup>	•	•	•	•	•	•
SMS text message <sup>3,5</sup> / E-mail function <sup>3,5</sup>	•	•	•	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•	•	•	•
SiriusXM™ <sup>10</sup>			•	•	•	•
Wi-Fi tethering <sup>5</sup>	•	•	•	•	•	•

FUEL ECONOMY <sup>11</sup> (L/100 KM)	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
2WD (City/Hwy/Combined)	12.4/8.8/10.8					
i-VTM4™ AWD (City/Hwy/Combined)	13.0/9.3/11.3	13.0/9.3/11.3	13.0/9.3/11.3	13.0/9.3/11.3	13.0/9.3/11.3	12.4/9.3/11.0

DIMENSIONS	LX	EX	EX-L	EX-L NAVI	EX-L RES	TOURING
Approach/departure angle (degrees)	18/19.7	18/19.7	18/19.7	18/19.7	18/19.7	18/19.7
Cargo volume behind front row (L)	3087	3092	3092	3092	3092	3072
Cargo volume behind 2nd row (L)	1583	1583	1583	1583	1583	1557
Cargo volume behind 3rd row (L)	524	524	524	524	524	510
Curb weight (kg)	1861 (2WD)/ 1930 (AWD)/ 1933 (AWD Honda Sensing™)	1949	1965	1967	1973	1978
Fuel tank capacity (L)	73.8	73.8	73.8	73.8	73.8	73.8
Gross vehicle weight rating (kg)	2515 (2WD)/ 2650 (AWD)	2650	2650	2650	2650	2650
Ground clearance (mm)	185	185	185	185	185	185
Headroom – front/2nd row/3rd row (mm)	1019/1020/989	1004/1014/989	1004/1014/989	1004/1014/989	1004/1014/989	1004/1040/989
Height (mm)	1773	1773	1773	1773	1773	1773
Hip room – front/2nd row/3rd row (mm)	1501/1456/1132	1501/1456/1132	1501/1456/1132	1501/1456/1132	1501/1456/1132	1501/1456/1132
Legroom – front/2nd row/3rd row (mm)	1040/976/810	1040/976/810	1040/976/810	1040/976/810	1040/976/810	1040/976/810
Length (mm)	4941	4941	4941	4941	4941	4941
Passenger volume (L)	4330	4296	4296	4296	4296	4335
Shoulder room – front/2nd row/3rd row (mm)	1576/1576/1463	1576/1576/1463	1576/1576/1463	1576/1576/1463	1576/1576/1463	1576/1576/1463
Track – front/rear (mm)	1684/1684	1684/1684	1684/1684	1684/1684	1684/1684	1684/1684
Turning radius (m)	5.75	5.75	5.75	5.75	5.75	5.75
Washer tank capacity (L)	5.3	5.3	5.3	5.3	5.3	5.3
Wheelbase (mm)	2820	2820	2820	2820	2820	2820
Width – including mirrors/mirrors folded (mm)	2296/2029	2296/2029	2296/2029	2296/2029	2296/2029	2296/2029

- Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. Expected availability of 2268 kg towing package for Touring model: Fall 2015. See your Owner's Manual for proper towing operation.
- None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit [www.honda.ca/disclaimers](http://www.honda.ca/disclaimers) and refer to the vehicle's Owner's Manual.
- For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
- Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
- Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.). Additional control devices not provided by Honda may be required.
- Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
- Coverage varies by market.
- Only available in certain areas. Includes a no-charge trial of three months.
- Estimated fuel economy based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.