ACCORD COUPE

ENGINE	EX	EX-L NAVI	EX-L V6 NAVI
O A LITTLE 10 VALVE DIDECTIAL FOTION DOLLO : VTFO® 4 OVIJAIDED	•	_	
2.4-LITRE, 16-VALVE, DIRECT INJECTION DOHC, i-VTEC® 4-CYLINDER	•	•	
3.5-LITRE, 24-VALVE, SOHC, i-VTEC® V6	105 0 0 100	105 0 0 100	•
HORSEPOWER @ RPM1	185 @ 6400	185 @ 6400	278 @ 6200
TORQUE (LBFT. @ RPM) ¹	181 @ 3900	181 @ 3900	252 @ 4900
DISPLACEMENT (CC)	2356	2356	3471
EMISSIONS RATING	TIER 2 BIN 5	TIER 2 BIN 5	TIER 2 BIN 5
BORE AND STROKE (MM)	87 X 99	87 X 99	89 X 93
COMPRESSION RATIO	11.1:1	11.1:1	10.5:1 (AT) 10:1 (MT)
ECO ASSIST™ SYSTEM	•	•	•
DRIVE-BY-WIRE THROTTLE SYSTEM™	•	•	•
MULTI-POINT PROGRAMMED FUEL INJECTION SYSTEM (PGM-FI®)			•
DIRECT INJECTION	•	•	
ADVANCED VARIABLE CYLINDER MANAGEMENT® (VCM®)			AT ONLY
RECOMMENDED FUEL	REGULAR	REGULAR	REGULAR
DRIVETRAIN	EX	EX-L NAVI	EX-L V6 NAVI
6-SPEED AUTOMATIC TRANSMISSION (AT) WITH GRADE LOGIC CONTROL			AVAILABLE
6-SPEED MANUAL TRANSMISSION (MT)	•	•	0
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	AVAILABLE	AVAILABLE	
ECON MODE BUTTON	•	•	•
FRONT-WHEEL DRIVE	•	•	•
HILL START ASSIST	•	•	•
STEERING WHEEL-MOUNTED PADDLE SHIFTERS (CVT)	AVAILABLE	AVAILABLE	AVAILABLE
CHASSIS	EX	EX-L NAVI	EX-L V6 NAVI
17" ALUMINUM-ALLOY WHEELS	•	•	
18" ALUMINUM-ALLOY WHEELS, PEWTER GREY, DIAMOND MACHINED FACE			•
ALL-SEASON TIRES	P215/55 R17	P215/55 R17	P235/45 R18
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	•	•	•
FRONT STRUT TOWER BRACE	•	•	•
INDEPENDENT STRUT FRONT SUSPENSION	•	•	•
INDEPENDENT MULTI-LINK REAR SUSPENSION	•	•	•
POWER-ASSISTED, VENTILATED FRONT/SOLID REAR DISC BRAKES	•	•	•
STABILIZER BARS – FRONT AND REAR	•	•	•
SAFETY	EX	EX-L NAVI	EX-L V6 NAVI
3-POINT SEAT BELTS WITH FRONT PRETENSIONERS	•	•	•
FRONT ADJUSTABLE SEAT BELT ANCHORS	•	•	•
4-WHEEL ANTI-LOCK BRAKING SYSTEM ² (ABS) WITH ELECTRONIC	•	•	•
BRAKE-FORCE DISTRIBUTION (EBD) AND BRAKE ASSIST	·	·	·
ADVANCED COMPATIBILITY ENGINEERING™ (ACE™) II BODY STRUCTURE	•	•	•
DUAL-STAGE, DUAL-THRESHOLD FRONT AIRBAGS (SRS)	•	•	•
SIDE CURTAIN AIRBAGS		•	
SMARTVENT™ SIDE AIRBAGS	•	•	•
IMMOBILIZER THEFT-DETERRENT SYSTEM	•	•	•
LED DAYTIME RUNNING LIGHTS	•	•	•
	•	•	•
DAYTIME RUNNING LIGHTS	•	•	•
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH)	•		•
SECURITY SYSTEM	•	•	•
TIRE PRESSURE MONITORING SYSTEM ³ (TPMS)	•	•	•
VEHICLE STABILITY ASSIST ² (VSA [®]) WITH TRACTION CONTROL	•	•	•

EXTERIOR	EX	EX-L NAVI	EX-L V6 NAVI
BODY-COLOURED HEATED FOLDING POWER SIDE MIRRORS WITH INTEGRATED TURN INDICATORS	•	•	•
INCLUDING EXPANDED VIEW DRIVER'S MIRROR			
CHROME DOOR HANDLES	•	•	•
DUAL EXHAUST WITH CHROME FINISHERS			•
FOG LIGHTS	•	•	•
FRONT SPLASH GUARDS	•	•	•
POWER MOONROOF WITH TILT FEATURE	•	•	•
PROJECTOR-BEAM HALOGEN HEADLIGHTS	•	•	
PROJECTOR-BEAM LED HEADLIGHTS			•
REAR WINDOW DEFROSTER	•	•	•
SPEED-SENSING, VARIABLE INTERMITTENT WINDSHIELD WIPERS	•	•	•
TRUNK SPOILER	•	•	•
COMFORT & CONVENIENCE	EX	EX-L NAVI	EX-L V6 NAVI
12-VOLT POWER OUTLET (2)	•	•	•
ACTIVE NOISE CANCELLATION (ANC)/ACTIVE SOUND CONTROL (ASC)	•	•	•
AUTO-DIMMING REARVIEW MIRROR	•	•	•
AUTO-ON/OFF HEADLIGHTS	•	•	•
CARGO AREA LIGHT	•	•	•
CENTRE CONSOLE AND STORAGE COMPARTMENT	•		•
DRIVER'S AND FRONT PASSENGER'S ILLUMINATED VANITY MIRRORS	•	•	•
DRIVER'S AND FRONT PASSENGER'S SEATBACK POCKETS	•		•
DUAL-ZONE AUTOMATIC CLIMATE CONTROL WITH AIR-FILTRATION SYSTEM	•	•	•
EXTERIOR TEMPERATURE INDICATOR		•	•
FORWARD COLLISION WARNING ⁴ (FCW) SYSTEM		•	•
FRONT AND REAR BEVERAGE HOLDERS	•	•	•
FRONT DOOR POCKETS	•	•	•
HANDSFREELINK™-BILINGUAL BLUETOOTH® WIRELESS MOBILE PHONE INTERFACE ⁵	•	•	•
HOMELINK® REMOTE SYSTEM ⁶			•
HONDA SATELLITE-LINKED NAVIGATION SYSTEM™ WITH TRILINGUAL VOICE RECOGNITION		•	•
AND 3D MAP DISPLAY			
ILLUMINATED DRIVER'S AND PASSENGER'S POWER WINDOW, DOOR LOCK AND MIRROR SWITCHES	•	•	•
LANE DEPARTURE WARNING® (LDW) SYSTEM		•	•
LaneWatch™ BLIND SPOT DISPLAY9		•	•
MAP LIGHTS	•	•	•
MULTI-ANGLE REARVIEW CAMERA ²	•	•	•
ONE-TOUCH TURN SIGNALS	•	•	•
POWER DOOR LOCKS	•	•	•
POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND FRONT PASSENGER'S WINDOWS AND KEYLESS OPERATION	•	•	•
PROXIMITY KEY ENTRY SYSTEM WITH POWER TRUNK RELEASE, POWER WINDOW CONTROL AND PUSHBUTTON START	•	•	•
AND PUSHBUTTON START SMART MAINTENANCE MINDER™ SYSTEM	•	•	•
STEERING WHEEL-MOUNTED CRUISE CONTROL	•	•	•
STEERING WHEEL-MOUNTED CRUISE CONTROL SUNGLASSES HOLDER	•	•	•
TEMPORARY SPARE TIRE	•	•	•
TEMPORARY SPARE TIRE	•	•	*

TILT AND TELESCOPIC STEERING COLUMN

SEATING & TRIM	EX	EX-L NAVI	EX-L V6 NAVI
DRIVER'S SEAT POSITION MEMORY		•	•
DRIVER'S SEAT WITH 8-WAY POWER ADJUSTMENT AND LUMBAR SUPPORT	•	•	•
FLOOR MATS	•	•	•
FOLD-DOWN REAR SEATBACK WITH LOCK	•	•	•
FRONT PASSENGER'S SEAT WITH 4-WAY MANUAL ADJUSTMENT	•	•	•
HEATED FRONT SEATS	•	•	•
PERFORATED LEATHER-TRIMMED SEATING SURFACES		•	•
LEATHER-WRAPPED STEERING WHEEL		•	•
ENTERTAINMENT	EX	EX-L NAVI	EX-L V6 NAVI
8" i-MID (INTELLIGENT MULTI-INFORMATION DISPLAY)	•	•	•
AM/FM/CD PREMIUM AUDIO SYSTEM WITH MP3/WINDOWS MEDIA® AUDIO PLAYBACK CAPABILITY AND 7 SPEAKERS INCLUDING SUBWOOFER	•	•	•
AUDIO ANTI-THEFT FEATURE	•	•	•
E-MAIL FUNCTION ¹⁰	•	•	•
TWEETERS	•	•	•
HondaLink™5.11,12 WITH AUDIO TOUCH SCREEN	•	•	•
ILLUMINATED STEERING WHEEL-MOUNTED AUDIO CONTROLS			
TEEOT III VITED OT ELITING WITEEL TOOMTED NODIO CONTINOLO	•	•	•
MP3/AUXILIARY INPUT JACK	•	•	•
	•	•	•
MP3/AUXILIARY INPUT JACK	•	•	•

FUEL ECONOMY ¹⁴ (L/100 KM)	EX	EX-L NAVI	EX-L V6 NAVI
AUTOMATIC TRANSMISSION (CITY/HWY/COMBINED)			10.0/6.1/8.2
MANUAL TRANSMISSION (CITY/HWY/COMBINED)	8.8/5.8/7.4	8.8/5.8/7.4	11.5/7.1/9.5
CONTINUOUSLY VARIABLE TRANSMISSION (CITY/HWY/COMBINED)	7.8/5.7/6.9	7.8/5.7/6.9	

DIMENSIONS	EX	EX-L NAVI	EX-L V6 NAVI
CARGO VOLUME (L)	379	379	379
CURB WEIGHT - MT/AT (KG)	1480/1509	1482/1515	1552/1603
FUEL TANK CAPACITY (L)	65	65	65
GROUND CLEARANCE - NO-LOAD/FULL-LOAD (MM)	146/110	146/110	141/110
HEADROOM - FRONT/REAR (MM)	944/944	944/944	944/944
HEIGHT (MM)	1436	1436	1436
HIP ROOM - FRONT/REAR (MM)	1406/1423	1406/1423	1406/1423
LEGROOM - FRONT/REAR (MM)	1073/855	1073/855	1073/855
LENGTH (MM)	4805	4805	4805
PASSENGER VOLUME (L)	2636	2636	2636
SHOULDER ROOM - FRONT/REAR (MM)	1497/1400	1497/1400	1497/1400
TRACK - FRONT/REAR (MM)	1584/1583	1584/1583	1584/1586
TURNING DIAMETER (M)	5.6	5.6	5.8
WHEELBASE (MM)	2725	2725	2725
WIDTH (MM)	1850	1850	1850

ACCORD EX COUPE - KEY FEATURES

- 185-HP, 2.4-LITRE, 16-VALVE, DIRECT INJECTION DOHC. i-VTEC® 4-CYLINDER ENGINE
- 6-SPEED MANUAL TRANSMISSION (MT)
- AVAILABLE CONTINUOUSLY VARIABLE TRANSMISSION (CVT)
- 4-WHEEL ANTI-LOCK BRAKING SYSTEM² (ABS) WITH ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD) AND BRAKE ASSIST
- 17" ALUMINUM-ALLOY WHEELS
- HEATED FRONT SEATS
- MULTI-ANGLE REARVIEW CAMERA²
- HANDSFREELINK™-BILINGUAL BLUETOOTH® WIRELESS MOBILE PHONE INTERFACE⁵
- 8" i-MID (INTELLIGENT MULTI-INFORMATION DISPLAY)
- ACTIVE NOISE CANCELLATION (ANC)/
 ACTIVE SOUND CONTROL (ASC)
- AM/FM/CD PREMIUM AUDIO SYSTEM WITH MP3/WINDOWS MEDIA® AUDIO PLAYBACK CAPABILITY AND 7 SPEAKERS INCLUDING SUBWOOFER
- STEERING WHEEL-MOUNTED PADDLE SHIFTERS (CVT)
- BODY-COLOURED HEATED FOLDING POWER SIDE MIRRORS WITH INTEGRATED TURN INDICATORS INCLUDING EXPANDED VIEW DRIVER'S MIRROR
- CHROME DOOR HANDLES
- DRIVER'S SEAT WITH 8-WAY POWER ADJUSTMENT AND LUMBAR SUPPORT
- DUAL-STAGE, DUAL-THRESHOLD FRONT AIRBAGS (SRS)
- DUAL-ZONE AUTOMATIC CLIMATE CONTROL WITH AIR-FILTRATION SYSTEM
- E-MAIL FUNCTION¹⁰
- ECO ASSIST™ SYSTEM
- ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)
- FOG LIGHTS
- HondaLink™5,11,12 WITH AUDIO TOUCH SCREEN
- ILLUMINATED STEERING WHEEL-MOUNTED
 AUDIO CONTROLS
- INDEPENDENT STRUT FRONT SUSPENSION
- INDEPENDENT MULTI-LINK REAR SUSPENSION
- USB DEVICE CONNECTOR
- POWER-ASSISTED, VENTILATED FRONT/SOLID REAR DISC BRAKES

- POWER MOONROOF WITH TILT FEATURE
- POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND FRONT PASSENGER'S WINDOW AND KEYLESS OPERATION
- PROJECTOR-BEAM HALOGEN HEADLIGHTS
- PROXIMITY KEY ENTRY SYSTEM WITH POWER TRUNK RELEASE, POWER WINDOW CONTROL AND PUSHBUTTON START
- SECURITY SYSTEM
- SIDE CURTAIN AIRBAGS
- SIRIUSXM™13
- SMARTVENT™ SIDE AIRBAGS
- TEXT MESSAGE FUNCTION¹⁰
- TILT AND TELESCOPIC STEERING COLUMN
- TIRE PRESSURE MONITORING SYSTEM3 (TPMS)
- TRUNK SPOILER
- VEHICLE STABILITY ASSIST² (VSA®) WITH TRACTION CONTROL

ACCORD EX-L NAVI COUPE - KEY FEATURES

ADDS TO OR REPLACES EX FEATURES:

- DRIVER'S SEAT POSITION MEMORY
- PERFORATED LEATHER-TRIMMED SEATING SURFACES
- LEATHER-WRAPPED STEERING WHEEL
- LaneWatch™ BLIND SPOT DISPLAY⁹
- FORWARD COLLISION WARNING4 (FCW) SYSTEM
- LANE DEPARTURE WARNING8 (LDW) SYSTEM
- AUTO-DIMMING REARVIEW MIRROR
- HONDA SATELLITE-LINKED NAVIGATION SYSTEM™
 WITH TRILINGUAL VOICE RECOGNITION AND
 3D MAP DISPLAY

ACCORD EX-L V6 NAVI COUPE - KEY FEATURES

ADDS TO OR REPLACES EX-L NAVI FEATURES:

- 278-HP, 3.5-LITRE, 24-VALVE, SOHC, i-VTEC® V6 ENGINE
- ADVANCED VARIABLE CYLINDER MANAGEMENT® (VCM®) (AT ONLY)
- AVAILABLE 6-SPEED AUTOMATIC TRANSMISSION
 (AT) WITH GRADE LOGIC CONTROL
- 18" ALUMINUM-ALLOY WHEELS, PEWTER GREY, DIAMOND MACHINED FACE
- DUAL EXHAUST WITH CHROME FINISHERS
- PROJECTOR-BEAM LED HEADLIGHTS
- LED DAYTIME RUNNING LIGHTS
- HOMELINK® REMOTE SYSTEM6

Always use seat belts and appropriate child seats. Children 12 and under are safest when properly restrained in a rear seat. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE JI349 procedures. Does not replace the driver's responsibility to exercise due care while driving. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not the monitor system. Forward Collision Warning (FCW) cannot detect all objects shead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operating whice and other factors. System operating whice and other factors. System operating whice and other factors will be presented and other factors. System operating whice and other factors which will be presented and other factors. System operating whice and other factors which will be presented and other factors are supported by Honda may be required. Map Database of the Honda Satellite-Linked Navigation System covers may be undersome of the Honda web site, www.honda.ca. *Lane Departures; accuracy will vary based on weather, speed and road conditions. System operating seven is signal in use. LDW may not detect all lane markings or lane arrains responsible for safely operating vehicle and avoiding operating vehicle and vehicle of the safety of the Honda web site. DW may not detect all lane markings or lane arrains responsible for safely operating vehicle and avoiding operating vehicle and avoiding operating vehicle and avoiding operating vehicle and avoiding operating vehicle and vehicle operating vehicles and vehicles of the Honda web site, www.honda.ca. *Lane Departures; accuracy will vary based on weather, speed and road conditions. System operating vehicles and vehicles of the Honda web site, www.honda.ca. *Lane Departures; accuracy will vary based on weather, speed and road conditions. System operating vehi