ACCORD COUPE

ENGINE	EX	EX-L NAVI	EX-L V6 NAVI
2.4-LITRE, 16-VALVE, DIRECT INJECTION DOHC, i-VTEC® 4-CYLINDER	۰	٠	
3.5-LITRE, 24-VALVE, SOHC, i-VTEC® V6			٠
HORSEPOWER @ RPM'	185 @ 6400	185 @ 6400	278 @ 6200
TORQUE (LBFT. @ RPM) ¹	181 @ 3900	181 @ 3900	252 @ 4900
DISPLACEMENT (CC)	2356	2356	3471
EMISSIONS RATING	TIER 2 BIN 5	TIER 2 BIN 5	TIER 2 BIN 5
BORE AND STROKE (MM)	87 X 99	87 X 99	89 X 93
COMPRESSION RATIO	11.1:1	11.1:1	10.5:1 (AT) 10:1 (MT)
ECO ASSIST™ SYSTEM	•	•	•
DRIVE-BY-WIRE THROTTLE SYSTEM™	•	•	٠
MULTI-POINT PROGRAMMED FUEL INJECTION SYSTEM (PGM-FI®)			•
DIRECT INJECTION	•	•	
VARIABLE CYLINDER MANAGEMENT® (VCM®)			AT ONLY
RECOMMENDED FUEL	REGULAR	REGULAR	REGULAR
DRIVETRAIN	EX	EX-L NAVI	EX-L V6 NAVI
6-SPEED AUTOMATIC TRANSMISSION (AT) WITH GRADE LOGIC CONTROL	_^	-/	AVAILABLE
6-SPEED MANUAL TRANSMISSION (MT)			AVAILABLE
CONTINUOUSLY VARIABLE TRANSMISSION (CVT)	AVAILABLE	AVAILABLE	•
ECON MODE BUTTON	AVAILABLE	AVAILADLE	
FRONT-WHEEL DRIVE	•	•	•
STEERING WHEEL-MOUNTED PADDLE SHIFTERS (CVT/AT)	AVAILABLE	AVAILABLE	AVAILABLE
CHASSIS	EX	EX-L NAVI	EX-L V6 NAVI
17" ALUMINUM-ALLOY WHEELS	•	•	
18" ALUMINUM-ALLOY WHEELS, PEWTER GREY, DIAMOND MACHINED FACE			٠
ALL-SEASON TIRES	P215/55 R17	P215/55 R17	P235/45 R18
ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)	•	•	•
FRONT STRUT TOWER BRACE	•	•	•
INDEPENDENT STRUT FRONT SUSPENSION	•	•	•
INDEPENDENT MULTI-LINK REAR SUSPENSION	•	•	٠
POWER-ASSISTED, VENTILATED FRONT/SOLID REAR DISC BRAKES	•	•	•
STABILIZER BARS – FRONT AND REAR	•	•	٠
TEMPORARY SPARE TIRE	•	•	•
ACTIVE SAFETY	EX	EX-L NAVI	EX-L V6 NAVI
4-WHEEL ANTI-LOCK BRAKING SYSTEM ² (ABS)	0	•	•
BRAKE ASSIST	•	•	•
ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)	•	•	•
FORWARD COLLISION WARNING ^{2,3} (FCW) SYSTEM		•	•
HILL STATT ASSIST ²	•	•	•
LED DAYTIME RUNNING LIGHTS			•
DAYTIME RUNNING LIGHTS	•	٠	
TIRE PRESSURE MONITORING SYSTEM ⁴ (TPMS)		•	٠
LANE DEPARTURE WARNING ²³ (LDW) SYSTEM		•	•
VEHICLE STABILITY ASSIST ² (VSA [®]) WITH TRACTION CONTROL	•	•	•
PASSIVE SAFETY	EX	EX-L NAVI	EX-L V6 NAVI
3-POINT SEAT BELTS WITH FRONT AUTOMATIC TENSIONING SYSTEM	٠	•	•
FRONT HEIGHT-ADJUSTABLE SEAT BELT ANCHORS	•	۰	٠
ADVANCED COMPATIBILITY ENGINEERING™ (ACE™) II BODY STRUCTURE	•	•	•
DUAL-STAGE, DUAL-THRESHOLD FRONT AIRBAGS (SRS)	•	•	•
SIDE CURTAIN AIRBAGS WITH ROLLOVER SENSORS	•	•	•
SMARTVENT™ SIDE AIRBAGS	•	•	•
IMMOBILIZER THEFT-DETERRENT SYSTEM	•	•	•
LOWER ANCHORS AND TETHERS FOR CHILDREN (LATCH)	•	•	•
SECURITY SYSTEM	•	•	•

EXTERIOR	EX	EX-L NAVI	EX-L V6 NAVI
BODY-COLOURED HEATED POWER SIDE MIRRORS WITH INTEGRATED TURN INDICATORS INCLUDING EXPANDED VIEW DRIVER'S MIRROR	٠	٠	٠
CHROME DOOR HANDLES	•	•	•
DUAL EXHAUST WITH CHROME FINISHERS			•
FOG LIGHTS	•	•	•
FRONT SPLASH GUARDS	•	•	•
ONE-TOUCH POWER MOONROOF WITH TILT FEATURE	•	•	•
PROJECTOR-BEAM HALOGEN HEADLIGHTS	•	•	
LED HEADLIGHTS			•
REAR WINDOW DEFROSTER	•	•	•
SPEED-SENSING, VARIABLE INTERMITTENT WINDSHIELD WIPERS	•	•	•
TRUNK SPOILER	٠	٠	•
COMFORT & CONVENIENCE	EX	EX-L NAVI	EX-L V6 NAVI
	2	2	2
ACTIVE NOISE CANCELLATION (ANC)/ACTIVE SOUND CONTROL (ASC)	•	2	•
AUTO-DIMMING REARVIEW MIRROR	•	•	•
AUTO-ON/OFF HEADLIGHTS	٠	•	•
CARGO AREA LIGHT	•	•	•
CENTRE CONSOLE AND STORAGE COMPARTMENT	•	•	•
DRIVER'S AND FRONT PASSENGER'S ILLUMINATED VANITY MIRRORS	•	•	•
DRIVER'S AND FROM PASSENGER'S SEATBACK POCKETS	•	•	•
DUAL-ZONE AUTOMATIC CLIMATE CONTROL WITH AIR-FILTRATION SYSTEM	•		•
EXTERIOR TEMPERATURE INDICATOR	•	•	•
FRONT AND REAR BEVERAGE HOLDERS	•		
FRONT DOOR POCKETS	•		
HANDSFREELINK™-BILINGUAL BLUETOOTH® WIRELESS MOBILE PHONE INTERFACE ^{2,5}	•	•	
HANDSTREELING SILINGUAL BLOETOUTH WIRELESS MOBILE PHONE INTERFACE	•	÷	•
HONDA SATELLITE-LINKED NAVIGATION SYSTEM ^{10,27} WITH BILINGUAL VOICE RECOGNITION, 3D MAP DISPLAY AND FM TRAFFIC ⁸		•	•
ILLUMINATED DRIVER'S AND PASSENGER'S POWER WINDOW, DOOR LOCK AND MIRROR SWITCHES	٠	•	
HONDA Lab Briterio Briterio Protection Contra Mindow, Boon Escando Finincia Mindra Contra Co		•	•
MAP LIGHTS	٠		
MUI TI-ANGI E REARVIEW CAMERA ²	•		•
ONE-TOUCH TURN SIGNALS	•		•
POWER DOOR LOCKS	•		•
POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND FRONT PASSENGER'S WINDOWS AND KEYLESS OPERATION	•	•	•
PROXIMITY KEY ENTRY SYSTEM AND PUSHBUTTON START	•	•	•
SMART MAINTENANCE MINDER ^{IM} SYSTEM	•	•	•
STEERING WHEEL-MOUNTED CRUISE CONTROL	•	•	•
SURGLASSES HOLDER	•	•	•
TILT AND TELESCOPIC STEERING COLUMN	•	•	•
	-	-	-

SEATING & TRIM	EX	EX-L NAVI	EX-L V6 NAVI
DRIVER'S SEAT POSITION MEMORY		٠	٠
DRIVER'S SEAT WITH 8-WAY POWER ADJUSTMENT AND LUMBAR SUPPORT	•	٠	•
FLOOR MATS	•	•	•
FOLD-DOWN REAR SEATBACK WITH LOCK	•	٠	•
FRONT PASSENGER'S SEAT WITH 4-WAY MANUAL ADJUSTMENT	•	•	•
HEATED FRONT SEATS	•	٠	•
PERFORATED LEATHER-TRIMMED SEATING SURFACES		٠	٠
LEATHER-WRAPPED STEERING WHEEL		•	•

ENTERTAINMENT	EX	EX-L NAVI	EX-L V6 NAVI
8" i-MID (INTELLIGENT MULTI-INFORMATION DISPLAY)	•	•	•
16 GB HARD DISK DRIVE (HDD) AUDIO STORAGE		•	٠
360-WATT AM/FM/CD PREMIUM AUDIO SYSTEM WITH MP3/WINDOWS MEDIA® AUDIO PLAYBACK CAPABILITY AND 7 SPEAKERS INCLUDING SUBWOOFER	•	•	•
AUDIO ANTI-THEFT FEATURE	•	•	•
E-MAIL FUNCTION ^{2,5}	٠	٠	•
TWEETERS	٠	٠	•
HondaLink ^{w2.5} WITH AUDIO TOUCH-SCREEN	٠	٠	•
LLUMINATED STEERING WHEEL-MOUNTED AUDIO CONTROLS	٠	٠	•
1P3/AUXILIARY INPUT JACK	٠	٠	•
ISB DEVICE CONNECTOR ⁵	٠	٠	•
IRIUSXM ^{™9}	٠	٠	•
EXT MESSAGE FUNCTION ^{2.5}	٠	٠	•
	EX	EX-L NAVI	EX-L V6 NAVI
UTOMATIC TRANSMISSION (CITY/HWY/COMBINED)			11.4/7.3/9.5
IANUAL TRANSMISSION (CITY/HWY/COMBINED)	10.1/6.9/8.7	10.1/6.9/8.7	13.0/8.4/10.9
ONTINUOUSLY VARIABLE TRANSMISSION (CITY/HWY/COMBINED)	9.0/6.7/8.0	9.0/6.7/8.0	
DIMENSIONS	EX	EX-L NAVI	EX-L V6 NAVI
CARGO VOLUME (L)	379	379	379
URB WEIGHT – MT/CVT* (KG)	1480/1509	1482/1515	1552/1603*
UEL TANK CAPACITY (L)	65	65	65
ROUND CLEARANCE – NO-LOAD/FULL-LOAD (MM)	146/110	146/110	141/110
	944/944	944/944	944/944
EADROUM - FRONT/REAR (MM)			1436
	1436	1436	1430
EIGHT (MM)	1436 1406/1423	1436 1406/1423	1406/1423
EIGHT (MM) IP ROOM - FRONT/REAR (MM)			
EIGHT (MM) IP ROOM – FRONT/REAR (MM) EGROOM – FRONT/REAR (MM)	1406/1423	1406/1423	1406/1423
EIGHT (MM) IP ROOM – FRONT/REAR (MM) EGROOM – FRONT/REAR (MM) ENGTH (MM)	1406/1423 1073/855	1406/1423 1073/855	1406/1423 1073/855
EIGHT (MM) IP ROOM - FRONT/REAR (MM) EGROOM - FRONT/REAR (MM) ENGTH (MM) ASSENGER VOLUME (L)	1406/1423 1073/855 4805	1406/1423 1073/855 4805	1406/1423 1073/855 4805
ieight (MM) iip Room - Front/Rear (MM) Egroom - Front/Rear (MM) Ength (MM) Assenger Volume (L) HOULDER ROOM - FRONT/REAR (MM)	1406/1423 1073/855 4805 2636	1406/1423 1073/855 4805 2636	1406/1423 1073/855 4805 2636
ieight (MM) iip Room - Front/Rear (MM) Egroom - Front/Rear (MM) Ength (MM) ASSENGER VOLUME (L) HOULDER ROOM - FRONT/REAR (MM) RACK - FRONT/REAR (MM)	1406/1423 1073/855 4805 2636 1497/1400	1406/1423 1073/855 4805 2636 1497/1400	1406/1423 1073/855 4805 2636 1497/1400
IEGDROOM - FRONT/REAR (MM) IEIGHT (MM) IIP ROOM - FRONT/REAR (MM) EGROOM - FRONT/REAR (MM) ENGTH (MM) VASSENGER VOLUME (L) IHOULDER ROOM - FRONT/REAR (MM) RACK - FRONT/REAR (MM) URNING RADIUS (M) (CURB-TO-CURB) VHEELBASE (MM)	1406/1423 1073/855 4805 2636 1497/1400 1584/1583	1406/1423 1073/855 4805 2636 1497/1400 1584/1583	1406/1423 1073/855 4805 2636 1497/1400 1584/1586
EIGHT (MM) IP ROOM - FRONT/REAR (MM) EGROOM - FRONT/REAR (MM) ENGTH (MM) ASSENGER VOLUME (L) HOULDER ROOM - FRONT/REAR (MM) RACK - FRONT/REAR (MM) URNING RADIUS (M) (CURB-TO-CURB)	1406/1423 1073/855 4805 2636 1497/1400 1584/1583 5.72	1406/1423 1073/855 4805 2636 1497/1400 1584/1583 5.72	1406/1423 1073/855 4805 2636 1497/1400 1584/1586 5.95
EIGHT (MM) P ROOM - FRONT/REAR (MM) GROOM - FRONT/REAR (MM) NGTH (MM) SSENGER VOLUME (L) HOULDER ROOM - FRONT/REAR (MM) ACK - FRONT/REAR (MM) JRNING RADIUS (M) (CURB-TO-CURB) HEELBASE (MM)	1406/1423 1073/855 4805 2636 1497/1400 1584/1583 5.72 2725	1406/1423 1073/855 4805 2636 1497/1400 1584/1583 5.72 2725	1406/1423 1073/855 4805 2636 1497/1400 1584/1586 5.95 2725

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers or refer to the vehicle's Owner's Manual.

3. System operation may be affected by extreme interior heat.

4. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system.

5. Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.

6. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

7. Map database covers major metropolitan areas in Canada and 48 contiguous U.S. states.

8. Coverage varies by market.

9. Only available in certain areas. Includes a no-charge trial of three months.

10. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.ncan.gc.ca

ACCORD EX COUPE

KEY FEATURES:

- 185-HP¹, 2.4-LITRE, 16-VALVE, DIRECT INJECTION DOHC, i-VTEC[®] 4-CYLINDER ENGINE
- 6-SPEED MANUAL TRANSMISSION (MT)
- AVAILABLE CONTINUOUSLY VARIABLE TRANSMISSION (CVT)
- 4-WHEEL ANTI-LOCK BRAKING SYSTEM² (ABS)
- BRAKE ASSIST
- ELECTRONIC BRAKE-FORCE DISTRIBUTION (EBD)
- 17" ALUMINUM-ALLOY WHEELS
- HEATED FRONT SEATS
- MULTI-ANGLE REARVIEW CAMERA²
- HANDSFREELINK™-BILINGUAL BLUETOOTH® WIRELESS MOBILE PHONE INTERFACE^{2,3}
- 8" i-MID (INTELLIGENT MULTI-INFORMATION DISPLAY)
- ACTIVE NOISE CANCELLATION (ANC)/ACTIVE SOUND
- CONTROL (ASC) • 360-WATT AM/FM/CD PREMIUM AUDIO SYSTEM WITH MP3/ WINDOWS MEDIA® AUDIO PLAYBACK CAPABILITY AND
- 7 SPEAKERS INCLUDING SUBWOOFER
- STEERING WHEEL-MOUNTED PADDLE SHIFTERS (CVT)
- BODY-COLOURED HEATED POWER SIDE MIRRORS WITH INTEGRATED TURN INDICATORS INCLUDING EXPANDED VIEW DRIVER'S MIRROR
- CHROME DOOR HANDLES
- DRIVER'S SEAT WITH 8-WAY POWER ADJUSTMENT AND LUMBAR SUPPORT
- DUAL-STAGE, DUAL-THRESHOLD FRONT AIRBAGS (SRS)
- DUAL-ZONE AUTOMATIC CLIMATE CONTROL WITH AIR-FILTRATION SYSTEM
- E-MAIL FUNCTION^{2,3}
- ECO ASSIST[™] SYSTEM
- ELECTRIC POWER-ASSISTED RACK-AND-PINION STEERING (EPS)
- FOG LIGHTS
- HondaLink^{™2,3} WITH AUDIO TOUCH-SCREEN
- ILLUMINATED STEERING WHEEL-MOUNTED AUDIO CONTROLS
- INDEPENDENT STRUT FRONT SUSPENSION
- INDEPENDENT MULTI-LINK REAR SUSPENSION
- POWER-ASSISTED, VENTILATED FRONT/SOLID REAR
- DISC BRAKES

ACCORD EX COUPE (CONTINUED)

- ONE-TOUCH POWER MOONROOF WITH TILT FEATURE
- POWER WINDOWS WITH AUTO-UP/DOWN DRIVER'S AND
- FRONT PASSENGER'S WINDOWS AND KEYLESS OPERATION
- PROJECTOR-BEAM HALOGEN HEADLIGHTS
- PROXIMITY KEY ENTRY SYSTEM AND PUSHBUTTON START
- SECURITY SYSTEM
- SIDE CURTAIN AIRBAGS WITH ROLLOVER SENSORS
- SMARTVENT[™] SIDE AIRBAGS
- SIRIUSXM^{™4}
- TEXT MESSAGE FUNCTION^{2,3}
- TILT AND TELESCOPIC STEERING COLUMN
- TIRE PRESSURE MONITORING SYSTEM⁵ (TPMS)
- TRUNK SPOILER
- USB DEVICE CONNECTOR³
- VEHICLE STABILITY ASSIST² (VSA[®]) WITH TRACTION CONTROL

ACCORD EX-L NAVI COUPE

- ADDS TO OR REPLACES EX FEATURES:
- DRIVER'S SEAT POSITION MEMORY
- PERFORATED LEATHER-TRIMMED SEATING SURFACES
- LEATHER-WRAPPED STEERING WHEEL
- HONDA LaneWatch[™] BLIND SPOT DISPLAY²
- FORWARD COLLISION WARNING^{2,6} (FCW) SYSTEM
- LANE DEPARTURE WARNING^{2,6} (LDW) SYSTEM
- AUTO-DIMMING REARVIEW MIRROR
- HONDA SATELLITE-LINKED NAVIGATION SYSTEM^{™2.7}
 WITH BILINGUAL VOICE RECOGNITION, 3D MAP DISPLAY AND FM TRAFFIC[®]

ACCORD EX-L V6 NAVI COUPE

ADDS TO OR REPLACES EX-L NAVI FEATURES:

- 278-HP¹, 3.5-LITRE, 24-VALVE, SOHC, i-VTEC[®] V6 ENGINE
- VARIABLE CYLINDER MANAGEMENT[®] (VCM[®]) (AT ONLY)
- AVAILABLE 6-SPEED AUTOMATIC TRANSMISSION (AT) WITH GRADE LOGIC CONTROL
- 18" ALUMINUM-ALLOY WHEELS, PEWTER GREY, DIAMOND MACHINED FACE
- DUAL EXHAUST WITH CHROME FINISHERS
- LED HEADLIGHTS
- LED DAYTIME RUNNING LIGHTS
- HOMELINK® REMOTE SYSTEM⁹

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

- 2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers or refer to the vehicle's Owner's Manual.
- 3. Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.
- 4. Only available in certain areas. Includes a no-charge trial of three months.
- 5. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system.

6. System operation may be affected by extreme interior heat.

7. Map database covers major metropolitan areas in Canada and 48 contiguous U.S. states.

8. Coverage varies by market.

9. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).