

2016 Pilot

| ENGINE | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|--------------|--------------|--------------|--------------|--------------|--------------|
| 3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6 | • | • | • | • | • | • |
| Horsepower @ rpm ¹ | 280 @ 6000 | 280 @ 6000 | 280 @ 6000 | 280 @ 6000 | 280 @ 6000 | 280 @ 6000 |
| Torque (lb.-ft. @ rpm) ¹ | 262 @ 4700 | 262 @ 4700 | 262 @ 4700 | 262 @ 4700 | 262 @ 4700 | 262 @ 4700 |
| Displacement (cc) | 3471 | 3471 | 3471 | 3471 | 3471 | 3471 |
| Emissions rating | Tier 2 Bin 5 | Tier 2 Bin 5 | Tier 2 Bin 5 | Tier 2 Bin 5 | Tier 2 Bin 5 | Tier 2 Bin 5 |
| Bore and stroke (mm) | 89 x 93 | 89 x 93 | 89 x 93 | 89 x 93 | 89 x 93 | 89 x 93 |
| Compression ratio | 11.5:1 | 11.5:1 | 11.5:1 | 11.5:1 | 11.5:1 | 11.5:1 |
| Active Control Engine Mount (ACM) system | • | • | • | • | • | • |
| Eco Assist™ system | • | • | • | • | • | • |
| Idle-stop | • | • | • | • | • | • |
| Variable Cylinder Management® (VCM®) | • | • | • | • | • | • |
| Recommended fuel | Regular | Regular | Regular | Regular | Regular | Regular |

| DRIVETRAIN | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|---|---------------------------|---------------------------|---------------------------|---------------------------|---------------------------|
| 6-speed automatic transmission with Grade Logic Control | • | • | • | • | • | • |
| 9-speed automatic transmission with Grade Logic Control | | | | | | • |
| Steering wheel-mounted paddle shifters | | | | | | • |
| ECON mode button | • | • | • | • | • | • |
| Final drive ratio | 4.25 | 4.25 | 4.25 | 4.25 | 4.25 | 4.33 |
| Intelligent Variable Torque Management (i-VTM4™) AWD system | Available | • | • | • | • | • |
| Intelligent Traction Management System | AWD models | • | • | • | • | • |
| Towing capacity ² (kg) | Available 1588 (2WD)/ Available 1588 or 2268 (AWD) | Available 1588 or 2268 | Available 1588 or 2268 | Available 1588 or 2268 | Available 1588 or 2268 | Available 1588 or 2268 |

| BODY/SUSPENSION/CHASSIS | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|--|------------------|------------------|------------------|------------------|------------------|------------------|
| 18" aluminum-alloy wheels | • | • | • | • | • | • |
| 20" aluminum-alloy wheels | | | | | | • |
| All-season tires | P245/60 R18 105H | P245/60 R18 105H | P245/60 R18 105H | P245/60 R18 105H | P245/60 R18 105H | P245/50 R20 102H |
| Spare tire | T165/80 D17 | T165/80 D17 | T165/80 D17 | T165/80 D17 | T165/80 D17 | T165/80 D17 |
| Agile Handle Assist | • | • | • | • | • | • |
| Battery Management System | • | • | • | • | • | • |
| Amplitude Reactive Dampers | • | • | • | • | • | • |
| MacPherson strut front suspension | • | • | • | • | • | • |
| Multi-link independent rear suspension | • | • | • | • | • | • |
| Electric power-assisted rack-and-pinion steering (EPS) | • | • | • | • | • | • |
| Stabilizer bars – front/rear (mm) | 25/26.5 | 25/26.5 | 25/26.5 | 25/26.5 | 25/26.5 | 25/26.5 |
| Steering wheel turns, lock-to-lock | 3.14 | 3.14 | 3.14 | 3.14 | 3.14 | 3.14 |
| Power-assisted, ventilated front disc/solid rear disc brakes | • | • | • | • | • | • |

| ACTIVE SAFETY | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|--------------------------|----|------|-----------|----------|---------|
| 4-wheel Anti-lock Braking System ² (ABS) | • | • | • | • | • | • |
| Brake Assist | • | • | • | • | • | • |
| Electronic Brake-force Distribution (EBD) | • | • | • | • | • | • |
| Collision Mitigation Braking System™ ³ (CMBS®) | AWD Honda Sensing™ model | • | • | • | • | • |
| Forward Collision Warning ³ (FCW) system | AWD Honda Sensing™ model | • | • | • | • | • |
| Lane Departure Warning ³ (LDW) system | AWD Honda Sensing™ model | • | • | • | • | • |
| Road Departure Mitigation ³ (RDM) system | AWD Honda Sensing™ model | • | • | • | • | • |
| Hill Start Assist ³ | • | • | • | • | • | • |
| LED daytime running lights | • | • | • | • | • | • |
| Daytime running lights | • | • | • | • | • | • |
| Tire Pressure Monitoring System ⁴ (TPMS) with tire fill assist | • | • | • | • | • | • |
| Trailer Stability Assist | • | • | • | • | • | • |
| Vehicle Stability Assist ³ (VSA®) with Traction Control | • | • | • | • | • | • |

| PASSIVE SAFETY | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|----|----|------|-----------|----------|---------|
| 3-point rear seat belts | • | • | • | • | • | • |
| Front 3-point seat belts with automatic tensioning system | • | • | • | • | • | • |
| Childproof rear door locks | • | • | • | • | • | • |
| Dual-stage, multiple-threshold front airbags (SRS) | • | • | • | • | • | • |
| HondaLink™ Assist ^{3,5,6} Automatic Emergency Response System | • | • | • | • | • | • |
| Lower Anchors and Tethers for Children (LATCH) | 4 | 4 | 4 | 4 | 4 | 3 |
| Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure | • | • | • | • | • | • |
| Smartvent™ side airbags | • | • | • | • | • | • |
| Three-row side curtain airbags with rollover sensor system | • | • | • | • | • | • |

| DRIVER ASSIST TECHNOLOGY | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|--|--------------------------|----|------|-----------|----------|---------|
| Adaptive Cruise Control ³ (ACC) | AWD Honda Sensing™ model | • | • | • | • | • |
| Lane Keeping Assist System ³ (LKAS) | AWD Honda Sensing™ model | • | • | • | • | • |
| Auto high beam | | | | | | • |
| Blind Spot Information (BSI) system ³ | | | | | | • |
| Honda LaneWatch™ blind spot display ³ | | • | • | • | • | • |
| Rear Cross Traffic Monitor ³ system | | | | | | • |

| EXTERIOR | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|----|----|------|-----------|----------|---------|
| Auto-levelling front headlights | | | | | | • |
| Body-coloured door handles | • | • | • | • | • | Chrome |
| Body-coloured heated power side mirrors including expanded view driver's mirror | • | • | • | • | • | • |
| Fog lights | | • | • | • | • | • |
| Front and rear splash guards | • | • | • | • | • | • |

| EXTERIOR | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|--|------------------|------------------|------------------|------------------|------------------|------------------|
| Front wiper de-icer | • | • | • | • | • | • |
| Intermittent rear window wiper/washer | • | • | • | • | • | • |
| LED taillights | • | • | • | • | • | • |
| Memory-linked side mirrors with reverse gear tilt-down | | | | | | • |
| Mirror-integrated LED turn signal indicators | | • | • | • | • | • |
| Projector-beam halogen headlights | With auto-on/off | With auto-on/off | With auto-on/off | With auto-on/off | With auto-on/off | |
| Projector-beam LED headlights | | | | | | With auto-on/off |
| One-touch power moonroof with tilt feature | | • | • | • | • | |
| Panoramic moonroof | | | | | | • |
| Power folding mirrors | | | | | | • |
| Power tailgate | | | • | • | • | • |
| Rain-sensing windshield wipers | | | | | | • |
| Rear window defroster | • | • | • | • | • | • |
| Roof rails | | • | • | • | • | • |
| Rear privacy-tinted glass | • | • | • | • | • | • |
| Variable intermittent windshield wipers | • | • | • | • | • | • |

| COMFORT & CONVENIENCE | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|----|-------------|-------------|-------------|-------------|-------------|
| 12-volt power outlets | 3 | 3 | 3 | 3 | 3 | 3 |
| 110-volt power outlet | | | | | • | • |
| Acoustic windshield | | | • | • | • | • |
| Acoustic glass (front doors) | | | | | | • |
| Active Noise Cancellation (ANC) | • | • | • | • | • | • |
| Ambient lighting | | | | | | • |
| Auto-dimming rearview mirror | | | • | • | • | • |
| Body-coloured front and rear parking sensors | | | • | • | • | • |
| Cargo area tie-down anchors (4) | • | • | • | • | • | • |
| Colour TFT multi-information display | • | • | • | • | • | • |
| Compass | • | • | • | Navi-based | • | Navi-based |
| Conversation mirror with sunglasses holder | • | • | • | • | • | • |
| Display Audio System ² with Honda Satellite-Linked Navigation System ^{TM3,5} and bilingual Voice Recognition | | | | • | | • |
| Door-pocket storage bins | • | • | • | • | • | • |
| Driver's and front passenger's seatback pockets | | | | | | |
| Driver's and front passenger's vanity mirrors | • | Illuminated | Illuminated | Illuminated | Illuminated | Illuminated |
| Electronic gear selector | | | | | | • |
| Exterior temperature indicator | • | • | • | • | • | • |
| HandsFreeLink TM -bilingual Bluetooth [®] wireless mobile phone interface ^{3,5} with steering-wheel mounted controls | • | • | • | • | • | • |
| HomeLink [®] remote system ⁷ | | • | • | • | • | • |
| Immobilizer Theft-Deterrent System | • | • | • | • | • | • |
| Integrated second-row sunshades | | | | | • | • |
| Maintenance Minder TM system | • | • | • | • | • | • |
| Multi-angle rearview camera ³ with dynamic guidelines | • | • | • | • | • | • |
| One-touch turn signals | • | • | • | • | • | • |
| Power windows with auto-up/down driver and passenger window | • | • | • | • | • | • |
| Proximity key entry system with pushbutton start | • | • | • | • | • | • |
| Remote engine starter | • | • | • | • | • | • |
| Reversible cargo lid | • | • | • | • | • | • |
| Second-row folding centre armrest | • | • | • | • | • | • |
| Second- and third-row heater ducts | • | • | • | • | • | • |
| Second-row automatic HVAC controls | • | • | • | • | • | • |
| Security system | • | • | • | • | • | • |
| Steering wheel-mounted controls (cruise control, audio, telephone, multi-information display) | • | • | • | • | • | • |
| Tilt and telescoping steering column | • | • | • | • | • | • |
| Tri-zone automatic climate control with air-filtration system | • | • | • | • | • | • |
| Walk-away door lock | • | • | • | • | • | • |

| SEATING & TRIM | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|----|----|------------|------------|------------|------------|
| Driver's seat armrest | • | • | Adjustable | Adjustable | Adjustable | Adjustable |
| Passenger's seat armrest | • | • | • | • | • | Adjustable |
| Driver's seat with 6-way manual adjustment | • | | | | | |
| Driver's seat with 10-way power adjustment including power lumbar support | | • | • | • | • | • |
| Driver's seat position memory | | | | | | • |
| Heated front seats | • | • | • | • | • | • |
| Heated second-row seats (outboard positions only) | | | • | • | • | |
| Heated second-row captain's chairs | | | | | | • |
| Heated leather-wrapped steering wheel | | | • | • | • | • |
| Leather-trimmed seating surfaces | | | • | • | • | Perforated |
| Passenger's seat with 4-way manual adjustment | • | • | | | | |
| Passenger's seat with 4-way power adjustment | | | • | • | • | • |
| Sliding and reclining 60/40 split-folding second-row seat | • | • | • | • | • | • |
| Sliding and reclining second-row captain's chair | | | | | | • |
| One-touch second row seats | | | • | • | • | • |
| 60/40 split-folding third-row seat | • | • | • | • | • | • |
| Seating capacity | 8 | 8 | 8 | 8 | 8 | 7 |
| Ventilated front seats | | | | | | • |

| ENTERTAINMENT | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|----|----|------|-------------------------------------|----------|-------------------------------------|
| 225-watt AM/FM/CD audio system with MP3/Windows Media® | • | • | • | • | • | |
| Audio playback capability and 7 speakers including subwoofer | | | | | | |
| 540-watt AM/FM/CD Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer and 5.1 Surround Sound | | | | | | • |
| Display Audio System ³ with HondaLink™ ^{3,5} | • | • | • | Including Navigation ^{3,8} | • | Including Navigation ^{3,8} |
| Honda Rear Entertainment System with 9-inch display, integrated remote control and wireless headsets with personal surround sound | | | | | DVD | Blu-ray™ |
| Bluetooth® Streaming Audio ^{3,5} | • | • | • | • | • | • |
| MP3/auxiliary input jack | • | • | • | • | • | • |
| HDMI® (High-Definition Multimedia Interface) input jack ⁵ | | | | | • | • |
| HD Radio™ ⁹ | | | | | | • |
| USB device connector ⁵ | 3 | 3 | 3 | 3 | 3 | 5 |
| Siri Eyes Free compatibility ^{3,5} | • | • | • | • | • | • |
| SMS text message ^{3,5} / E-mail function ^{3,5} | • | • | • | • | • | • |
| Speed-sensitive Volume Control (SVC) | • | • | • | • | • | • |
| SiriusXM™ ¹⁰ | | | | | | • |
| Wi-Fi tethering ⁵ | • | • | • | • | • | • |

| FUEL ECONOMY ¹¹ (L/100 KM) | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---------------------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| 2WD (City/Hwy/Combined) | 12.4/8.8/10.8 | | | | | |
| i-VTM4™ AWD (City/Hwy/Combined) | 13.0/9.3/11.3 | 13.0/9.3/11.3 | 13.0/9.3/11.3 | 13.0/9.3/11.3 | 13.0/9.3/11.3 | 12.4/9.3/11.0 |

| DIMENSIONS | LX | EX | EX-L | EX-L NAVI | EX-L RES | TOURING |
|---|---|----------------|----------------|----------------|----------------|----------------|
| Approach/departure angle (degrees) | 18/19.7 | 18/19.7 | 18/19.7 | 18/19.7 | 18/19.7 | 18/19.7 |
| Cargo volume behind front row (L) | 3087 | 3092 | 3092 | 3092 | 3092 | 3072 |
| Cargo volume behind 2nd row (L) | 1583 | 1583 | 1583 | 1583 | 1583 | 1557 |
| Cargo volume behind 3rd row (L) | 524 | 524 | 524 | 524 | 524 | 510 |
| Curb weight (kg) | 1861 (2WD)/ 1930 (AWD)/ 1933 (AWD Honda Sensing™) | 1949 | 1965 | 1967 | 1973 | 1978 |
| Fuel tank capacity (L) | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 | 73.8 |
| Gross vehicle weight rating (kg) | 2515 (2WD)/ 2650 (AWD) | 2650 | 2650 | 2650 | 2650 | 2650 |
| Ground clearance (mm) | 185 | 185 | 185 | 185 | 185 | 185 |
| Headroom – front/2nd row/3rd row (mm) | 1019/1020/989 | 1004/1014/989 | 1004/1014/989 | 1004/1014/989 | 1004/1014/989 | 1004/1040/989 |
| Height (mm) | 1773 | 1773 | 1773 | 1773 | 1773 | 1773 |
| Hip room – front/2nd row/3rd row (mm) | 1501/1456/1132 | 1501/1456/1132 | 1501/1456/1132 | 1501/1456/1132 | 1501/1456/1132 | 1501/1456/1132 |
| Legroom – front/2nd row/3rd row (mm) | 1040/976/810 | 1040/976/810 | 1040/976/810 | 1040/976/810 | 1040/976/810 | 1040/976/810 |
| Length (mm) | 4941 | 4941 | 4941 | 4941 | 4941 | 4941 |
| Passenger volume (L) | 4330 | 4296 | 4296 | 4296 | 4296 | 4335 |
| Shoulder room – front/2nd row/3rd row (mm) | 1576/1576/1463 | 1576/1576/1463 | 1576/1576/1463 | 1576/1576/1463 | 1576/1576/1463 | 1576/1576/1463 |
| Track – front/rear (mm) | 1684/1684 | 1684/1684 | 1684/1684 | 1684/1684 | 1684/1684 | 1684/1684 |
| Turning radius (m) | 5.75 | 5.75 | 5.75 | 5.75 | 5.75 | 5.75 |
| Washer tank capacity (L) | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 | 5.3 |
| Wheelbase (mm) | 2820 | 2820 | 2820 | 2820 | 2820 | 2820 |
| Width – including mirrors/mirrors folded (mm) | 2296/2029 | 2296/2029 | 2296/2029 | 2296/2029 | 2296/2029 | 2296/2029 |

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

2. Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.

3. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

4. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.

5. Only compatible with certain devices and operating systems. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.

6. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

7. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.). Additional control devices not provided by Honda may be required.

8. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

9. Coverage varies by market.

10. Only available in certain areas. Includes a no-charge trial of three months.

11. Estimated fuel economy based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only.

For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>