

# 2026 Civic Hatchback

## ENGINEERING

ENGINE	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Drivetrain	Front-wheel drive <sup>1</sup> (FWD)	Front-wheel drive <sup>1</sup> (FWD)	Front-wheel drive <sup>1</sup> (FWD)
Engine type	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder
Displacement (cc)	1993	1993	1993
Horsepower @ rpm <sup>2</sup>	150 @ 6400		
Torque (lb.-ft. @ rpm) <sup>2</sup>	133 @ 4000		
Two-motor hybrid system		•	•
Combined total horsepower <sup>3</sup>		200	200
Combined torque @ (lb.-ft. @ rpm) <sup>3</sup>		232 @ 0 - 2000	232 @ 0 - 2000
Idle-stop	•		
Redline (rpm)	6700	6250	6250
Bore and stroke (mm)	81 x 96.7	81 x 96.7	81 x 96.7
Valve train	16-Valve DOHC with Dual Variable Timing Control (VTC)	16-Valve DOHC with Dual Variable Timing Control (VTC)	16-Valve DOHC with Dual Variable Timing Control (VTC)
Compression ratio	13:01	13.9:1	13.9:1
Fuel injection	Direct injection	Direct injection	Direct injection
CONVENIENCE			
Remote engine starter	•	•	•
DRIVE MODE			
Drive modes	ECON / Normal / Sport	ECON / Normal / Sport	ECON / Normal / Sport / Individual
Eco Assist™ system	•	•	•

## DRIVETRAIN

TRANSMISSION
Continuously Variable Transmission (CVT)
Electro-Continuously Variable Transmission (eCVT)

## FUEL ECONOMY

Emissions rating	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30
Front-wheel drive (City/Hwy/Combined <sup>4</sup> )	7.7/6.1/7.0	4.8/5.4/5.0	4.8/5.4/5.0
Recommended fuel	Regular	Regular	Regular
Capless fueling system	•	•	•
Fuel tank capacity (L)	46.9	40.36	40.36

## BODY/SUSPENSION/CHASSIS

BRAKES
Power-assisted, ventilated front disc/solid rear disc brakes
Electronic Parking Brake (EPB) with automatic brake hold
DIMENSIONS
Stabilizer bars – front/rear (mm)
Steering ratio
Steering wheel turns, lock-to-lock
Turning diameter, curb to curb (m)
TIRES
Tires
Spare tire
Tire repair kit
WHEELS
18" aluminum-alloy wheels
CHASSIS
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)
SUSPENSION
MacPherson strut front suspension
Multi-link independent rear suspension

## HONDA SENSING® DRIVER-ASSISTIVE FEATURES

HONDA SENSING®
Adaptive Cruise Control <sup>1,5</sup> (ACC)
Auto high beam headlights <sup>1</sup>
Blind Spot Information (BSI) system <sup>1,6</sup>
Collision Mitigation Braking System™ <sup>1,7</sup> (CMBS®)
Cross Traffic Monitor <sup>1,8</sup> (CTM)
Traffic Jam Assist <sup>1,9</sup>
Lane Departure Warning <sup>1,10</sup> (LDW)
Lane Keeping Assist System <sup>1,11</sup> (LKAS)
Low-Speed Braking Control <sup>1</sup>
Road Departure Mitigation (RDM) system <sup>1,12</sup>
Traffic Sign Recognition (TSR) system <sup>1,13</sup>
Forward Collision Warning <sup>1,27</sup> (FCW)

SAFETY & DRIVER ASSISTIVE TECHNOLOGY

ACTIVE SAFETY	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Anti-lock Braking System <sup>14</sup> (ABS)	•	•	•
Brake Assist <sup>1</sup>	•	•	•
Electronic Brake-force Distribution <sup>1</sup> (EBD)	•	•	•
Vehicle Stability Assist <sup>15</sup> (VSA®) with Traction Control	•	•	•
Hill Start Assist <sup>16</sup>	•	•	•
PASSIVE SAFETY			
3-point seat belts at all seating positions	•	•	•
Advanced Compatibility Engineering™ <sup>1</sup> (ACE™) body structure	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•
Childproof rear door locks	•	•	•
Driver & passenger side knee airbag	•	•	•
Lower Anchors and Tethers for Children (LATCH)	•	•	•
Rear outboard passengers' side airbags	•	•	•
Rear seat reminder <sup>17</sup>	•	•	•
Driver attention monitor <sup>1</sup>	•	•	•
Side curtain airbags with rollover sensor	•	•	•

EXTERIOR

LIGHTING			
LED Daytime Running Lights (DRL)	•	•	•
LED headlights with auto-on/off	•	•	•
LED taillights	•	•	•
WIPERS			
Wiper	Intermittent	Intermittent, speed-sensing	Rain-sensing
SIDE MIRRORS			
Heated power-adjusting side mirrors	•	•	Integrated LED turn signal indicators
Side mirror colour	Black	Black	Black
EXTERIOR – MISCELLANEOUS			
One-touch power moonroof		•	•

COMFORT AND CONVENIENCE

CONVENIENCE			
Pushbutton start	•	•	•
Proximity key entry system	•	•	•
Smart Entry	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®
CAMERA			
Multi-angle rearview camera with dynamic guidelines®	•	•	•
PARKING			
Parking sensors <sup>1</sup>			•
SECURITY			
Immobilizer theft-deterrent system	•	•	•
Security system	•	•	•
STEERING WHEEL			
Steering wheel with mounted controls	Leather-wrapped	Heated, leather-wrapped	Heated, leather-wrapped
Tilt and telescopic steering column	•	•	•
Steering wheel-mounted deceleration paddle selectors		•	•
Steering wheel-mounted paddle shifters	•		
PEDALS			
Sport pedals	•	•	•
WINDOWS			
Acoustic laminate glass	Windshield	Windshield	Windshield
Power windows with auto-up/down	Front	Front	Front
CLIMATE			
Climate control	Automatic	Dual-zone	Dual-zone
INTERIOR			
Front vanity mirrors	•		
Illuminated front vanity mirrors		•	•
SEATING			
SEATS			
Seat material	Synthetic leather and fabric	Synthetic leather and fabric	Leather-trimmed
Driver seat	6-way manual adjustment	6-way manual adjustment	8-way power adjustment
Passenger seat	4-way manual adjustment	4-way manual adjustment	4-way power adjustment
Heated front seats	•	•	•
Seating capacity	5	5	5
REAR SEATS			
60/40 split-folding rear seat	•	•	•
Heated rear seats			•

STORAGE	SPORT	SPORT HYBRID	SPORT TOURING HYBRID
Seatback pockets	Passenger	Passenger	Passenger

AUDIO & CONNECTIVITY

AUDIO			
Speakers	8	8	12 including subwoofer
BOSE® Premium Sound System			•
7" touchscreen centre display	•	•	
9" touchscreen centre display			•
7" centre meter display	•	•	
10.2" centre meter display			•
Speed-sensitive Volume Control (SVC)	•	•	•
Apple CarPlay <sup>#1,19</sup> / Android Auto <sup>™1,20</sup>	Wired	Wired	Wired/wireless
HD Radio <sup>™21</sup>			•
Google built-in <sup>22</sup>			•
Wi-Fi hotspot capability <sup>23</sup>			•
USB device connectors <sup>24</sup>	2 USB-C 3.0A (Front)	2 USB-C 3.0A (Front)	2 USB-C 3.0A (Front)
Wireless phone charger <sup>25</sup> (Qi-compatible)			•
HondaLink™ Connected Services <sup>26</sup>	Basic	Basic	Subscription

DIMENSIONS

EXTERIOR			
Curb weight (kg)	1349.9	1475.1	1491.9
Gross vehicle weight rating (kg)	1790	1930	1930
Ground clearance, unloaded (mm)	134	134	134
Height (mm)	1414.8	1414.8	1414.8
Length (mm)	4546.6	4546.6	4546.6
Track – front/rear (mm)	1536.7 / 1564.6	1546.9 / 1574.8	1536.7 / 1564.6
Wheelbase (mm)	2735.6	2735.6	2735.6
Width (mm)	1800.9	1800.9	1800.9
INTERIOR			
Cargo volume (L)	693.8	693.8	693.8
Headroom – front/2nd row (mm)	998.2 / 994.3	995.0 / 942.4	995.0 / 942.4
Hip room – front/2nd row (mm)	1379.2 / 1242.1	1379.2 / 1242.0	1379.2 / 1242.0
Legroom – front/2nd row (mm)	1074.42 / 949.9	1074.4 / 949.9	1074.4 / 949.9
Passenger volume (L)	2803.4	2735.4	2735.4
Shoulder room – front/2nd row (mm)	1447.8 / 1422.4	1447.8 / 1422.4	1447.8 / 1422.4

1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
3. Total combined horsepower and torque figures includes the maximum power of the engine and all motors combined that can be produced at any one time. ISO net.
4. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
5. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
6. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
7. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
8. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
9. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
10. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
11. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
14. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
15. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
16. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
17. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
18. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
19. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at [www.apple.com](http://www.apple.com) for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
20. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at [www.google.com](http://www.google.com) for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
21. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
22. Customers need to sign up for a free Wi-Fi hotspot trial to use Google built-in features. This trial is applicable for a period of 3 months or 3Gb, whichever is earlier after which the customers will be required to either: tether/hotspot from a compatible mobile device or subscribe to a compatible data plan from Bell at then-current pricing. For details, see: <https://myvehicle.att.com/#/landing?country=CA&language=en&oem=honda>
23. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit [www.myvehicle.att.com](http://www.myvehicle.att.com) to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
24. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
25. Honda wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
26. Only compatible with certain devices and operating systems. Operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit [www.honda.ca/hondalink](http://www.honda.ca/hondalink) and [www.honda.ca/privacy](http://www.honda.ca/privacy)
27. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.