2026 CR-V

ENGINEERING

ENGINE	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Drivetrain	Available	Real Time AWD™	Real Time AWD™	Real Time AWD™	Real Time AWD™	Real Time AWD™
	Real Time AWD™ with Intelligent Control System™	with Intelligent Control System™1	with Intelligent Control System™1	with Intelligent Control System ^{™1}	with Intelligent Control System ^{™1}	with Intelligent Control System™
ingine type	1.5-litre inline 4-cylinder with	1.5-litre inline 4-cylinder with	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder
	Turbocharger	Turbocharger				
Displacement (cc)	1498 190 @ 6000	1498 190 @ 6000	1993	1993	1993	1993
Horsepower @ rpm² Forque (lbft. @ rpm)²	179 @ 1700-5000	179 @ 1700-5000				
Two-motor hybrid system	113 @ 1100 3000	110 @ 1100 0000				
Combined total horsepower ³			204	204	204	204
Combined torque @ (lbft. @ rpm)³			247 @ 0-2000	247 @ 0-2000	247 @ 0-2000	247 @ 0-2000
Electric motor horsepower @ rpm ⁴			181 @ 5000-8000	181 @ 5000-8000	181 @ 5000-8000	181 @ 5000-8000
Idle-stop	•	•	C100	C100	C100	C100
Redline (rpm) Bore and stroke (mm)	6600 73 x 89.5	6600 73 x 89.5	6100 81 x 96.7	6100 81 x 96.7	6100 81 x 96.7	6100 86 x 85.9
Compression ratio	10.3:1	10.3:1	13.9:1	13.9:1	13.9:1	10.8:1
Valve train	16-valve DOHC	16-valve DOHC	16-valve DOHC	16-valve DOHC	16-valve DOHC	16-valve DOHC
	VTEC® (intake) with Dual Variable Timing Control (VTC)	VTEC [®] (intake) with Dual Variable Timing Control (VTC)	VTEC [®] with Dual Variable Timing Control (VTC)	VTEC® with Dual Variable Timing Control (VTC)	VTEC® with Dual Variable Timing Control (VTC)	VTEC® with Dual Variable Timing Control (VTC)
Fuel injection	Direct injection	Direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection
Drive-by-Wire Throttle System™	•	•	•	•	•	•
CONVENIENCE						
Remote engine starter	•	•	•	•	•	•
DRIVE MODE						
Drive modes	ECON, Normal, Snow	ECON, Normal, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow
Eco Assist™ system	•	•	•	•	•	•
DRIVETRAIN						
TRANSMISSION						
Continuously Variable Transmission (CVT) Electro-Continuously Variable Transmission (E-CVT)	·	•				
FUEL ECONOMY						
Emissions rating	SULEV30	SULEV30	SULEV20	SULEV20	SULEV20	SULEV20
Front-wheel drive (City/Hwy/Combined ⁵)	8.4/7.1/7.8	0 1 /7 6 /0 4	0.0/0.0/0.4	0.0/20/02	0.0/0.0/0.4	0.0/0.0/0.4
Real Time AWD™ (City/Hwy/Combined⁵) Recommended fuel	9.1/7.6/8.4	9.1/7.6/8.4	6.0/6.9/6.4	6.3/7.2/6.7	6.0/6.9/6.4	6.0/6.9/6.4
Capless fueling system	Regular	Regular	Regular	Regular •	Regular •	Regular
Fuel tank capacity (L)	53	53	53	53	53	53
BODY/SUSPENSION/CHASSIS						
BRAKES						
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•			
Electronic Parking Brake (EPB) with automatic brake hold		•				
DIMENSIONS						
Towing capacity ⁶ (kg)	Available 680	Available 680	Available 453	Available 453	Available 453	Available 453
Stabilizer bars – front/rear (mm)	26/17.2 (FWD) 26/12.5 (Real Time AWD™)	26/12.5	26.6/13	26.6/13	26.6/13	26.6/13
Steering ratio	12.4:1 (FWD) 12.3:1 (Real Time AWD™)	12.3:1	12.3:1	12.3:1	12.3:1	12.3:1
Steering wheel turns, lock-to-lock	2.4	2.4	2.4	2.4	2.4	2.4
Turning diametre – curb-to-curb (m)	11.3	11.3	11.3	11.3	11.3	11.3
TIRES						
Tires	All-season P235/65 R17 104H M+S	All-season P235/60 R18 103H M+S	All-season P235/60 R18 103H M+S	All-terrain P235/60 R18 107V M+S	All-season P235/60 R18 103H M+S	All-season P235/55 R19 101H M+S
Spare tire Tire repair kit	T155/90D17 112M	T155/90D17 112M				
WHEELS						
WHELES						
17" steel wheels with silver wheel caps 18" aluminum-alloy wheels		Gloss Black	Gloss Black		Gloss Black	

Multial end ender to poorstated rank-indo platent streamer (CPD) I	CHASSIS	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Increase Note:IIIIIHead is independent ware supported is it is independent ware supported is it is independent ware supported is it is it	Variable ratio electric power-assisted rack-and-pinion steering (EPS)					•	•
Natil incorporate rise supportion in the interval of the inte	SUSPENSION						
Acapter formation (so: yegen"ColspaceColspaceColspaceColspaceColspaceColspace	MacPherson strut front suspension	•			•		
Bond Statement Anal Split Statement	Multi-link independent rear suspension	•				•	
Alab laging harm harding for the matrix of (50) spectram ²⁴ (ARRS) -		ES					
Bind spectral framewards (Set) spectral framewards (Set) <td>Adaptive Cruise Control^{1.7} (ACC)</td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>	Adaptive Cruise Control ^{1.7} (ACC)						
Collision braining System************************************							
Cross Fields Asolite "(CFN) (LAS) (•	
Line Departure Maning '' (Law)							
Low-speak funding Control							
Traffic sign Resonance (TSR) system ¹¹ - -							
Tarle Say Paception (Singly agam?" (AS)		•	•	•	•	•	•
Setter & DRIVER ASSISTIVE TECHNOLOGY Setter Set Setter Setter Setter Setter Setter Setter Setter Set Setter Setter Set Setter Setter Set Setter Setter Set Set Setter Setter Set Set Setter Setter Set		•		•	•	•	
Active Aster Y Active Aster Y Brake Astail		•	•	•	•	•	•
Brake Acade I . <							
Fleetronic brailes-force Distribution? (FBD)<		•	•	•	•	•	•
Wehled Stability Asist ¹¹⁷ (DSAP) with Traction Control .		•		•	•	•	•
Hill Back		•		•	•		•
PASSUE SAFETY							
3-point seat helts at all seating positions . <td>Hill Descent Control¹</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td></td>	Hill Descent Control ¹	•	•	•	•	•	
Advanced Compatibility Engineeinge ¹⁴⁴ (ACE ¹⁴⁴) body structure Image: Advanced front airbags (SRS) Im	PASSIVE SAFETY						
Advanced front airbags (SRS) Childproof question monitori Driver 3 and front passenger's advanced front airbags (SRS) Driver 3 and front passenger's advanced front airbags (SRS) . </td <td></td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>		•	•	•	•	•	•
Childpoor fear door looks		•	•	•	•	•	•
priver attention monitor ¹ . .<	- · ·	•	•	•	•	•	•
priver & and front passenger's advanced front airbags (SRS)<		•					
Lower Anchors and Tethers for Children (LATCH)Lower Anchors (2nd-row (2nd-row (2nd-row (2nd-row) (2nd-row)Lower Anchors (2nd-row (2nd-row) (2nd-row) (2nd-row) (2nd-row)Lower Anchors (2nd-row) (2nd-row) (2nd-row all)Lower Anchors (2nd-row) (2nd-row all)Lower Anchors (2nd-row) (2nd-row all)Lower Anchors (2nd-row all)Lower Anchors (
(2nd-row outboard), Tether Anchors(2nd-row outboard), Tether outboard), Tether outboard						•	
Rear seat reminder?"	Lower Anchors and Tethers for Children (LATCH)	(2nd-row outboard), Tether Anchors					
Seat belt reminder for all seating positionsSide curtain airbags with rollover sensor <t< td=""><td>Rear outboard passengers' side airbags</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td><td>•</td></t<>	Rear outboard passengers' side airbags	•	•	•	•	•	•
Side curtain airbags with rollover sensor . </td <td></td> <td></td> <td></td> <td></td> <td></td> <td></td> <td></td>							
SmartVent" side airbags		•		•	•		
EXTERIORLIGHTINGLED Daytime Running Lights (DRL) </td <td>0</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	0	•	•	•	•	•	•
LED Daytime Running Lights (DRL) <th< td=""><td>EXTERIOR</td><td>•</td><td></td><td></td><td>•</td><td></td><td></td></th<>	EXTERIOR	•			•		
LED headlights with auto-on/off···							
LED taillights		•		•	•	•	•
Front wiper de-icer······WipersIntermittent, speed-sensingIntermittent, 							
Front wiper de-icer······WipersIntermittent, speed-sensing <t< td=""><td></td><td></td><td></td><td></td><td></td><td></td><td></td></t<>							
speed-sensingspeed-sensingspeed-sensingspeed-sensingspeed-sensingSIDE MIRRORSHeated power-adjusting side mirrorsSide mirror colourBody-colouredBody-colouredBlackBlackBlackBlackSide mirror colourBody-colouredBody-colouredBlackBlackBlackBlackBlackEXTERIOR - MISCELLANEOUSFront and rear splash guardsFront and rear splash guardsExthaust finisherDual chromeDual chromeDual chromeDual chromeDual chromeDoor handlesBody-colouredBody-colouredBody-colouredBody-colouredBlackBlackBody-colouredSpoiler typeTailgateTailgateTailgateTailgateTailgateTailgateTailgateTailgateTailgateRoof railsBlackBlackBlackBlackBlackBlackBlack		•			•	•	
Heated power-adjusting side mirrorsSide mirror colourBody-colouredBody-colouredBlackBlackBlackBlackBlackBlackEXTERIOR - MISCELLANEOUSOne-touch power moonroofWith tilt and slide functionWith tilt and slide fu	Wipers	Intermittent					Rain-sensing
Side mirror colourBody-colouredBody-colouredBlackBlackBlackBlackBlackEXTERIOR - MISCELLANEOUSOne-touch power moonroofWith tilt and slide functionWith tilt and slide functionW	SIDE MIRRORS						
EXTERIOR - MISCELLANEOUSOne-touch power moonroofWith tilt and slide functionWith tilt and sl							
One-touch power moonroofWith tilt and slide functionWith tilt and slide functionFront and rear splash guards </td <td>Side mirror colour</td> <td>Body-coloured</td> <td>Body-coloured</td> <td>Black</td> <td>Black</td> <td>Black</td> <td>Black</td>	Side mirror colour	Body-coloured	Body-coloured	Black	Black	Black	Black
Front and rear splash guardsFunctionfunctionfunctionfunctionfunctionExhaust finisherDual chromeDual chromeDual chromeDual chromeDual chromeDoor handlesBody-colouredBody-colouredBody-colouredBody-colouredBody-colouredBody-colouredSpoiler typeTailgateTailgateTailgateTailgateTailgateTailgateTailgateRoof railsBlackBlackBlackBlackBlackBlackBlack							
Exhaust finisherDual chromeDual chromeDual chromeDual chromeDual chromeDoor handlesBody-colouredBody-colouredBody-colouredBlackBody-colouredBody-colouredSpoiler typeTailgateTailgateTailgateTailgateTailgateTailgateTailgateRoof railsBlackBlackBlackBlackBlackBlack	One-touch power moonroof						
Door handlesBody-colouredBody-colouredBody-colouredBlackBody-colouredBody-colouredSpoiler typeTailgateTailgateTailgateTailgateTailgateTailgateTailgateRoof railsBlackBlackBlackBlackBlackBlackBlack							
Spoiler typeTailgateTailgateTailgateTailgateTailgateTailgateRoof railsBlackBlackBlackBlackBlack		Pody coloured	Pody coloured				
Roof rails Black Black Black Black Black		-				3	-
		rangate				rangate	

COMFORT AND CONVENIENCE

COMFORT AND CONVENIENCE						
CONVENIENCE	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Pushbutton start						
Proximity key entry system	•	•	•	•	•	•
Smart Entry	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®
CAMERA						
Multi-angle rearview camera with dynamic guidelines ²⁰						
Rear camera washer	•	•	•	•	•	•
PARKING						
Parking sensors ¹					Front (4), rear (4)	Front (4), rear (4)
CARGO						
Cargo area light						
Cargo area tie-down anchors (4)			•			
Adjustable cargo floor height (2 levels)						
SECURITY						
Immobilizer theft-deterrent system						
Security system	•	•	•	•		
SHIFTER						
Leather-wrapped shift knob						
STEERING WHEEL						
Steering wheel with mounted controls	Urethane	Heated,	Heated,	Heated,	Heated,	Heated,
-		leather-wrapped	leather-wrapped	leather-wrapped	leather-wrapped	leather-wrapped
Tilt and telescopic steering column						
Steering wheel-mounted deceleration paddle selectors			•	•	•	•
WINDOWS						
Acoustic laminate glass					Windshield	Windshield
Power windows with auto-up/down	Driver only	Front	Front	Front	Front and rear	Front and rear
Rear privacy-tinted glass						•
CLIMATE						
Climate control	Dual-zone	Dual-zone	Dual-zone	Dual-zone	Dual-zone	Dual-zone
Second-row heater ducts						
LIGHTING						
Ambient lighting		White Front	White Front	Orange Front: door handle, footwell	White Front	White Front
One-touch turn signals				•		
Auto-dimming rearview mirror						
STORAGE						
Sunglasses holder						
INTERIOR						
Front vanity mirrors						
Illumintated front vanity mirrors						
OUTLET						
12-volt outlet	Front console: 1;	Front console: 1;	Front console: 1;	Front console: 1;	Front console: 1;	Front console: 1;
	cargo area: 1	cargo area: 1	cargo area: 1	cargo area: 1	cargo area: 1	cargo area: 1
SEATING						
SEATS						
Seat material	Fabric	Fabric	Fabric	Fabric with embossed TrailSport logo	Perforated leather-trimmed with Orange accents	Perforated leather-trimmed with Orange accents
Driver seat	6-way manual adjustment	8-way power adjustment including 2-way power lumbar support				
Passenger seat	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment	4-way power adjustment	4-way power adjustment
Memory system for driver's seat and side mirrors					Two position	Two position
Heated front seats			•			•
Seating capacity	5	5	5	5	5	5
REAR SEATS						
Heated second-row seats					Outboard positions only	Outboard positions only
60/40 split-folding rear seat	•	•	•	•		•
STORAGE		D.:	Di	D	D	D
Seatback pockets		Passenger	Passenger	Passenger	Passenger	Passenger

AUDIO & CONNECTIVITY

AUDIO	LX	SPORT	SPORT	TRAILSPORT	EX-L	TOURING
			HYBRID	HYBRID	HYBRID	HYBRID
Speakers	4	6	6	8	8	12 BOSE® Premiu Sound System
9" touchscreen centre display					Screen audio	Screen audio
7" colour TFT centre meter display	•	•	•			
10.2" colour TFT centre meter display				•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•		•	•
Apple CarPlay ^{®1,21} / Android Auto™ ^{1,22}	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless
Amazon Alexa Built-In ²³						•
Google built-in ²⁴						•
HD Radio ^{™25}						•
Ni-Fi hotspot capability ²⁶			•	•	•	•
USB device connectors ²⁷	2 USB-C 3.0A	2 USB-C 3.0A	2 USB-C 3.0A	2 USB-C 3.0A	2 USB-C 3.0A	2 USB-C 3.0A
	(Front)	(Front)	(Front)	(Front)	(Front)	(Front)
			2 USB-C 3.0A	2 USB-C 3.0A (Rear)	2 USB-C 3.0A	2 USB-C 3.0A
			(Rear)	(near)	(Rear)	(Rear)
Wireless phone charger ²⁸ (Qi-compatible)		•	•	•	•	•
HondaLink™ Connected Services ²⁹	Basic	Basic	Subscription	Subscription	Subscription	Subscription
DIMENSIONS						
EXTERIOR						
Curb weight (kg)	1583 (FWD) 1635 (Real Time AWD™)	1651	1755	1769	1766	1785
Gross vehicle weight rating (kg)	2175	2175	2300	2300	2300	2300
Ground clearance, unloaded (mm)	198 (FWD) 208 (Real Time AWD™)	208	208	207.99	208	208
Height (mm)	1680 (FWD) 1690 (Real Time AWD™)	1690	1690	1690	1690	1690
Length (mm)	4695	4695	4695	4695	4695	4695
Track – front/rear (mm)	1610/1627 (FWD) 1608/1623 (Real Time AWD™)	1608/1623	1608/1623	1608/1623	1608/1623	1608/1623
Nheelbase (mm)	2701 (FWD) 2700 (Real Time AWD™)	2700	2700	2700	2700	2700
Width (mm)	2150	2150	2150	2150	2150	2150
NTERIOR						
Cargo volume – rear seats up/down (L)	1113/2166	1113/2166	1028/2030	1028/2030	1028/2030	1028/2030
Headroom – front/2nd row (mm)	1016/970	970/970	970/970	970/970	970/970	970/970
Hip room – front/2nd row (mm)	1413/1336	1413/1336	1413/1336	1413/1336	1413/1336	1413/1336
Legroom – front/2nd row (mm)	1049/1042	1049/1042	1049/1042	1049/1042	1049/1042	1049/1042
Passenger volume (L)	3002	2931	2931	2931	2931	2931

- 29. Only compatible with certain devices and operating systems. Operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. Subscription to HondaLink^w services is required. HondaLink^w equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink[™] to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/hondalink and www.honda.ca/privacy
- Functionality is subject to limitations and may vary by vehicle, infotainment system and location. Feature is dependent on data connectivity. Paid data plan may be required. 24. Customers need to sign up for a free Wi-Fi hotspot trial to use Google built-in features. This trial is applicable for a period of 3 months or 3Gb, whichever is earlier after which the customers will be required to either: tether/hotspot from a compatible mobile device or subscribe to a compatible data plan from Bell at then-current pricing. For details,
- vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit www myvehicle.att.com to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance® 27. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely 28. Honda wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
- see: https://myvehicle.att.com/#/landing?country=CA&language=en&oem=honda 25. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation. 26. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible
- 22. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc. 23. Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology and may require account linking to use this feature.
- devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
- information about conditions at the back of your vehicle. 21. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic
- other items. Always check rear seats before exiting the vehicle 20. confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all
- for the parking brake 19. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or
- 18. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement
- 17. The VSA[®] may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA[®] cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
- remains responsible for safely operating vehicle and complying with all traffic regulations. 16. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
- Late Keeping Assist System (LKAS) official minimum proper late position with all find the faith and the series of the series (LKAS) of the series (LKAS) of the minimum proper late position with all find the faith and the series (LKAS) of the series lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions. 15. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver
- road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions. 12. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep you
- 10. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing. 11. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and
- The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat. 9.
- you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes
- Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when
- information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca. With the required accessory towing package. See your Owner's Manual for proper towing operation.
 Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles.
- 4. Horsepower and torque calculations reflect SAE J²⁹08 procedures 5. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more
- Total combined horsepower and torque figures includes the maximum power of the engine and all motors combined that can be produced at any one time. ISO net
- Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J¹³49 procedures. 2
- comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
- None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more