

2026 PILOT

ENGINEERING

ENGINE	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
Drivetrain	Intelligent Variable Torque Management (i-VTM4™)	Intelligent Variable Torque Management (i-VTM4™)	Intelligent Variable Torque Management (i-VTM4™)	Intelligent Variable Torque Management (i-VTM4™)	Intelligent Variable Torque Management (i-VTM4™)
Engine type	AWD system ¹	AWD system ¹	AWD system ¹	AWD system ¹	AWD system ¹
Displacement (cc)	3471	3471	3471	3471	3471
Horsepower @ rpm ²	285 @ 6100	285 @ 6100	285 @ 6100	285 @ 6100	285 @ 6100
Torque (lb.-ft. @ rpm) ²	262 @ 5000	262 @ 5000	262 @ 5000	262 @ 5000	262 @ 5000
Bore and stroke (mm)	89 x 93	89 x 93	89 x 93	89 x 93	89 x 93
Valve train	24-valve, DOHC with Dual Variable Timing Control (VTC)	24-valve, DOHC with Dual Variable Timing Control (VTC)	24-valve, DOHC with Dual Variable Timing Control (VTC)	24-valve, DOHC with Dual Variable Timing Control (VTC)	24-valve, DOHC with Dual Variable Timing Control (VTC)
Compression ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1
Fuel injection	Direct injection	Direct injection	Direct injection	Direct injection	Direct injection
Active shutter grille	•	•	•	•	•
Idle stop	•	•	•	•	•
Active Control Engine Mount (ACM) system	•	•	•	•	•

CONVENIENCE

Active Noise Cancellation (ANC)	•	•	•	•	•
---------------------------------	---	---	---	---	---

DRIVE MODE

Dynamic drive modes	Normal/ECON/ Snow/Sports/ Towing	Normal/ECON/ Snow/Sports/ Towing/Trail/ Sand	Normal/ECON/ Snow/Sports/ Towing/Trail/ Sand	Normal/ECON/ Snow/Sports/ Towing/Trail/ Sand	Normal/ECON/ Snow/Sports/ Towing/Trail/ Sand
---------------------	--	---	---	---	---

SAFETY

Trailer Stability Assist ³	•	•	•	•	•
---------------------------------------	---	---	---	---	---

DRIVETRAIN

TRANSMISSION

10-speed automatic transmission (10AT) with Shift-by-Wire (SBW) and steering wheel-mounted paddle shifters	•	•	•	•	•
Final drive ratio	4.167	4.167	4.167	4.167	4.167

FUEL ECONOMY

Emissions rating	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30	Tier 3 Bin 30
City/Hwy/Combined ⁴	12.4/9.3/11.0	12.4/9.3/11.0	13.2/10.1/11.8	12.7/9.4/11.2	12.7/9.4/11.2
Recommended fuel	Regular	Regular	Regular	Regular	Regular
Capless fueling system	•	•	•	•	•
Fuel tank capacity (L)	70	70	70	70	70

BODY/SUSPENSION/CHASSIS

BRAKES

Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•	•
iBooster brake system	•	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•	•
Agile Handling Assist™	•	•	•	•	•

DIMENSIONS

Stabilizer bars – front/rear (mm)	25 (tubular) / 25.4 x 4.5 (tubular)	25 (tubular) / 25.4 x 4.5 (tubular)	24.2 (tubular) / 18 (solid)	25.7 (solid) / 18 (solid)	25.7 (solid) / 18 (solid)
Steering ratio	15	15	14.8	15	15
Steering wheel turns, lock-to-lock	2.98	2.98	2.98	2.98	2.98
Turning diameter – curb-to-curb (m)	11.5	11.5	11.5	11.5	11.5

TIRES

Tire Pressure Monitoring System (TPMS) with tire fill assist and location and pressure indicators ⁵	•	•	•	•	•
Tires	All-season P255/50 R20 105H	All-season P255/60 R18 108H	All-terrain P265/60 R18 110T A/T	All-season P255/50 R20 105H	All-season P255/50 R20 105H
Spare tire	T155/85 D18 115M	T155/85 D18 115M	P265/60 R18 110T A/T	T155/85 D18 115M	T155/85 D18 115M

WHEELS

18" aluminum-alloy wheels		Machine-Finished with Pewter Grey	Shark Grey with TrailSport logo		
20" aluminum-alloy wheels	Shark Grey			Machine-Finished with Pewter Grey	Berlina Black

CHASSIS

Variable ratio electric power-assisted rack-and-pinion steering (EPS)	•	•	•	•	•
---	---	---	---	---	---

SUSPENSION

Off-road tuned suspension			•		
MacPherson strut front suspension	•	•	•	•	•
Multi-link independent rear suspension	•	•	•	•	•

HONDA SENSING® DRIVER-ASSISTIVE FEATURES

HONDA SENSING®	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
Adaptive Cruise Control ^{1,6} (ACC)	With Low-Speed Follow	With Low-Speed Follow	With Low-Speed Follow	With Low-Speed Follow	With Low-Speed Follow
Auto high beam headlights ¹	•	•	•	•	•
Blind Spot Information (BSI) system ^{1,7}	With Lane Change Assist	With Lane Change Assist	With Lane Change Assist	With Lane Change Assist	With Lane Change Assist
Collision Mitigation Braking System™ ^{1,8} (CMBS®)	With Pedestrian Detection	With Pedestrian Detection	With Pedestrian Detection	With Pedestrian Detection	With Pedestrian Detection
Cross Traffic Monitor ^{1,9} (CTM)	•	•	•	•	•
Forward Collision Warning ^{1,10} (FCW)	•	•	•	•	•
Lane Departure Warning ^{1,11} (LDW)	•	•	•	•	•
Lane Keeping Assist System ^{1,12} (LKAS)	•	•	•	•	•
Low-Speed Braking Control ¹	•	•	•	•	•
Road Departure Mitigation (RDM) system ^{1,13}	•	•	•	•	•
Traffic Jam Assist ^{1,14}	•	•	•	•	•
Traffic Sign Recognition (TSR) system ^{1,15}	•	•	•	•	•

SAFETY & DRIVER ASSISTIVE TECHNOLOGY

ACTIVE SAFETY

Anti-lock Braking System ^{1,16} (ABS)	•	•	•	•	•
Brake Assist ¹	•	•	•	•	•
Electronic Brake-force Distribution ¹ (EBD)	•	•	•	•	•
Vehicle Stability Assist ^{1,17} (VSA®) with Traction Control	•	•	•	•	•
Hill Descent Control ¹	•	•	•	•	•
Hill Start Assist ^{1,18}	•	•	•	•	•

PASSIVE SAFETY

Advanced Compatibility Engineering™ ¹ (ACE™) body structure	•	•	•	•	•
Driver attention monitor ¹	•	•	•	•	•
Advanced front airbags (SRS)	•	•	•	•	•
Front side airbags	•	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	Lower Anchors (2nd row all, 3rd row passenger-side), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row passenger-side), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row passenger-side), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row passenger-side), Tether Anchors (2nd row all, 3rd row all)	Lower Anchors (2nd row all, 3rd row passenger-side), Tether Anchors (2nd row all, 3rd row all)
Post-Collision Braking ¹	•	•	•	•	•
Rear seat reminder ^{1,9}	•	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•	•
Three-row side curtain airbags with rollover sensor	•	•	•	•	•

EXTERIOR

LIGHTING

LED Daytime Running Lights (DRL)	•	•	•	•	•
LED fog lights	•	•	•	•	•
LED headlights with auto-on/off	•	•	•	•	•
LED front turn signal indicators	•	•	•	•	•
LED brake lights	•	•	•	•	•
LED cargo lights	•	•	•	•	•
LED puddle lights				•	•
LED taillights				•	•

WIPERS

Front wiper de-icer	•	•	•	•	•
Rear window defroster with timer	•	•	•	•	•
Wipers	Front: Variable intermittent Rear: Intermittent	Front: Variable intermittent Rear: Intermittent	Front: Variable intermittent Rear: Intermittent	Front: Variable intermittent, rain-sensing Rear: Intermittent	Front: Variable intermittent, rain-sensing Rear: Intermittent

SIDE MIRRORS

Heated side mirrors	•	Integrated turn signal indicators, reverse auto tilt-down	Integrated turn signal indicators, reverse auto tilt-down and power-folding	Auto-dimming, with integrated turn signal indicators, reverse auto tilt-down and power-folding	Auto-dimming, with integrated turn signal indicators, reverse auto tilt-down and power-folding
Side mirror colour	Gloss Black	Body-coloured	Black	Body-coloured	Gloss Black

EXTERIOR – MISCELLANEOUS

One-touch power panoramic moonroof			With power sunshade	With power sunshade	With power sunshade
Door handles	Body-coloured	Body-coloured	Body-coloured	Body-coloured	Body-coloured
Bumper skid garnish	Gloss black	Painted metal silver	Gloss black	Painted metal silver	Gloss black
Honda emblem (Front/Rear)	Chrome	Chrome	Chrome	Chrome	Chrome
Power tailgate	Programmable height	Programmable height	Programmable height	Programmable height, hands-free access and walk-away auto close	Programmable height, hands-free access and walk-away auto close
Roof rails	Black	Black	Black	Black	Black
Integrated Class III trailer hitch			•		
Underbody protection			•		

COMFORT AND CONVENIENCE

CONVENIENCE	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ²⁰	•	•	•	•	•
HomeLink® ²¹	•	•	•	•	•
Remote engine starter	•	•	•	•	•
Smart Entry	Front doors, tailgate	Front doors, tailgate	Front doors, tailgate	Front doors, rear doors, tailgate with Walk-Away Auto Close	Front doors, rear doors, tailgate with Walk-Away Auto Close
Smart Entry Walk-Away Auto Lock®	•	•	•	•	•
Head-up display (HUD)				•	•
CAMERA					
Multi-angle rearview camera with dynamic guidelines ²²	•	•			
Multi-view camera system ²²			•	•	•
Camera washer	Rear	Rear	Front and rear	Front and rear	Front and rear
PARKING					
Parking sensors		Front (4), rear (4)	Front (4), rear (4)	Front (4), rear (4)	Front (4), rear (4)
CARGO					
Cargo area light	•	•	•	•	•
Cargo area tie-down anchors (4)	•	•	•	•	•
LIGHTS					
One-touch turn indicator	•	•	•	•	•
SECURITY					
Immobilizer theft-deterrent system	•	•	•	•	•
Security system	•	•	•	•	•
CENTRE DISPLAY					
10.2" colour TFT centre meter display	•	•	•	•	•
STEERING WHEEL					
Steering wheel with mounted controls	Heated, leather-wrapped	Heated, leather-wrapped	Heated, leather-wrapped	Heated, leather-wrapped	Heated, leather-wrapped
Tilt and telescopic steering column	•	•	•	•	•
Steering wheel-mounted paddle shifters	•	•	•	•	•
WINDOWS					
Acoustic laminate glass	Windshield	Windshield	Windshield	Windshield, front	Windshield, front
Power windows with auto-up/down	Front, 2nd row	Front, 2nd row	Front, 2nd row	Front, 2nd row	Front, 2nd row
Rear privacy glass	•	•	•	•	•
CLIMATE					
Climate control	Tri-zone automatic climate control with humidity control and air-filtration system	Tri-zone automatic climate control with humidity control and air-filtration system	Tri-zone automatic climate control with humidity control and air-filtration system	Tri-zone automatic climate control with humidity control and air-filtration system	Tri-zone automatic climate control with humidity control and air-filtration system
Second-row temperature control		•	•	•	•
STORAGE					
Sunglasses holder	•	With conversation mirror	With conversation mirror	With conversation mirror	With conversation mirror
Reversible cargo lid	•	•	•	•	•
LIGHTING					
Ambient lighting	White Front: roof	White Front: roof, IP tray	White Front: roof, IP tray	White Front: roof, door handle, door pocket, IP tray Rear: roof, door handle, door pocket	White Front: roof, door handle, door pocket, IP tray Rear: roof, door handle, door pocket
Auto-dimming rearview mirror	•	Auto day/night change	Auto day/night change with HomeLink® ²¹	Auto day/night change with HomeLink® ²¹	Auto day/night change with HomeLink® ²¹
INTERIOR					
Floor mats (All rows)	Carpet (Front and 2nd row)	Carpet (Front and 2nd row)	Carpet (Front and 2nd row)	Carpet (All rows)	Carpet with Black Edition logo (All rows)
Integrated 2nd-row sunshades		•	•	•	•
Illuminated front vanity mirrors	•	•	•	•	•
OUTLET					
12-volt outlet	Front console and cargo area	Front console and cargo area	Front console and cargo area	Front console and cargo area	Front console and cargo area
115-volt power outlet			Rear console panel and cargo area	Rear console panel and cargo area	Rear console panel and cargo area

SEATING

SEATS	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
Seat material	Cloth	1st row: Leather 2nd row: Leatherette	TrailSport Leatherette with Orange stitch	Perforated leather with contrast stitch, piping and faux suede accent	Perforated leather with contrast stitch, piping, faux suede accent and Black Edition logo
Driver seat	10-way power adjustment including 2-way power lumbar support	10-way power adjustment including 2-way power lumbar support	10-way power adjustment including 2-way power lumbar support	10-way power adjustment including 2-way power lumbar support	10-way power adjustment including 2-way power lumbar support
Passenger seat	4-way power adjustment	4-way power adjustment	4-way power adjustment	4-way power adjustment	4-way power adjustment
Memory system for driver's seat and side mirrors		Two position	Two position	Two position	Two position
Heated front seats	•	•	•	•	•
Ventilated front seats				•	•
REAR SEATS					
Heated second-row seats		Outboard positions only	Captain's chairs	Outboard positions only	Outboard positions only
Flat-folding second-row seat	40/20/40	40/20/40	Captain's chairs	40/20/40	40/20/40
On-Demand removable second-row middle seat		•		•	•
Flat-folding third-row seat	60/40	60/40	60/40	60/40	60/40
STORAGE					
Seatback pockets	Driver, passenger	Driver, passenger	Driver, passenger	Driver, passenger, with upper pockets	Driver, passenger, with upper pockets

AUDIO & CONNECTIVITY

AUDIO	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
HondaLink™ Connected Services ²³	Basic, Subscription	Basic, Subscription	Basic, Subscription	Basic, Subscription	Basic, Subscription
Speakers	9, including subwoofer	9, including subwoofer	9, including subwoofer	12 BOSE®, including subwoofer	12 BOSE®, including subwoofer
12.3" touchscreen centre display	•	•	•	•	•
Google built-in ²⁴	•	•	•	•	•
Apple CarPlay ²⁵ / Android Auto ²⁶	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless	Wired/wireless
HD Radio ²⁷	•	•	•	•	•
Bluetooth® Streaming Audio ²⁸	•	•	•	•	•
Amazon Alexa Built-in ²⁷	•	•	•	•	•
CabinTalk™ in-car PA system	•	•	•	•	•
Wi-Fi hotspot capability ³⁰	•	•	•	•	•
USB device connectors ²⁹	1 USB-C for data & charge 1 USB-C for charge with power deliver 60W (Front) 2 USB-C for charge with power deliver 60W (2nd row)	1 USB-C for data & charge 1 USB-C for charge with power deliver 60W (Front) 2 USB-C for charge with power deliver 60W (2nd row) 2 USB-C for charge (3rd row)	1 USB-C for data & charge 1 USB-C for charge with power deliver 60W (Front) 2 USB-C for charge with power deliver 60W (2nd row) 2 USB-C for charge (3rd row)	1 USB-C for data & charge 1 USB-C for charge with power deliver 60W (Front) 2 USB-C for charge with power deliver 60W (2nd row) 2 USB-C for charge (3rd row)	1 USB-C for data & charge 1 USB-C for charge with power deliver 60W (Front) 2 USB-C for charge with power deliver 60W (2nd row) 2 USB-C for charge (3rd row)
Wireless phone charger (Qi-compatible)		•	•	•	•

DIMENSIONS

EXTERIOR	SPORT	EX-L	TRAILSPORT	TOURING	BLACK EDITION
Approach/departure angle (degrees)	18.3/21.1	18.3/20.3	19.8/19.0	18.3/20.3	18.3/20.3
Curb weight (kg)	2053	2054	2133	2125	2122
Gross vehicle weight rating (kg)	2810	2810	2810	2810	2810
Ground clearance, unloaded (mm)	185	185	210	185	185
Height (mm)	1803	1801	1829	1803	1803
Length (mm)	5083	5083	5083	5083	5083
Towing capacity ³² (kg)	2268	2268	2268	2268	2268
Track – front/rear (mm)	1715/1722	1715/1722	1707/1712	1715/1722	1715/1722
Wheelbase (mm)	2891	2891	2891	2891	2891
Width (mm)	2254/2090	2254/2090	2254/2090	2254/2090	2254/2090
INTERIOR					
Cargo volume behind front row ³³ (L)	3166	3183	3219	3175	3175
Cargo volume behind 2nd row ³³ (L)	1685	1702	1685	1702	1702
Cargo volume behind 3rd row ³³ (L)	635	635	618	635	635
Headroom – front/2nd row/3rd row (mm)	1029/1021/998	1029/1021/998	993/996/998	993/996/998	993/996/998
Hip room – front/2nd row/3rd row (mm)	1483/1458/1133	1483/1458/1133	1483/1458/1133	1483/1458/1133	1483/1458/1133
Legroom – front/2nd row/3rd row (mm)	1041/1036/826	1041/1036/826	1041/1036/826	1041/1036/826	1041/1036/826
Seating capacity	8	8	7	8	8
Passenger volume (L)	4485	4485	4386	4386	4386
Shoulder room – front/2nd row/3rd row (mm)	1572/1567/1511	1572/1567/1511	1572/1567/1511	1572/1567/1511	1572/1567/1511

1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
3. Trailer Stability Assist is not a function that prevents the vehicle and trailer from swaying. Avoid high speeds, abrupt steering, improper trailer load, and sudden braking to help keep the trailer from swaying. When swaying too severely, the system becomes ineffective, and you may lose control of your vehicle, causing the trailer to roll over or get damaged. Always exercise caution. Consult your owner's manual for details.
4. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
5. Use TPMS-specific wheels only. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.
6. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
7. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
8. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
9. Do not solely rely on the Cross Traffic Monitor system. Always use your mirrors, and look behind and to the sides of your vehicle before reversing.
10. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
11. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
14. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
15. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
16. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
17. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
18. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
19. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
20. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Text message and email functions are only compatible with certain devices. Only use these functions when conditions allow you to do so safely.
21. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
22. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
23. Only compatible with certain devices and operating systems. Operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/hondalink and www.honda.ca/privacy
24. Google, Google Play, Google Maps, and other related marks and logos are trademarks of Google LLC.
25. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
26. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
27. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
28. Only compatible with certain devices and operating systems. Depending on the model, operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. For certain models, devices, cables and adapters are not included and must be purchased separately. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
29. Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology and may require account linking to use this feature. Functionality is subject to limitations and may vary by vehicle, infotainment system and location. Feature is dependent on data connectivity. Paid data plan may be required.
30. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit www.myvehicle.att.com to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
31. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
32. Maximum towing capacity with the required accessory towing package. Packages are available at an additional cost as a dealer-installed item. See your owner's manual for proper towing operation.
33. Standard: Based on SAE J1100 cargo volume measurement standard. Maximum: Based on SAE J1100 cargo volume measurement standard, plus rear footwell space and front seats moved forward.