2026 PRELUDE

ENGINEERING

ENGINEERING	
ENGINE	PRELUDE HYBRID
Drivetrain	Front-wheel drive¹ (FWD)
Engine type	2.0-litre inline 4-cylinder
Displacement (cc)	1993
Two-motor hybrid system Combined total horsepower ²	• 200
Combined torque @ (lbft. @ rpm) ²	232 @ 0 - 2000
Redline (rpm)	6250
Bore and stroke (mm)	81 x 96.7
Valve train	16-Valve DOHC with Dual Variable Timing Control (VTC)
Compression ratio	13.9:1
Fuel injection	Direct injection •
Remote engine starter	•
Drive modes	Comfort / GT / Sport / Individual
Honda S+ shift	•
DRIVETRAIN	
TRANSMISSION	
Electro-Continuously Variable Transmission (eCVT)	•
FUEL ECONOMY	
Emissions rating	Tier 3 Bin 30
Front-wheel drive (City/Hwy/Combined ^s) Recommended fuel	5.0/5.7/5.4 Pogular
Fuel tank capacity (L)	Regular 40
	···
BODY/SUSPENSION/CHASSIS	
BRAKES	
Power-assisted, ventilated front disc/solid rear disc brakes	•
Agile Handling Assist (AHA)	•
Electronic Parking Brake (EPB) with automatic brake hold	•
Brembo® front 4-piston braking system	•
Electro-servo brake system	•
DIMENSIONS	
Stabilizer bars – front/rear (mm)	26.5 x 4.6 (tubular) / 18.0 (solid)
Steering ratio	11.3
Steering wheel turns, lock-to-lock Turning diametre, curb to curb (m)	2.1 11.6
TIRES	11.0
Tire	P235/40 R19 96V
Tire repair kit	•
WHEELS	
19" aluminum-alloy wheels	Gloss Black
CHASSIS	
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•
SUSPENSION	
MacPherson strut front suspension	
Multi-link independent rear suspension	•
Adaptive Damper System	
	·
HONDA SENSING® DRIVER-ASSISTIVE FEATURES	
HONDA SENSING®	
Adaptive Cruise Control ^{1,5} (ACC) with Low-Speed Follow (LSF)	•
Auto high beam headlights ¹	•
Blind Spot Information (BSI) system ^{1,6}	•
Collision Mitigation Braking System ^{™1,7} (CMBS [®])	•
Cross Traffic Monitor ^{1,8} (CTM)	•
Forward Collision Warning (FCW) system ^{1,4}	•
Traffic Jam Assist ^{1,9}	•
Lane Departure Warning ^{1,10} (LDW)	•
Lane Keeping Assist System ^{1,11} (LKAS)	•
Low-Speed Braking Control ¹	
Road Departure Mitigation (RDM) system ^{1,12}	•
Traffic Sign Recognition (TSR) system ^{1,13}	•
SAFETY & DRIVER ASSISTIVE TECHNOLOGY	
ACTIVE SAFETY	
Anti-lock Braking System ¹³⁴ (ABS)	
Electronic Brake-force Distribution (EBD)	•
Vehicle Stability Assist ^{1,15} (VSA*) with Traction Control Hill Start Assist ^{1,16}	•
Till oldi l Assist	•

PASSIVE SAFETY	PRELUDE HYBRID
Advanced Compatibility Engineering ^{™1} (ACE [™]) body structure	•
Driver's and front passenger's advanced front airbags (SRS)	•
Driver & passenger side knee airbag	•
Lower Anchors and Tethers for Children (LATCH)	•
Rear outboard passengers' side airbags	•
Rear seat reminder ¹⁷	•
Seat belt reminder for all seating positions	·
Side curtain airbags with rollover sensor	•
EXTERIOR	
LIGHTING	
LED Daytime Running Lights (DRL)	•
LED headlights with auto-on/off	•
LED taillights	•
WIPERS	
Wiper	Rain-sensing
SIDE MIRRORS	
Heated power-adjusting side mirrors	Integrated turn signal indicators
EXTERIOR - MISCELLANEOUS	
Rear glass-infused antenna	•
COMFORT AND CONVENIENCE	
CONVENIENCE	
Pushbutton start	•
Proximity key entry system	•
Smart Entry	With Walk-Away Auto Lock®
CAMERA	
Multi-angle rearview camera with dynamic guidelines ¹⁸	•
PARKING	
Parking sensors ¹	•
SECURITY	
Security system	•
STEERING WHEEL	
Steering wheel with mounted controls	Leather-wrapped
Tilt and telescopic steering column	•
Steering wheel-mounted deceleration paddle selectors with coasting control	•
PEDALS	
Sport pedals	•
WINDOWS	we little
Acoustic laminate glass Power windows with auto-up/down	Windshield Front
CLIMATE	Tronc
Climate control	Dual-zone Dual-zone
INTERIOR - MISCELLANEOUS	
Illuminated front vanity mirrors	•
Auto-dimming rearview mirror	•
Cargo area light	•
Ambient lighting	•
Active Noise Cancellation (ANC)	•
Sunglasses holder	•
SEATING	
SEATS Seat material	Leather-trimmed with blue accent stitching
Driver seat	6-way manual adjustment
Passenger seat	4-way power adjustment
Heated front seats	•
Seating capacity	4
REAR SEATS	
60/40 split-folding rear seat	•
STORAGE	
Seatback pockets	Driver and passenger
AUDIO & CONNECTIVITY	

Speakers

BOSE® Premium Sound System

8, including subwoofer

AUDIO & CONNECTIVITY - MISCELLANEOUS	PRELUDE HYBRID
9" touchscreen centre display	•
10.2" centre meter display	•
Speed-sensitive Volume Control (SVC)	•
Apple CarPlay®1,19 / Android Auto™1,20	Wired/wireless
HD Radio™21	•
Google built-in ²²	•
Wi-Fi hotspot capability ²³	•
USB device connectors ²⁴	2 USB-C 3.0A (Front)
Wireless phone charger (Qi-compatible)	•
HondaLink™ Connected Services ²⁵	Subscription available
12-volt power outlet	Front
DIMENSIONS	
EXTERIOR	
Curb weight (kg)	1479
Gross vehicle weight rating (kg)	1850
Ground clearance, unloaded (mm)	115.31
Height (mm)	1355.49
Length (mm)	4532.16
Track - front/rear (mm)	1626.8/1614.9
Wheelbase (mm)	2605
Width (mm)	1879.91
INTERIOR	
Cargo volume (L)	427.58
Headroom – front/2nd row (mm)	944.2/842
Hip room – front/2nd row (mm)	1376.5/1236.7
Legroom – front/2nd row (mm)	1074.4/813.7
Passenger volume (L)	2395.9
Shoulder room – front/2nd row (mm)	1451.4/1352.1

- 1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
- 2. Total combined horsepower and torque figures includes the maximum power of the engine and all motors combined that can be produced at any one time. ISO net.
- 3. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors use for comparison only. For more information on 5-cycle testing visit http://yehicles.nrcan.gc.ca.
- 4. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 5. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
- 6. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
- 7. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
- 8. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
- 9. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 10. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 11. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 12. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
- 13. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
- 14. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
- 15. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
- 16. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
 17. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items.
- 17. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items.

 Always check rear seats before exiting the vehicle.
- 18. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
- 19. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier.

 Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk,

conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay to EarPlay to enter the Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay to enter to the Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay terms of use, which are included as part of the Apple ios. Apple ios. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple ioS, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.

20. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice

- 20. Android Auto growthed by gooder lit., and only contigated with certain Android devices and operation states and operations all to when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolesce of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
- 21. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
- 22. need to sign up for a free Wi-Fi hotspot trial to use Google built-in features. This trial is applicable for a period of 3 months or 3Gb, whichever is earlier after which the customers will be required to either: tether/hotspot from a compatible mobile device or subscribe to a compatible data plan from Bell at then-current pricing. For details, see: https://myvehicle.att.com/#/landing?country=CA&language=en&oem=honda
- 23. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi* Hotspot connectivity in Canada. Contact AT&T or visit www.myvehicle.att.com to purchase available nata plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi* Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi al registered trademark of Wi-Fi Alliance*.
- 24. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
- 25. Only compatible with certain devices and operating systems. Operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. Subscription to HondaLink™ services is required. HondaLink™ equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/orivacy