

2026 Ridgeline

ENGINEERING

ENGINE	SPORT	TRAILSPORT	BLACK EDITION
Drivetrain	Intelligent Variable Torque Management (i-VTM4™) AWD system ¹	Intelligent Variable Torque Management (i-VTM4™) AWD system ¹	Intelligent Variable Torque Management (i-VTM4™) AWD system ¹
Engine type	3.5-litre V6	3.5-litre V6	3.5-litre V6
Displacement (cc)	3471	3471	3471
Horsepower @ rpm ²	280 @ 6000	280 @ 6000	280 @ 6000
Torque (lb.-ft. @ rpm) ²	262 @ 4700	262 @ 4700	262 @ 4700
Idle-stop	•	•	•
Bore and stroke (mm)	89 x 93	89 x 93	89 x 93
Valve train	24-valve, SOHC, i-VTEC® Variable Cylinder Management® (VCM®)	24-valve, SOHC, i-VTEC® Variable Cylinder Management® (VCM®)	24-valve, SOHC, i-VTEC® Variable Cylinder Management® (VCM®)
Compression ratio	11.5:1	11.5:1	11.5:1
Fuel injection	Direct injection	Direct injection	Direct injection
Active Control Engine Mount (ACM) system	•	•	•
Active Noise Cancellation (ANC)	•	•	•

DRIVE MODE

Drive modes	Normal/Snow/Sand/Mud	Normal/Snow/Sand/Mud	Normal/Snow/Sand/Mud
Eco Assist™ system	•	•	•
Trailer Stability Assist ³	•	•	•

DRIVETRAIN

TRANSMISSION

9-speed automatic transmission (9AT) with Shift-by-Wire (SBW) and steering wheel-mounted paddle shifters	•	•	•
Final drive ratio	4.33	4.33	4.33
Heavy-duty transmission cooler	•	•	•

FUEL ECONOMY

Emissions rating	Tier 3 Bin 70	Tier 3 Bin 70	Tier 3 Bin 70
City/Hwy/Combined ⁴	12.8/9.9/11.5	12.8/10.2/11.6	12.8/9.9/11.5
Recommended fuel	Regular	Regular	Regular
Capless fueling system	•	•	•
Fuel tank capacity (L)	73.8	73.8	73.8

BODY/SUSPENSION/CHASSIS

BRAKES			
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•
Agile Handling Assist™	•	•	•

DIMENSIONS

Stabilizer bars – front/rear (mm)	25 (solid) / 26.5 x 4.5 (tubular)	25 (solid) / 26.5 x 4.5 (tubular)	25 (solid) / 26.5 x 4.5 (tubular)
Steering ratio	15.86:1	15.86:1	15.86:1
Steering wheel turns, lock-to-lock	3.04	3.04	3.04
Turning diameter – curb-to-curb (m)	13.2	13.2	13.2

TIRES

Tires	All-season P245/60 R18 105H	All-terrain P245/60 R18 A/T	All-season P245/60 R18 105H
Spare tire	T165/90 R17	T165/90 R17	T165/90 R17

Tire Pressure Monitoring System (TPMS) with tire fill assist and location and pressure indicators²⁷

WHEELS

18" aluminum-alloy wheels	Shark Grey	Shark Grey	Berlina Black
---------------------------	------------	------------	---------------

CHASSIS

Electric power-assisted rack-and-pinion steering (EPS)	•	•	•
Intelligent Traction Management	•	•	•

SUSPENSION

MacPherson strut front suspension	•	•	•
Multi-link independent rear suspension	•	•	•
Off-road tuned suspension	•	•	•

HONDA SENSING® DRIVER-ASSISTIVE FEATURES

HONDA SENSING®

Adaptive Cruise Control ^{1,5} (ACC)	•	•	•
Auto high beam headlights ¹	•	•	•
Blind Spot Information (BSI) system ^{1,6}	•	•	•
Collision Mitigation Braking System™ ^{1,7} (CMBS®)	•	•	•
Cross Traffic Monitor ^{1,8} (CTM)	•	•	•
Forward Collision Warning ^{1,9} (FCW)	•	•	•
Lane Departure Warning ^{1,10} (LDW)	•	•	•
Lane Keeping Assist System ^{1,11} (LKAS)	•	•	•
Road Departure Mitigation (RDM) system ^{1,12}	•	•	•

SAFETY & DRIVER ASSISTIVE TECHNOLOGY

	SPORT	TRAILSPORT	BLACK EDITION
ACTIVE SAFETY			
Anti-lock Braking System ¹³⁴ (ABS)	•	•	•
Brake Assist ¹	•	•	•
Electronic Brake-force Distribution ¹ (EBD)	•	•	•
Vehicle Stability Assist ¹³⁵ (VSA [®]) with Traction Control	•	•	•
Hill Start Assist ¹³⁶	•	•	•
PASSIVE SAFETY			
Advanced Compatibility Engineering ^{™1} (ACE [™]) body structure	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•
Lower Anchors and Tethers for Children (LATCH)	•	•	•
Rear seat reminder ¹⁷	•	•	•
Seat belt reminder for driver and front passenger seats	•	•	•
Side curtain airbags with rollover sensor	•	•	•
SmartVent [™] front side airbags	•	•	•
EXTERIOR			
LIGHTING			
LED Daytime Running Lights (DRL)	•	•	•
LED fog lights	•	•	•
LED headlights with auto-on/off	•	•	•
LED brake lights	•	•	•
Truck-bed lights	•	•	LED
WIPERS			
Front wiper de-icer	•	•	•
Rear window defroster with timer	•	•	•
Wipers	Front: Variable intermittent	Front: Variable intermittent	Front: Variable intermittent
SIDE MIRRORS			
Heated side mirrors	•	Integrated turn signal indicators, reverse auto tilt-down	Integrated turn signal indicators, reverse auto tilt-down, auto-dimming and power-folding
Side mirror colour	Black	Black	Black
STORAGE			
Heavy-duty truck-bed tie-down cleats (8)	•	•	•
In-Bed Trunk [™]	•	•	•
EXTERIOR – MISCELLANEOUS			
One-touch power moonroof with tilt feature		•	•
Door handles	Body-coloured	Body-coloured	Body-coloured
Dual-action tailgate	•	•	•
Exhaust finisher	Dual chrome	Dual chrome	Dual chrome
Integrated Class III trailer hitch with 7-pin connector	•	•	•
Power tailgate lock	•	•	•
COMFORT AND CONVENIENCE			
CONVENIENCE			
HandsFreeLink [™] -bilingual Bluetooth [®] wireless mobile phone interface ¹⁸	•	•	•
Remote engine starter	•	•	•
Smart Entry	Front doors, tailgate	Front doors, tailgate	Front doors, tailgate
Smart Entry with Walk Away Auto Lock [™]	•	•	•
HomeLink ^{®13}	•	•	•
CAMERA			
Multi-angle rearview camera with dynamic guidelines ¹⁹	•	•	•
PARKING			
Parking sensors ¹		Front (2), rear (4)	Front (2), rear (4)
LIGHTS			
One-touch turn indicator	•	•	•
SECURITY			
Immobilizer theft-deterrent system	•	•	•
Security system	•	•	•
CENTRE DISPLAY			
7" meter display	•	•	•
STEERING WHEEL			
Steering wheel with mounted controls	Heated, leather-wrapped	Heated, leather-wrapped	Heated, leather-wrapped
Tilt and telescopic steering column	•	•	•
Steering wheel-mounted paddle shifters	•	•	•
WINDOWS			
Acoustic laminate glass		Windshield	Windshield
Power sliding rear window	•	•	•
Power windows with auto-up/down	Front	Front	Front
Rear privacy glass	•	•	•

CLIMATE	SPORT			TRAILSPORT	BLACK EDITION
Climate control	Tri-zone automatic with air-filtration system and humidity control			Tri-zone automatic with air-filtration system and humidity control	Tri-zone automatic with air-filtration system and humidity control
Second-row temperature control			•		•
STORAGE					
Sunglasses holder	•		•		•
CLIMATE					
Ambient lighting		Amber		Red	
	Front: door handle, door pocket, footwell, cupholders		Front: door handle, door pocket, footwell, cupholders		
Auto-dimming rearview mirror	•	Auto day/night change with HomeLink ^{®13}		Auto day/night change with HomeLink ^{®13}	
INTERIOR					
Floor mats	Carpet		Carpet	Carpet with Black Edition logo	
Illuminated front vanity mirrors	•		•		•
OUTLET					
12-volt outlets	Front console and 2nd row		Front console and 2nd row	Front console and 2nd row	
150W/400W truck-bed power outlet				•	
SEATING					
SEATS					
Seat material	Cloth		TrailSport leather with orange contrast stitching	Perforated leather-trimmed seating surfaces with red contrast stitching	
Driver Seat	10-way power adjustment including 2-way power lumbar support		10-way power adjustment including 2-way power lumbar support	10-way power adjustment including 2-way power lumbar support	
Passenger Seat	4-way power adjustment		4-way power adjustment	4-way power adjustment	
Memory system for driver's seat and side mirrors			Two position	Two position	
Heated front seats	•		•		•
Ventilated front seats				•	
REAR SEATS					
Heated second-row seats			Outboard positions only	Outboard positions only	
60/40 split lift-up rear seat with underseat storage	•		•		•
STORAGE					
Seatback pockets	Driver and passenger		Driver and passenger	Driver and passenger	
AUDIO & CONNECTIVITY					
AUDIO					
Honda Satellite-Linked Navigation System™ with bilingual Voice Recognition and Honda HD Digital Traffic				•	
Speakers	7, including subwoofer		7, including subwoofer	8, with premium audio including subwoofer	
9" touchscreen centre display	•		•	•	
Apple CarPlay ^{®10,20} / Android Auto™ ^{11,21}	Wired/wireless		Wired/wireless	Wired/wireless	
HD Radio™ ²²				•	
SiriusXM™ ^{1,23}			•	•	
Bluetooth® Streaming Audio ²⁴	•		•	•	
USB device connectors ²⁵	1x USB-A & 1x USB-C (Front)		1x USB-A & 1x USB-C (Front)	1x USB-A & 1x USB-C (Front) 2x USB-C (2nd row)	
Wireless phone charger (Qi-compatible)	•		•	•	
DIMENSIONS					
EXTERIOR					
Approach/departure angle (degrees)	20.4/19.6		20.4/19.6	20.4/19.6	
Cargo bed length – tailgate up/down (mm)	1625/2108		1625/2108	1625/2108	
Cargo bed volume (L)	960		960	960	
Cargo bed width (at wheel wells/at D-pillar/at bed walls) (mm)	1270/1295/1524		1270/1295/1524	1270/1295/1524	
Curb weight (kg)	2038		2046	2048	
Gross vehicle weight rating (kg)	2730		2730	2730	
Ground clearance, unloaded (mm)	194		194	194	
Height (mm)	1798		1798	1798	
In-Bed Trunk™ capacity (L)	207		207	207	
Length (mm)	5339		5339	5339	
Payload capacity (kg)	687		679	677	
Towing capacity ²⁶ (kg)	2267		2267	2267	
Track – front/rear (mm)	1698/1697		1698/1697	1698/1697	
Washer tank capacity (L)	5.3		5.3	5.3	
Wheelbase (mm)	3178		3178	3178	
Width (mm)	2279/2116		2279/2116	2279/2116	
INTERIOR					
Headroom – front/2nd row (mm)	1003/986		1003/986	1003/986	
Hip room – front/2nd row (mm)	1501/1438		1501/1438	1501/1438	
Legroom – front/2nd row (mm)	1039/932		1039/932	1039/932	
Seating capacity	5		5	5	
Passenger volume (L)	3084		3084	3084	
Shoulder room – front/2nd row (mm)	1575/1562		1575/1562	1575/1562	

1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
3. Trailer Stability Assist is not a function that prevents the vehicle and trailer from swaying. Avoid high speeds, abrupt steering, improper trailer load, and sudden braking to help keep the trailer from swaying. When swaying too severely, the system becomes ineffective, and you may lose control of your vehicle, causing the trailer to roll over or get damaged. Always exercise caution. Consult your owner's manual for details.
4. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
5. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
6. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
7. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
8. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
9. Forward Collision Warning (FCW) cannot detect all objects ahead and may not detect a given object; accuracy will vary based on weather, speed and other factors. System operation affected by extreme interior heat. FCW does not include a braking function. Driver remains responsible for safely operating vehicle and avoiding collisions.
10. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
11. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
14. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
15. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
16. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
17. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
18. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Text message and email functions are only compatible with certain devices. Only use these functions when conditions allow you to do so safely.
19. Visually confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
20. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at www.apple.com for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
21. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at www.google.com for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
22. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
23. Only available in certain areas. Includes a no-charge trial of three months.
24. Only compatible with certain devices and operating systems. Depending on the model, operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. For certain models, devices, cables and adapters are not included and must be purchased separately. The Bluetooth® word mark and logos are owned by the Bluetooth SIG, Inc., and any use of such marks by Honda Motor Co., Ltd., is under license.
25. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
26. Maximum towing capacity with the required accessory towing package. Packages are available at an additional cost as a dealer-installed item. See your owner's manual for proper towing operation.
27. Use TPMS-specific wheels only. For optimal tire wear and performance, tire pressure should be checked regularly with a gauge. Do not rely solely on the monitor system. Please see your Honda dealer for details.