2019 CR-V

ENGINE	LX	EX	EX-L	TOURING
1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder	•	•	•	•
Horsepower @ rpm ¹	190 @ 5600	190 @ 5600	190 @ 5600	190 @ 5600
orque (lbft. @ rpm)¹	179 @ 2000-5000	179 @ 2000-5000	179 @ 2000-5000	179 @ 2000-500
Displacement (cc)	1498	1498	1498	1498
Emissions rating	Tier 3 Bin 70	Tier 3 Bin 70	Tier 3 Bin 70	Tier 3 Bin 70
Bore and stroke (mm)	73 x 89.5	73 x 89.5	73 x 89.5	73 x 89.5
Compression ratio	10.3:1	10.3:1	10.3:1	10.3:1
Eco Assist™ system	•	•	•	•
Recommended fuel	Regular	Regular	Regular	Regular
DRIVETRAIN	LX	EX	EX-L	TOURING
Continuously variable transmission (CVT)	•	•	•	•
Orive-by-Wire Throttle System™	•			
Front-wheel drive (FWD)	•			
ECON mode button			•	
Real Time AWD™ with Intelligent Control System™	Available			
	Available 680	Available 680	Available 680	Available 680
owing capacity ² (kg)	Available 680	Available 680	Available 680	Available 680
CHASSIS	LX	EX	EX-L	TOURING
7" aluminum-alloy wheels	•			
8" aluminum-alloy wheels		•	•	•
All-season tires	P235/65 R17 104H	P235/60 R18 103H	P235/60 R18 103H	P235/60 R18 103F
Capless fueling system	•	•	•	•
Compact spare tire	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•
MacPherson strut front suspension	•	•	•	•
Notion-Adaptive Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Aulti-link rear suspension	•	•	•	•
Stabilizer bars - front/rear (mm)	23/17.7 (FWD) 23/13 (Real Time AWD™)	23/13	23/13	23/13
Steering wheel turns, lock-to-lock	2.3	2.3	2.3	2.3
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
ACTIVE SAFETY	LX	EX	EX-L	TOURING
I-wheel Anti-lock Braking System³ (ABS)	•	•	•	
Brake Assist	•	•		
Auto high beam	Real Time AWD™ model	•	•	
Collision Mitigation Braking System™ (CMBS®)³ (HS*)	Real Time AWD™ model	•	•	
	Real Time AWD™ model	•	•	
Forward Collision Warning (FCW) system ³ (HS*)	Real Time AWD™ model	•	•	•
ane Departure Warning (LDW) system³ (HS*)	Real Time AWD Model		•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Hill Start Assist ³	•	•	•	•
ED daytime running lights	•	•	•	•
Tire Pressure Monitoring System⁴ (TPMS)	•	•	•	•
Road Departure Mitigation (RDM) system³ (HS*)	Real Time AWD™ model	•	•	•
/ehicle Stability Assist³ (VSA®) with Traction Control	•	•	•	•
HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features. The	se features are standard on AWD mod	dels.		
PASSIVE SAFETY	LX	EX	EX-L	TOURING
-point rear seat belts	•	•	•	•
-point height-adjustable seat belts with front automatic tensioning system	•	•	•	•
Childproof rear door locks	•	•	•	•
-SRS airbag system (front)	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{3,5,6}	•			•
ower Anchors and Tethers for Children (LATCH)	3	3	3	3
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
martVent™ side airbags	•			
Side curtain airbags with rollover sensor system	•	•	•	•
DRIVER ASSIST TECHNOLOGY	LX	EX	EX-L	TOURING
daptive Cruise Control ³ (ACC) with Low-Speed Follow (HS*)	Real Time AWD™ model	•	•	TOURING
	neat time AWD Though	•	•	•
Rlind Spot Information (BSI) system ³ with Rear Cross Traffic Monitor ³ system				•
Honda LaneWatch™ blind spot display ³	5 1-1	•	•	
ane Keeping Assist System³ (LKAS) (HS*)	Real Time AWD™ model	•	•	•
IC* - Footure is a component of the Handa Consing™ quite of cofety and driver assist footures. The	no fonturos ara standard on ALAID mas	dolo.		

HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features. These features are standard on AWD models.

EXTERIOR	LX	EX	EX-L	TOURING
Active shutter grill	•	•	•	•
Body-coloured door handles	•	•	•	•
Fog lights		•	•	•
Front and rear splash guards	•	•	•	•
Front wiper de-icer	•	·	•	•
Body-coloured heated power door mirrors	•	With integrated turn signal indicators	With integrated turn signal indicators	With integrated turn signal indicators
Folding door mirrors	•	•	•	•
Intermittent rear window wiper/washer	•	•	•	•
Intermittent windshield wipers	•			
Variable intermittent windshield wipers	Mith auto I-ff	Mith suts and I-ff	Mith outs 5 - 1-ff	•
Projector-beam halogen headlights LED headlights (High and low beam)	With auto-on/off	With auto-on/off	With auto-on/off	With auto-on/off
One-touch power moonroof with tilt feature		•	•	vvien auto-on/on
Panoramic moonroof				•
Power tailgate with programmable height			•	Hands-free access
Rain-sensing windshield wipers				•
Rear privacy-tinted glass	•	•	•	•
Rear window defroster Roof rails	•	•	•	•
Dual exhaust with chrome finisher				•
COMFORT & CONVENIENCE	LX	EX	EX-L	TOURING
12-volt power outlets (Front: 2; cargo area: 1)	LX	EX	EX-L	TOURING
7-inch Display Audio System³ with Honda Satellite-Linked Navigation System™³.7	•	•	•	•
and bilingual Voice Recognition				
Adjustable cargo floor height (2 levels)	•	•	•	•
Ambient lighting (front door handles)				•
Auto-dimming rearview mirror Beverage holders, front and rear			•	•
Cargo area tie-down anchors (4)			•	•
Centre console	•	•	•	•
Colour TFT centre meter display with Driver Information Interface	•	•	•	•
Conversation mirror with sunglasses holder	•	•	•	•
Door-pocket storage bins	•	•	•	•
Driver attention monitor ³	•	· ·	· ·	· ·
Driver's and front passenger's vanity mirrors Dual-zone automatic climate control with air-filtration system	•	Illuminated	Illuminated	Illuminated
Exterior temperature indicator	•	•	•	•
Front passenger's seatback pocket		•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface³.5	•	•	•	•
HomeLink® remote system8		•	•	•
Immobilizer theft-deterrent system	•	•	•	•
Maintenance Minder™ system Map lights	•	•	•	•
Map lights Multi-angle rearview camera ³ with dynamic guidelines	•	•	•	•
One-touch turn signals	•	•	•	•
Power door locks	•	•	•	•
Power windows with auto-up/down driver's window	•	•	•	•
Proximity key entry system with pushbutton start	•	•	•	•
Rear air vents	•	•	•	•
Rear-seat centre armrest with cupholders Rear-seat heater ducts	•	•	•	•
Remote engine start	•	•		•
Retractable cargo cover		•	•	
Security system	•	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone	•	•	•	•
and Multi-Information Display) Tilt and telescoping steering column				
Walk-away door lock	•	•	•	
SEATING & TRIM	LX	EX	EX-L	TOURING
Driver's seat position memory	LA	LA	•	•
Driver's seat with 6-way manual adjustment (including height adjustment)	•			
Driver's seat with 12-way power adjustment including 4-way power lumbar support		•	•	•
Front passenger's seat with 4-way manual adjustment	•	•		
Front passenger's seat with 4-way power adjustment			•	•
Easy fold-down 60/40 split rear seatback	•	•	•	•
Floor mats	•	•	•	•
Heated front seats Heated rear seats (outboard positions only)	•	•	•	
Heated leather-wrapped steering wheel			•	•
Instrument panel trim finish	High-bright silver	Woodgrain	Woodgrain	Woodgrain
Perforated leather-trimmed seating surfaces			•	•
Leather-wrapped shift knob			•	•
Seating capacity	5	5	5	5

ENTERTAINMENT	LX	EX	EX-L	TOURING
160-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 4 speakers	•			
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 6 speakers		•		
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 8 speakers			•	
331-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 9 speakers including subwoofer				•
7-inch Display Audio System³ with HondaLink™³.5 Next Generation	•	•	•	Including Navigation ^{3,7}
Bluetooth® Streaming Audio ^{3,5}	•	•	•	•
Apple CarPlay™3.5/Android Auto™3.5	•	•	•	•
HD Radio™ ⁹				•
Siri Eyes Free compatibility ^{3,5}	•	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•	•
Front USB charge/data port(s) ⁵	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp
Rear USB ports ⁵		2 ports: 2.5-amp charging ports	2 ports: 2.5-amp charging ports	2 ports: 2.5-amp charging ports
SiriusXM™3,10			•	•
Wi-Fi tethering ⁵	•	•	•	•
FUEL ECONOMY ¹¹ (L/100 KM)	LX	EX	EX-L	TOURING
Front-wheel drive (City/Hwy/Combined)	8.4/7.0/7.8	NA	NA	NA
Real Time AWD™ (City/Hwy/Combined)	8.7/7.2/8.0	8.7/7.2/8.0	8.7/7.2/8.0	8.7/7.2/8.0
DIMENSIONS	LX	EX	EX-L	TOURING
Cargo volume; rear seats up/down - (L)	1110/2146	1110/2146	1110/2146	1065/2146
Curb weight – FWD/Real Time AWD™ (kg)	1502/1557	NA/1580	NA/1589	NA/1617
Fuel tank capacity (L)	53	53	53	53
Gross vehicle weight rating (kg)	2130	2130	2130	2130
Ground clearance - FWD/Real Time AWD™ (mm)	198/208	NA/208	NA/208	NA/208
Headroom - front/rear (mm)	1018/996	964/994	964/994	961/974
Height (with antenna) – FWD//Real Time AWD™ (mm)	1679/1689	NA/1689	NA/1689	NA/1689
Hip room - front/rear (mm)	1400/1257	1400/1257	1400/1257	1400/1257
Legroom - front/rear (mm)	1050/1025	1050/1025	1050/1025	1050/1025
Length (mm)	4586	4586	4586	4586
Passenger volume (L)	2999	2914	2914	2877
Shoulder room – front/rear (mm)	1470/1412	1470/1412	1470/1412	1470/1412
Track - front/rear - FWD (mm)	1601/1617	NA	NA	NA
Track - front/rear - Real Time AWD™ (mm)	1598/1613	1598/1613	1598/1613	1598/1613
Turning radius – FWD/Real Time AWD™ (m)	5.7/5.7	NA/5.7	NA/5.7	NA/5.7
Wheelbase (mm)	2660	2660	2660	2660
Width – including mirrors/mirrors folded (mm)	2065/1849	2107/1951	2107/1951	2107/1951

4. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system

Coverage varies by market.
 Only available in certain areas. Includes a no-charge trial of three months.

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

^{2.} With the required accessory towing package. See your Owner's Manual for proper towing operation.

3. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

^{5.} Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.

6. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

7. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

^{8.} HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

^{11.} Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca