2019 Ridgeline

ENGINE	SPORT	EX-L	TOURING	BLACK EDITION
3.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6	•	•	•	٠
Horsepower @ rpm ¹	280 @ 6000	280 @ 6000	280 @ 6000	280 @ 6000
ōrque (lbft. @ rpm)'	262 @ 4700	262 @ 4700	262 @ 4700	262 @ 4700
visplacement (cc)	3471	3471	3471	3471
missions rating	Tier 3 Bin 125			
Bore and stroke (mm)	89 x 93	89 x 93	89 x 93	89 x 93
Compression ratio	11.5:1	11.5:1	11.5:1	11.5:1
Active Control Engine Mount (ACM) system	•	•	•	•
Eco Assist™ system	•	•	•	•
/ariable Cylinder Management® (VCM®)	•	•	•	•
Recommended fuel	Regular	Regular	Regular	Regular
DRIVETRAIN	SPORT	EX-L	TOURING	BLACK EDITION
3-speed automatic transmission with Grade Logic Control	•	•	•	•
CON mode button	•			
inal drive ratio	4.25	4.25	4.25	4.25
ntelligent Variable Torque Management (i-VTM4™) AWD system	•	•	•	•
ntelligent Traction Management System (Snow/Sand/Mud)	•			
leavy-duty automatic-transmission cooler				
Heavy duty adomate transmission cooler			•	
Pre-wired for trailer brake controller	•			•
Towing capacity ²	Available 2,268 kg	Available 2,268 kg	Available 2,268 kg	Available 2,268 kg
owing capacity	(5,000 lbs)	(5,000 lbs)	(5,000 lbs)	(5,000 lbs)
Nired for 7-pin trailer connection	•	•	•	•
BODY/SUSPENSION/CHASSIS	SPORT	EX-L	TOURING	BLACK EDITION
8" aluminum-alloy wheels	Shark grey	•	•	Black
All-season tires	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H	P245/60 R18 105H
Spare tire	T165/90 R17	T165/90 R17	T165/90 R17	T165/90 R17
gile Handle Assist	•	•	1103/30 KT/	1103/30 K17
Battery Management System				
	•	•	•	•
Capless fueling system	•	•	•	
AccPherson strut front suspension	•	•	•	•
Aulti-link independent rear suspension	•			•
Electric power-assisted rack-and-pinion steering (EPS)	•		•	
Stabilizer bars – front/rear (mm)	25/26.5	25/26.5	25/26.5	25/26.5
Steering wheel turns, lock-to-lock	3.04	3.04	3.04	3.04
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
CTIVE SAFETY	SPORT	EX-L	TOURING	BLACK EDITION
-wheel Anti-lock Braking System ³ (ABS)	•	•	•	•
Brake Assist	•	•	•	•
lectronic Brake-force Distribution (EBD)	•	•	•	•
Auto high beam ³			•	•
Collision Mitigation Braking System™3 (CMBS®) (HS*)	•	•	•	•
orward Collision Warning ³ (FCW) system (HS*)	•	•	•	•
ane Departure Warning ³ (LDW) system (HS*)	•	•	•	•
Road Departure Mitigation ³ (RDM) system (HS*)	•	•	•	•
Hill Start Assist ³	•	•	•	•
ED daytime running lights	•	•	•	•
Tire Pressure Monitoring System⁴ (TPMS) with tire fill assist	•	•	•	•
railer Stability Assist	•	•	•	•
/ehicle Stability Assist ³ (VSA®) with Traction Control	•	•	•	•
HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.				
PASSIVE SAFETY	SPORT	EX-L	TOURING	BLACK EDITION
-point rear seat belts	•	•	•	•
ront 3-point seat belts with automatic tensioning system	•	•	•	•
Childproof rear door locks	•	•	•	•
iondaLink™ Assist Automatic Emergency Response System ^{3,5,6}	•	•	•	•
SRS airbag system (front)	•	•	•	•
ower Anchors and Tethers for Children (LATCH)	•	•	•	•
Jext-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	
martVent™ side airbags	•	•	•	•
ide curtain airbags with rollover sensor system	•			
	COORT	EV 1	TOURING	DI ACIC EDITION
DRIVER ASSIST TECHNOLOGY	SPORT	EX-L	TOURING	BLACK EDITION
Adaptive Cruise Control ³ (ACC) (HS*)	•	•	•	•
ane Keeping Assist System ³ (LKAS) (HS*)	•	•	•	•
Blind Spot Information (BSI) system ³ with Rear Cross Traffic Monitor ³ system			•	•
ionda LaneWatch™ blind spot display³	•	•		
S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.				

EXTERIOR	SPORT	EX-L	TOURING	BLACK EDITION
Body-coloured door handles	•	•	Chrome	Black
Body-coloured heated power door mirrors	With painted black base	•	With painted black base	With painted black base
Bumper skid garnish	Black		Silver	Black
ual-action tailgate	•	•	•	•
og lights	•	•	•	•
ont and rear splash guards	•	•	•	•
ront grille bar	Chrome	Chrome	Chrome	Black chrome
ront wiper de-icer	•	•	•	•
eavy-duty tie-down cleats (8)	•	•	•	•
-Bed Trunk™	•	•	• LED	• LED
tegrated bed lights (2) with auto-off timer ED taillights	•	•	LED	LED
emory-linked side mirrors with reverse gear tilt-down			•	•
irror-integrated LED turn signal indicators	•	•	•	•
ojector-beam halogen headlights	With auto-on/off	With auto-on/off		
ojector-beam LED headlights			With auto-on/off	With auto-on/off
ne-touch power moonroof with tilt feature	•	•	•	•
wer folding mirrors			•	•
wer sliding rear cabin window	٠	•	•	•
in-sensing windshield wipers			•	•
ar window defroster ar privacy-tinted glass	•	•	•	•
ariable intermittent windshield wipers	•	•	•	•
	00007	EV I	TOUDING	DI ACK EDITION
DMFORT & CONVENIENCE	SPORT	EX-L	TOURING	BLACK EDITION
-volt power outlets (2) OW/400W truck-bed power outlet	•	•	•	•
colour TFT centre meter display with Driver Information Interface			•	•
coustic windshield		•	•	•
stive Noise Cancellation (ANC)	•	•	•	•
nbient lighting (footwell, door pocket, cupholders)			Blue	Red
ito-dimming rearview mirror		•	•	•
ont and rear parking sensors		•	•	•
ompass			Navi-based	Navi-based
poversation mirror with sunglasses holder	•	•	•	•
isplay Audio System³ with Honda Satellite-Linked Navigation System™3.8 nd bilingual Voice Recognition			٠	•
por-pocket storage bins	•	•	•	•
iver's and front passenger's seatback pockets	•	•	•	•
iver's and front passenger's vanity mirrors	Illuminated	Illuminated	Illuminated	Illuminated
terior temperature indicator	•	•	٠	•
oor mats	Carpet	Carpet	Carpet	Black Edition
andsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{3,5}	•	•	•	•
ith steering-wheel mounted controls omeLink® remote system ⁷				
nmobilizer theft-deterrent system	•	•	•	•
aintenance Minder™ system	•	•	•	•
ulti-angle rearview camera³ with dynamic guidelines	•	•	•	•
ne-touch turn signals	•	•	•	•
wer windows with auto-up/down driver and passenger window	•	•	•	•
oximity key entry system with pushbutton start	•	•	•	•
ear-seat centre armrest	•	•	•	•
ear air vents	•	•	•	•
emote engine starter	•	•	•	•
curity system eering wheel-mounted controls (cruise control, audio, telephone,	•	•	•	•
ulti-information display)	•	•	•	•
t and telescoping steering column	•	•	•	•
i-zone automatic climate control with air-filtration system	•	•	•	•
alk-away door lock	٠	•	•	•
ATING & TRIM	SPORT	EX-L	TOURING	BLACK EDITION
/40 lift-up rear seat with underseat storage	•	•	•	•
iver's seat armrest	•	Adjustable	Adjustable	Adjustable
ssenger seat armrest	•	•	Adjustable	Adjustable
iver's seat with 10-way power adjustment including power lumbar support	•	•	•	•
iver's seat position memory			•	•
eated front seats	•	•	•	•
eated rear seats (outboard positions only)		•	•	•
eated leather-wrapped steering wheel		• Douf-urt 1	• Deuf-unt	•
eather-trimmed seating surfaces		Perforated	Perforated	Perforated
assenger's seat with 4-way manual adjustment	•		•	
assenger's seat with 4-way power adjustment eating capacity	5	•	• 5	•

Jalyback capability and 7 speakers including subwoofer Aplyback capability and 8 speakers including subwoofer Aplycack capability and 8 speakers including subwoofer Aplycack capability and 8 speakers including subwoofer Aplycack capability and 8 speakers including subwoofer Aploc Carlyb ^{m/*} Android Aurio ^{mas} including Navigation ¹⁶ Including	ENTERTAINMENT	SPORT	EX-L	TOURING	BLACK EDITION
Playback capability and 8 speakers including subworfer Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Display Audio System ¹¹⁸ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ Sin Eyes Free compatibility ¹¹⁴ Including Navigation ¹¹⁸ Including Navigation ¹¹⁸ <	225-watt AM/FM/CD audio system with MP3/Windows Media® Audio playback capability and 7 speakers including subwoofer	•	•		
Display value System* Including Navigation* ³⁸ Including Navigation* ³⁸ Including Navigation* ³⁸ Truck-Bed Audio System* • • • • W12/Audio System* • • • • W12/Audio System* • • • • • W12/Audio System* • <td< td=""><td>540-watt AM/FM/CD Premium audio system with MP3/Windows Media® Audio playback capability and 8 speakers including subwoofer</td><td></td><td></td><td>•</td><td>•</td></td<>	540-watt AM/FM/CD Premium audio system with MP3/Windows Media® Audio playback capability and 8 speakers including subwoofer			•	•
Truck-Bed Audio System" • • • Bluetooth" Streaming Audio ^{3,3} • • • • Bluetooth" Streaming Audio ^{3,3} • • • • Blaetooth" Streaming Audio ^{3,3} • • • • Bdavic connector ¹ 2 2 4 4 Sirl Eyes Free compatibility ^{1,6} • • • • Syste stranster volume Control (SVC) • • • • Sirl Exystm ¹⁰⁰ • • • • • PLEL ECONOM*I (L/DO KM) SPORT Ext TOURING BLACK EDITION IVELT EconoM*I (L/DO KM) 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 DIMENSIONS SPORT Ext TOURING BLACK EDITION Approach/departure angle (degrees) 201/22.1 20.1/22.1 20.1/22.1 20.1/22.1 Cargo bed endth between wheel wells (mm) 1025 1625 1625 1625 1625 1625 1625 1625	Apple CarPlay ^{™3,5} / Android Auto ^{™3,5}	•	•	•	•
Bluetooth* Streaming Audio ¹³ • • • MP3/audilary input jack • • • NP Radio ¹⁹ • • • USB device connector ¹ 2 2 4 4 Siri Eyes Free compatibility ³⁴ • • • • Speed-sensitive Volume Control (SVC) • • • • Speed-sensitive Volume Control (SVC) • • • • • FUEL ECONOMY ¹⁸ (L/100 KM) SPORT Ex-L TOURING BLACK EDITION FUEL ECONOMY ¹⁸ (L/100 KM) 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 DIMENSIONS SPORT EX-L TOURING BLACK EDITION Approach/departure angle (degrees) 20.1/22.1 <td>Display Audio System³ with HondaLink™3.5</td> <td>•</td> <td>•</td> <td>Including Navigation^{3,8}</td> <td>Including Navigation^{3,8}</td>	Display Audio System³ with HondaLink™3.5	•	•	Including Navigation ^{3,8}	Including Navigation ^{3,8}
MP3/auxiliary input jack•••HD Radio**LDS device connecto?2244Sirl Eyes Free compatibility**SMS text message**/E-mail function**Systed-sensitive Volume Control (SVC)Sirl Eyes Free compatibility**Systed-sensitive Volume Control (SVC)Systed-sensitive Volume Control (SVC)Systed-sensitive Volume Control (SVC)	Truck-Bed Audio System™			•	•
HD Radio** • • USB device connector* 2 4 4 USB device connector* • • • SNS text message*/F-mail function*5 • • • SNS text message*/F-mail function*5 • • • Speed-sensitive volume Control (SVC) • • • • SNF text message*/F-mail function*5 • • • • Speed-sensitive volume Control (SVC) • • • • • WI-Fit tethering* •	Bluetooth® Streaming Audio ^{3,5}	•	•	•	•
USB device connector ⁶ 2 2 4 4 Shi Eyes Free compatibility ^{3.6} Shi Exet message ^{3.1} /E mail function ^{3.5} Speed-sensitive Volume Control (SVC) Shi Exet message ^{3.1} /E mail function ^{3.5} Shi Exet message ^{3.1} /E mail function ^{3.5} . .	MP3/auxiliary input jack	•	•	•	•
Sini Eyes Pree compatibility ¹⁴ • • • SMS text message ¹⁴ /Le mail function ¹⁵³ • • • • Speed-sensitive Volume Control (SVC) • • • • • Sinius M ^{mon} • • • • • • Wi-Fit tethering ⁶ • • • • • • FUEL ECONOM ^m (L/100 KM) SPORT EX-L TOURING BLACK EDITION PAVM-M WD (City/Hwy/Combined) 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 DIMENSIONS SPORT EX-L TOURING BLACK EDITION Approach/departure angle (degrees) 20.1/22.1 20.1/22.1 20.1/22.1 20.1/22.1 Cargo bed length (mm) 1625 1625 1625 1625 1625 Cargo bed dingth (mm) 2034 2038 2054 2034 2034 2036 2002 Cargo bed dingth (mm) 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 <td>HD Radio^{™9}</td> <td></td> <td></td> <td>•</td> <td>•</td>	HD Radio ^{™9}			•	•
SMS text message ¹⁴ /E-mail function ¹⁴ • • • Speed-sensitive Volume Control (SVC) • • • WI-Fi tethering ⁵ • • • FUEL ECONOMY ¹¹ (L/100 KM) SPORT Ex-L TOURINC BLACK EDITION FUEL ECONOMY ¹¹ (L/100 KM) 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 DIMENSIONS SPORT Ex-L TOURINC BLACK EDITION Approach/departure angle (degrees) 20.1/22.1 20.1/22.1 20.1/22.1 20.1/22.1 Cargo bed length (mm) 1625 1625 1625 1625 1625 Cargo bed length (mm) 1270 1270 1270 1270 1270 Cargo bed depth (mm) 1270 1270 1270 1270 1270 Cargo bed depth (mm) 1270 1270 1270 1270 1270 Cargo bed depth (mm) 1270 1270 1270 1270 1270 Cargo bed depth (mm) 1270 1270 1270 1270 1270 1270 1270 1270 1270 1270 1270	USB device connector ⁵	2	2	4	4
Speed-sensitive Volume Control (SVC) • • • Sirius XM ^{mon} • • • • Sirius XM ^{mon} • • • • • FUEL ECONOMY ⁿ (L/100 KM) FX TOURING BLACK EDITION FUEL ECONOMY ⁿ (L/100 KM) 12.8/9.5/1.3 12.8/9.5/1.3 12.8/9.5/1.3 12.8/9.5/1.3 DIMENSIONS SPORT EX-L TOURING BLACK EDITION Approach/departure angle (degrees) 20.1/22.1 20.1/22.1 20.1/22.1 20.1/22.1 Cargo bed length (mm) 1625 1625 1625 1625 Cargo bed length (mm) 425 425 425 425 Curb weight (kg) 2034 2038 2054 2054 Fuel tank capacity (L) 77.3 77.30 2730	Siri Eyes Free compatibility ^{3,5}	•	•	•	•
ShiusXM*****•••Wi-Fi tethering*••• <td>SMS text message^{3,5}/E-mail function^{3,5}</td> <td>•</td> <td>•</td> <td>•</td> <td>•</td>	SMS text message ^{3,5} /E-mail function ^{3,5}	•	•	•	•
Wi-Fi tethering ⁵ • • • FUEL ECONOMY ¹¹ (L/100 KM) SPORT EX-L TOURING BLACK EDITION IV-TM4 ^{1/*} AWD (City/Hwy/Combined) 12.8/9.5/11.3	Speed-sensitive Volume Control (SVC)	•	•	•	•
Public LocoNAW" (L/100 KM) SPORT EX-L TOURING BLACK EDITION I-VTH4" AVD (City/Hwy/Combined) 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 12.8/9.5/11.3 DIMENSIONS SPORT EX-L TOURING BLACK EDITION Approach/departure angle (degrees) 20.1/22.1 20.1/22.1 20.1/22.1 20.1/22.1 Cargo bed length (mm) 1625 1625 1625 1625 Cargo bed width between wheel wells (mm) 1270 1270 1270 Cargo bed depth (mm) 425 425 425 425 Curb weight (kg) 2034 2038 2054 2054 Fuel tank capacity (L) 73.8 73.8 73.8 73.8 Ground clearance (mm) 200 200 200 200 Headroom - front/rear (mm) 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986 1003/986	SiriusXM™10		•	•	•
i-VTM4" AWD (City/Hwy/Combined)12.8/9.5/11.312.8/9.5/11.312.8/9.5/11.312.8/9.5/11.312.8/9.5/11.3DIMENSIONSSPORTEX-LTOURINGBLACK EDITIONApproach/departure angle (degrees)20.1/22.120.1/22.120.1/22.120.1/22.1Cargo bed length (mm)1625162516251625Cargo bed depth (mm)1270127012701270Cargo bed depth (mm)2034203820542054Curb weight (kg)2034203820542054Fuel tank capacity (L)73.873.873.873.8Ground clearance (mm)200200200200Headroom - front/rear (mm)1003/9861003/9861003/9861003/986Hip room - front/rear (mm)1501/14381501/14381501/14381501/1438In-Bed Trunk** capacity (L)207207207207Legroom - front/rear (mm)1039/9821039/9821039/9321039/932Legroom - front/rear (mm)1039/9821039/9321039/9321039/932Legroom - front/rear (mm)5335533553355335Payload capacity (kg)694690674674Pasenger volume (L)30843084308430843084Shoulder room - front/rear (mm)1575/15621575/15621575/15621575/1562Track - front/rear (mm)1678/16771678/16771678/16771678/1677	Wi-Fi tethering ⁵	•	•	•	•
DifferenceSPORTEx-LTOURINGBLACK EDITIONApproach/departure angle (degrees)20.1/22.120.1/22.120.1/22.120.1/22.1Cargo bed length (nm)1625162516251625Cargo bed wildth between wheel wells (mm)1270127012701270Cargo bed depth (nm)425425425425Cargo bed depth (nm)20034203820542054Cargo bed depth (nm)73.873.873.873.8Curb weight rating (kg)2730273027302730Ground clearance (nm)200200200200Headroom - front/rear (nm)1003/9861003/9861003/9861003/986Height (nm)1501/14381501/14381501/14381501/1438Height (nm)1501/14381501/14381501/14381501/1438Height (nm)1501/14381501/14381501/14381501/1438Height (nm)1501/14381501/14381501/14381501/1438Height (nm)207207207207Legroom - front/rear (nm)103/9321039/9321039/9321039/932Height (nm)5335533553355335Pavoda capacity (kg)694690674674Pasenger volume (L)30843084308430843084Shoulder room - front/rear (nm)1575/15621575/15621575/15621575/1562Track - front/rear (nm)1678/16771678/1677167	FUEL ECONOMY ¹¹ (L/100 KM)	SPORT	EX-L	TOURING	BLACK EDITION
Approach/departure angle (degrees)20.1/22.120.1/22.120.1/22.120.1/22.120.1/22.1Cargo bed length (mm)16251625162516251625Cargo bed width between wheel wells (mm)1270127012701270Cargo bed depth (mm)425425425425425Cargo bed depth (mm)20342038205420542054Curb weight (kg)73.873.873.873.873.873.8Gross vehicle weight rating (kg)27302730273027302730Ground clearance (mm)200200200200200Headroom - front/rear (mm)1003/9861003/9861003/9861003/986Height (mm)17981798179817981798Ih p com - front/rear (mm)1501/14381501/14381501/14381501/1438In -Bed Trunk™ capacity (L)207207207207Legroom - front/rear (mm)103/9321039/9321039/9321039/932Legroom - front/rear (mm)5335533553355335Pastoger volume (L)30843084308430843084Shoulder room - front/rear (mm)1575/15621575/15621575/15621575/1562Track - front/rear (mm)1678/16771678/16771678/16771678/1677	i-VTM4™ AWD (City/Hwy/Combined)	12.8/9.5/11.3	12.8/9.5/11.3	12.8/9.5/11.3	12.8/9.5/11.3
Cargo bed length (mm)16251625162516251625Cargo bed width between wheel wells (mm)12701270127012701270Cargo bed depth (mm)425425425425425Curb weight (kg)2034203820542054Fuel tank capacity (L)73.873.873.873.8Gross vehicle weight rating (kg)200200200200Ground clearance (mm)200200200200Headroom - front/rear (mm)1003/9861003/9861003/9861003/986Height (mm)1798179817981798Hip room - front/rear (mm)1501/14381501/14381501/14381501/1438In-Bed Trunk™ capacity (L)207207207207Length (mm)1039/9321039/9321039/9321039/932Length (mm)5335533553355335Payload capacity (kg)694690674Passenger volume (L)3084308430843084Shoulder room - front/rear (mm)1575/15621575/15621575/15621575/1562Track - front/rear (mm)1678/16771678/16771678/16771678/1677	DIMENSIONS	SPORT	EX-L	TOURING	BLACK EDITION
Cargo bed width between wheel wells (mm) 1270 1270 1270 1270 Cargo bed depth (mm) 425 425 425 425 425 Curb weight (kg) 2034 2038 2054 2054 Fuel tank capacity (L) 73.8 73.8 73.8 73.8 73.8 Gross vehicle weight rating (kg) 200	Approach/departure angle (degrees)	20.1/22.1	20.1/22.1	20.1/22.1	20.1/22.1
Cargo bed depth (mm)425425425425425425Curb weight (kg)2034203820542054Fuel tank capacity (L)73.873.873.873.873.8Gross vehicle weight rating (kg)2730273027302730Ground clearance (mm)200200200200Headroom - front/rear (mm)1003/9861003/9861003/9861003/986Hip room - front/rear (mm)1501/14381501/14381501/14381501/1438In Bed Trunk™ capacity (L)207207207207Legroom - front/rear (mm)1535533553355335Payload capacity (kg)694690674674Passenger volume (L)30843084308430843084Shoulder room - front/rear (mm)1575/15621575/15621575/15621575/1562Track - front/rear (mm)1678/16771678/16771678/16771678/1677	Cargo bed length (mm)	1625	1625	1625	1625
Curb weight (kg) 2034 2038 2054 2054 Fuel tank capacity (L) 73.8 73.9 73.0 73.9	Cargo bed width between wheel wells (mm)	1270	1270	1270	1270
Fuel tank capacity (L) 73.8 73.9 73.9 73.9 73.	Cargo bed depth (mm)	425	425	425	425
Gross vehicle weight rating (kg) 2730 2730 2730 2730 2730 2730 Ground clearance (mm) 200 <t< td=""><td>Curb weight (kg)</td><td>2034</td><td>2038</td><td>2054</td><td>2054</td></t<>	Curb weight (kg)	2034	2038	2054	2054
Ground clearance (mm) 200 200 200 200 Headroom – front/rear (mm) 1003/986 1039/992 1039/992 1039/992	Fuel tank capacity (L)	73.8	73.8	73.8	73.8
Headroom - front/rear (mm) 1003/986 1003/986 1003/986 1003/986 Height (mm) 1798 1798 1798 1798 Hip room - front/rear (mm) 1501/1438 1501/1438 1501/1438 1501/1438 In-Bed Trunk™ capacity (L) 207 207 207 207 Legroom - front/rear (mm) 1039/932 1039/932 1039/932 1039/932 Length (mm) 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 3084 Shoulder room - front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track - front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Gross vehicle weight rating (kg)	2730	2730	2730	2730
Height (mm) 1798 1798 1798 1798 1798 Hip room – front/rear (mm) 1501/1438 1501/1438 1501/1438 1501/1438 In-Bed Trunk™ capacity (L) 207 207 207 207 Legroom – front/rear (mm) 1039/932 1039/932 1039/932 1039/932 Length (mm) 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 3084 Shoulder room – front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 1575/1562 Track – front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Ground clearance (mm)	200	200	200	200
Hp room - front/rear (mm) 1501/1438 1501/1438 1501/1438 1501/1438 In-Bed Trunk™ capacity (L) 207 207 207 207 Legroom - front/rear (mm) 1039/932 1039/932 1039/932 1039/932 Length (mm) 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 Shoulder room - front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track - front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Headroom – front/rear (mm)	1003/986	1003/986	1003/986	1003/986
In-Bed Trunk™ capacity (L) 207 207 207 207 Legroom – front/rear (mm) 1039/932 1039/932 1039/932 1039/932 1039/932 Length (mm) 5335 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 Shoulder room – front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track – front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Height (mm)	1798	1798	1798	1798
Legroom - front/rear (mm) 1039/932 1039/932 1039/932 1039/932 Length (mm) 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 Shoulder room - front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track - front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Hip room – front/rear (mm)	1501/1438	1501/1438	1501/1438	1501/1438
Length (mm) 5335 5335 5335 5335 Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 3084 Shoulder room – front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 1575/1562 Track – front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	In-Bed Trunk™ capacity (L)	207	207	207	207
Payload capacity (kg) 694 690 674 674 Passenger volume (L) 3084 3084 3084 3084 Shoulder room – front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track – front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Legroom – front/rear (mm)	1039/932	1039/932	1039/932	1039/932
Passenger volume (L) 3084 3084 3084 3084 Shoulder room - front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track - front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Length (mm)	5335	5335	5335	5335
Shoulder room - front/rear (mm) 1575/1562 1575/1562 1575/1562 1575/1562 Track - front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Payload capacity (kg)	694	690	674	674
Track – front/rear (mm) 1678/1677 1678/1677 1678/1677 1678/1677	Passenger volume (L)	3084	3084	3084	3084
	Shoulder room – front/rear (mm)	1575/1562	1575/1562	1575/1562	1575/1562
Turning radius (m) 6.77 6.77 6.77 6.77	Track – front/rear (mm)	1678/1677	1678/1677	1678/1677	1678/1677
	Turning radius (m)	6.77	6.77	6.77	6.77
Washer tank capacity (L) 6.0 6.0 6.0 6.0	Washer tank capacity (L)	6.0	6.0	6.0	6.0
Wheelbase (mm) 3180 3180 3180 3180 3180	Wheelbase (mm)	3180	3180	3180	3180
Width – including mirrors/mirrors folded (mm) 2279/2116 2279/2116 2279/2116 2279/2116	Width – including mirrors/mirrors folded (mm)	2279/2116	2279/2116	2279/2116	2279/2116

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

 A notoport to wing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.
None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

the venicle's OWner's Manual.
For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
So nay compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

7. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.). 8. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

9. Coverage varies by market.

10. Only available in certain areas. Includes a no-charge trial of three months.

11. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.