2020 Fit

ENGINE	DX	LX	SPORT	EX	EX-L NAVI
1.5-litre, 16-valve, Direct Injection, DOHC, i-VTEC® 4-cylinder	•	•	•	•	•
Horsepower @ rpm ¹	MT: 130 @ 6600	MT: 130 @ 6600 CVT: 128 @ 6600	CVT: 128 @ 6600	CVT: 128 @ 6600	CVT: 128 @ 6600
Torque (lbft. @ rpm) ¹	MT: 114 @ 4600	MT: 114 @ 4600 CVT: 113 @ 4600	CVT: 113 @ 4600	CVT: 113 @ 4600	CVT: 113 @ 4600
Displacement (cc)	1498	1498	1498	1498	1498
Emissions rating	MT: Tier 3 Bin 125	MT: Tier 3 Bin 125 CVT: Tier 3 Bin 30	CVT: Tier 3 Bin 30	CVT: Tier 3 Bin 30	CVT: Tier 3 Bin 30
Bore and stroke (mm)	73 x 89.5	73 x 89.5	73 x 89.5	73 x 89.5	73 x 89.5
Compression ratio	11.5:1	11.5:1	11.5:1	11.5:1	11.5:1
Drive-by-Wire Throttle System™	•	•	•	•	•
Eco Assist™ system	•	•	•	•	•
Recommended fuel	Regular	Regular	Regular	Regular	Regular
DRIVETRAIN	DX	LX	SPORT	EX	EX-L NAVI
Continuously variable transmission (CVT)		Available	•	•	
6-speed manual transmission (MT)		•			
Steering wheel-mounted paddle shifters					•
ECON mode button		CVT model	•	•	
BODY/SUSPENSION/CHASSIS	DX	LX	SPORT	EX	EX-L NAVI
Wheels	15" with full covers	15" with full covers	16" alloy, all black	16" alloy, black and silver	16" alloy, black and silver
All-season tires	P185/60 R15 84T	P185/60 R15 84T	P185/55 R16 83H	P185/55 R16 83H	P185/55 R16 83H
Compact spare tire	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M	T135/80 D15 99M
Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•	•
Stabilizer bars – front (mm)	25.4	25.4	25.4	25.4	25.4
MacPherson strut front suspension	•	•	•	•	•
Steering wheel turns, lock-to-lock	2.51	2.51	2.51	2.51	2.51
Torsion-beam rear suspension	•	•	•	•	•
Power-assisted, ventilated front disc/rear drum brakes	•	•	•	•	•
Unit-body construction	•	•	•	•	•
ACTIVE SAFETY	DX	LX	SPORT	EX	EX-L NAVI
4-wheel Anti-lock Braking System ² (ABS)	•	•	•	•	•
Brake Assist	•	•	•	•	•
Collision Mitigation Braking System™ (CMBS®) ² (HS*)		CVT model	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•	•
Forward Collision Warning (FCW) system ² (HS*)		CVT model	•	•	•
Hill Start Assist ²	•	•	•	•	•
Vehicle Stability Assist ² (VSA®) with Traction Control	•	•	•	•	•
Lane Departure Warning (LDW) system ² (HS*)		CVT model	•	•	•
Road Departure Mitigation (RDM) system ² (HS*)		CVT model	•	•	•
HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist feature	es. These features are only	available on continuously	variable transmission (C	VT) vehicles.	
PASSIVE SAFETY	DX	LX	SPORT	EX	EX-L NAVI
		•	SPORT	•	EX-L INAVI
3-point front seat belts with automatic tensioning system	•	•	•	•	•
3-point rear seat belts	•	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•	•
Childproof rear door locks	•	•	•	•	•
Dual-stage, multiple-threshold front airbags (SRS)	•	•	•	•	•
Side curtain airbags with rollover sensor system	•	•	•	•	•
			•	•	•
SmartVent™ side airbags	•	·			
HondaLink™ Assist Automatic Emergency Response System ^{2,3,4}		•	•	•	•
9	•	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System ^{2,3,4}		•	• • SPORT	• • EX	• • EX-L NAVI
HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} Lower Anchors and Tethers for Children (LATCH)	•	•		• • EX	
HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} Lower Anchors and Tethers for Children (LATCH) DRIVER ASSIST TECHNOLOGY	•	· · LX	SPORT		

HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features. These features are only available on continuously variable transmission (CVT) vehicles.

EXTERIOR	DX	LX	SPORT	EX	EX-L NAVI
Body-coloured heated power door mirrors	•	•	•	•	•
Folding door mirrors	•	•	•	•	•
Front lower spoiler					
Body-coloured door handles	•	•	•	•	•
Body-coloured rear roofline spoiler			•	•	•
Front splash guards	•	•		•	•
Hood insulator	•	•		•	•
Integrated fog lights			•	•	•
LED brake lights	•	•	•	•	•
Multi-reflector halogen headlights	With auto-off	With auto-off	With auto-off	With auto-on/off	With auto-on/off
One-touch power moonroof with tilt feature				•	•
Rear window defroster	•	•	•	•	•
Intermittent windshield wipers	•	•	•	Variable	Variable
Intermittent rear window wiper/washer	•	•	•	•	•
Roof-mounted antenna	•	•	•	•	•
Rear exhaust finisher			•		
Rear bumper diffuser			•		
Side sill garnish			•		
Mirror-integrated LED turn indicators					•
COMFORT & CONVENIENCE	DX	LX	SPORT	EX	EX-L NAVI
12-volt power outlet	1	2	2	2	2
Adjustable tilt and telescopic steering column	•	•	•	•	•
Air conditioning with air-filtration system		•		•	
Automatic climate control with air-filtration system					•
Cargo area light	•	•	•	•	•
Cargo area tie-down anchors	•	•	•	•	•
Cargo cover		•		•	•
Carpet floor mats	•	•	•	•	•
Driver's and front passenger's vanity mirrors	•	•	•	•	•
Front door-pocket storage bins	•	•	•	•	•
Fuel consumption display	•	•	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{2,3}	•	•	•	•	•
Display Audio System² with HondaLink™2.3 Next Generation and Honda Satellite-Linked Navigation System™2.5 with bilingual Voice Recognition					•
Immobilizer theft-deterrent system	•	•	•	•	•
Map lights	•	•	•	•	•
Multi-angle rearview camera ²	•	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines	With dynamic guidelines
One-touch turn signals	•	•	•	•	•
Passenger-side seatback pocket		•	•	•	•
Power door locks Power windows	•	•	•	•	•
Power windows with auto-up/down driver's window		•	•	•	•
Proximity key entry system with pushbutton start				•	•
Remote entry system with security system	•	•	•	•	
Maintenance Minder™ system	•	•	•	Eutor de la la	Futor delete
Front row sun visors Steering wheel-mounted cruise control	•	•	•	Extendable	Extendable
Tachometer		•	•	•	•
	•	•	•	•	
SEATING & TRIM	DX	LX	SPORT	EX	EX-L NAVI
60/40 Split 2nd-Row Magic Seat®	•	•	•	•	•
Adjustable front seat head restraints	•	•	•	•	•
Centre console with armrest and storage compartment Driver's seat with manual height adjustment	•	•	•	•	•
Heated front seats	•	•	•	•	•
Leather-trimmed seating surfaces		•	•	•	•
Leather-wrapped steering wheel			•	•	•
Leather-wrapped shift knob			•	•	•
Seating capacity	5	5	5	5	5
	9	5	Ü	5	Ü

ENTERTAINMENT	DX	LX	SPORT	EX	EX-L NAVI
160-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 4 speakers	•	•			
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 6 speakers			•	•	•
Bluetooth® Streaming Audio ^{2,3}	•	•	•	•	•
5-inch colour LCD screen	•				
Display Audio System² with HondaLink™².3 Next Generation		•	•	•	Including Navigation ^{2,5}
Apple CarPlay™2,3/Android Auto™2,3		•	•	•	•
HD Radio™ ⁶					•
Illuminated steering wheel-mounted audio controls		•	•	•	•
Siri Eyes Free compatibility ^{2,3}		•	•	•	•
SiriusXM™ ^{2,7}					•
Text message function ^{2,3}		•	•	•	•
USB device connector ³	1	2	2	2	2
Wi-Fi tethering ³		•	•	•	•
FUEL ECONOMY ⁸ (L/100 KM)	DX	LX	SPORT	EX	EX-L NAVI
Manual transmission (City/Hwy/Combined)	8.1/6.6/7.4	8.1/6.6/7.4	N/A	N/A	N/A
Manual transmission (City/Hwy/Combined) Continuously variable transmission (CVT) (City/Hwy/Combined)	8.1/6.6/7.4 N/A	8.1/6.6/7.4 7.0/5.9/6.5	N/A 7.6/6.5/7.0	N/A 7.6/6.5/7.0	N/A 7.6/6.5/7.0
Continuously variable transmission (CVT) (City/Hwy/Combined)	. , ,	, ,	,	,	,
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS	N/A	7.0/5.9/6.5	7.6/6.5/7.0	7.6/6.5/7.0	7.6/6.5/7.0
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L)	N/A DX	7.0/5.9/6.5 LX	7.6/6.5/7.0 SPORT	7.6/6.5/7.0 EX	7.6/6.5/7.0 EX-L NAVI
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg)	N/A DX 470/1492	7.0/5.9/6.5 LX 470/1492	7.6/6.5/7.0 SPORT 470/1492	7.6/6.5/7.0 EX 470/1492	7.6/6.5/7.0 EX-L NAVI 470/1492
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L)	N/A DX 470/1492 1133/N/A	7.0/5.9/6.5 LX 470/1492 1147/1172	7.6/6.5/7.0 SPORT 470/1492 N/A/1184	7.6/6.5/7.0 EX 470/1492 N/A/1203	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm)	N/A DX 470/1492 1133/N/A 40	7.0/5.9/6.5 LX 470/1492 1147/1172 40	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40	7.6/6.5/7.0 EX 470/1492 N/A/1203 40	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Length (mm) Passenger volume (L)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997 4099	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997 4099	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997 4100	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Passenger volume (L) Shoulder room – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997 4100 2710	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997 4100 2710 1393/1336	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Length (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm) Turning radius – curb-to-curb (m)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336 1482/1472	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336 1482/1472	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997 4100 2710 1393/1336 1476/1466	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336 1476/1466	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336 1476/1466
Continuously variable transmission (CVT) (City/Hwy/Combined) DIMENSIONS Cargo volume – rear seat up/down (L) Curb weight – MT/CVT (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm)	N/A DX 470/1492 1133/N/A 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336 1482/1472 5.3	7.0/5.9/6.5 LX 470/1492 1147/1172 40 135/111 1003/953 1524 1308/1145 1052/997 4099 2710 1393/1336 1482/1472 5.3	7.6/6.5/7.0 SPORT 470/1492 N/A/1184 40 135/111 1003/953 1524 1308/1145 1052/997 4100 2710 1393/1336 1476/1466 5.3	7.6/6.5/7.0 EX 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336 1476/1466 5.3	7.6/6.5/7.0 EX-L NAVI 470/1492 N/A/1203 40 135/111 964/954 1524 1308/1145 1052/997 4099 2656 1393/1336 1476/1466 5.3

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
3. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
5. Man database covers major metropolition areas in Canada and the 48 configurate. It is other

^{5.} Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

Coverage varies by market.
 Only available in certain areas. Includes a no-charge trial of three months.

^{8.} Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca