## 2020 Civic Type R

ENGINE	TYPE R
.0-litre, 16-valve, Direct Injection, DOHC, VTEC®, turbocharged 4-cylinder	•
forsepower @ rpm <sup>1</sup>	306 @ 6500
orque (lbft. @ rpm) <sup>1</sup>	295 @ 2500-4500
isplacement (cc)	1996
missions rating	Tier 3 Bin 125
ore and stroke (mm)	86 x 85.9
Compression ratio	9.8:1
lrive-by-Wire Throttle System™ lecommended fuel	Premium
leconinended rue.	Pleillidill
RIVETRAIN	TYPE R
-speed manual transmission (MT) with rev-match control	•
-mode drive system (Comfort/Sport/+R)	•
ront-wheel drive	•
relical limited slip differential	•
HASSIS	TYPE R
0" aluminum-alloy wheels (Piano Black with Red Styling line)	
daptive damper system	
gile Handling Assist² (AHA)	
port performance tires	P245/30Z R20 90Y
apless fueling system	F243/302 N20 901
'ariable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	
lectronic Parking Brake (EPB) with automatic brake hold	
ront and rear stabilizer bars (mm)	29/20.5
ndependent strut front suspension	Dual-axis
ndependent multi-link rear suspension	Duar axis
ower-assisted and ventilated front disc/solid rear disc brakes – front/rear (mm)	350/305
rembo® 4-piston aluminum front brake calipers	330/300
straight Driving Assist	
emporary spare tire	Tire Repair Kit (TRK)
	, , ,
CTIVE SAFETY	TYPE R
-wheel Anti-lock Braking System² (ABS)	•
uto high beam	•
rake Assist	•
lectronic Brake-force Distribution (EBD)	•
ollision Mitigation Braking System™² (CMBS®) (HS*)	•
orward Collision Warning (FCW) system² (HS*)	•
till Start Assist²	•
ane Departure Warning (LDW) system² (HS*)	•
ED daytime running lights	•
Road Departure Mitigation (RDM) system² (HS*)	•
/ehicle Stability Assist² (VSA®) with Traction Control	•
IS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.	
PASSIVE SAFETY	TYPE R
-point seat belts with front automatic tensioning system	•
lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure	
Childproof rear door locks	•
SRS airbag system (front)	
ront height-adjustable seat belt anchors	
	•
· ·	•
ide curtain airbags with rollover sensor system	•
ide curtain airbags with rollover sensor system martVent™ side airbags	· · ·
iide curtain air <sup>'</sup> bags with rollover sensor system martVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup>	· · · · ·
ide curtain airbags with rollover sensor system martVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2.3.4</sup> ower Anchors and Tethers for Children (LATCH)	
ide curtain airbags with rollover sensor system martVent™ side airbags łondaLink™ Assist Automatic Emergency Response System <sup>2.3.4</sup> ower Anchors and Tethers for Children (LATCH) DRIVER ASSIST TECHNOLOGY	· · · · · · · · · · · · · · · · · · ·
ide curtain air bags with rollover sensor system martVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> ower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY  Idaptive Cruise Control (ACC)² (HS*)	
ide curtain air bags with rollover sensor system  martVent™ side airbags  londaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> ower Anchors and Tethers for Children (LATCH)  IRIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*)	TYPE R
ide curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²³³⁴ ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*)	TYPE R
ide curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²³³⁴ ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*)	TYPE R
de curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²-3-4 ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.	TYPE R
ide curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²-3-4 ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  XTERIOR	TYPE R  •  •
ide curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²-3-4 ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  XTERIOR  luminum hood with air intake	TYPE R  •  •
ide curtain airbags with rollover sensor system martVent™ side airbags ondaLink™ Assist Automatic Emergency Response System²³³⁴ ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY daptive Cruise Control (ACC)² (HS*) onda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  XTERIOR luminum hood with air intake ody-coloured bumpers	TYPE R  •  •
ide curtain airbags with rollover sensor system martVent™ side airbags londaLink™ Assist Automatic Emergency Response System².3.4 ower Anchors and Tethers for Children (LATCH)  RIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*) londa LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) S* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  XTERIOR  Iluminum hood with air intake ody-coloured bumpers ody-coloured door handles	TYPE R
ide curtain airbags with rollover sensor system  martVent™ side airbags  dondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> ower Anchors and Tethers for Children (LATCH)  ORIVER ASSIST TECHNOLOGY  daptive Cruise Control (ACC)² (HS*)  donda LaneWatch™ blind spot display²  ane Keeping Assist System (LKAS)² (HS*)  IS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Aluminum hood with air intake  dody-coloured bumpers  dody-coloured door handles  dody-coloured vortex generator	TYPE R
ide curtain air bags with rollover sensor system martVent™ side airbags dondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> ower Anchors and Tethers for Children (LATCH)  PRIVER ASSIST TECHNOLOGY  Identify Cruise Control (ACC)² (HS*) Honda LaneWatch™ blind spot display² ane Keeping Assist System (LKAS)² (HS*) IS' = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Iduminum hood with air intake tody-coloured bumpers tody-coloured door handles tody-coloured vortex generator riple centre exhaust with chrome finisher	TYPE R
Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> Lower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY  Maptive Cruise Control (ACC)² (HS*) Honda LaneWatch™ blind spot display² Lane Keeping Assist System (LKAS)² (HS*) HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Aluminum hood with air intake Body-coloured bumpers Body-coloured door handles Body-coloured vortex generator Triple centre exhaust with chrome finisher Bog lights, LED	TYPE R  · · · TYPE R  · · ·
Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> Lower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY  Maptive Cruise Control (ACC)² (HS*) Honda LaneWatch™ blind spot display² Lane Keeping Assist System (LKAS)² (HS*) HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Aluminum hood with air intake Body-coloured bumpers Body-coloured door handles Body-coloured vortex generator Triple centre exhaust with chrome finisher Bod lights, LED Bodling door mirrors	TYPE R
ide curtain airbags with rollover sensor system  chartVent™ side airbags  HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> Hower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY  Maptive Cruise Control (ACC)² (HS*)  Honda LaneWatch™ blind spot display²  Ane Keeping Assist System (LKAS)² (HS*)  IS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Muminum hood with air intake  Body-coloured bumpers  Body-coloured door handles  Body-coloured vortex generator  Triple centre exhaust with chrome finisher  Bod lights, LED  Bolding door mirrors  Heated power door mirrors, body-coloured	TYPE R
Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> Lower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY Adaptive Cruise Control (ACC)² (HS*) Honda LaneWatch™ blind spot display² Lane Keeping Assist System (LKAS)² (HS*) HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR Aluminum hood with air intake Body-coloured bumpers Body-coloured door handles Body-coloured vortex generator Triple centre exhaust with chrome finisher Fog lights, LED Folding door mirrors Heated power door mirrors, body-coloured Intermittent rear window wiper/washer	TYPE R
Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup> Lower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY  Maptive Cruise Control (ACC)² (HS*) Honda LaneWatch™ blind spot display² Lane Keeping Assist System (LKAS)² (HS*) HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.  EXTERIOR  Muminum hood with air intake Body-coloured bumpers Body-coloured door handles Body-coloured vortex generator  Triple centre exhaust with chrome finisher Body lights, LED Bodding door mirrors Heated power door mirrors, body-coloured	TYPE R  · · · TYPE R  · · ·

EXTERIOR	TYPE R
Mirror-integrated LED turn signal indicators	•
Rear window defroster	•
Rear wing spoiler	•
Red Honda "H" badges (front/rear)	•
Shark fin antenna	•
Skirt package (front, side and rear)	Carbon fibre finish
Speed-sensing, variable intermittent windshield wipers	with red styling line
COMFORT & CONVENIENCE	TYPE R
12-volt power outlet	1
7" colour TFT centre meter display with Driver Information Interface	•
Acoustic windshield	•
Aluminum shift knob	•
Auto-dimming rearview mirror	•
Automatic climate control with air-filtration system	Dual-zone
Cargo area light	•
Display Audio System² with Honda Satellite-Linked Navigation System™2.5 with bilingual Voice Recognition	•
Driver's and front passenger's vanity mirrors	Illuminated
Exterior temperature indicator	•
Front and rear door pockets	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface <sup>2,3</sup>	•
Immobilizer theft-deterrent system	•
Maintenance Minder™ system	•
Map lights	•
Multi-angle rearview camera² with dynamic guidelines	•
Multi-functional centre console storage	•
One-touch turn signals	•
Power windows with auto-up/down driver's and passenger's window	•
Power door locks	•
Proximity key entry system with pushbutton start	•
Rear-seat heater ducts	•
Retractable cargo cover	•
Security system  Chapting wheel requested entire control	•
Steering wheel-mounted cruise control Textured aluminum pedals	•
Tilt and telescopic steering column	:
Type R serial number plate	•
Walk-away door lock	•
Wireless charging	•
SEATING & TRIM	TYPE R
Seating capacity	4
60/40 split fold-down rear seatback Driver's seat with 6-way manual adjustment	Red/Black suede-effect fabric
Driver's seat with o-way manual adjustment	sport seats with Type R logo
Front passenger's seat with 4-way manual adjustment	Red/Black suede-effect fabric
	sport seats with Type R logo
Floor mats	Front mats with Type R logo
Suede-wrapped steering wheel	•
ENTERTAINMENT	TYPE R
542-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 12 speakers including subwoofer	•
Apple CarPlay™ <sup>2.3</sup> /Android Auto™ <sup>2.3</sup>	•
Bluetooth® Streaming Audio <sup>2,3</sup>	•
Display Audio System² with HondaLink™2.3	Including Navigation <sup>2,5</sup>
HD Radio™6	•
Illuminated steering wheel-mounted audio controls	•
Siri Eyes Free compatibility <sup>2,3</sup>	•
SiriusXM™ <sup>2,7</sup>	•
SMS text message <sup>23</sup> /E-mail function <sup>2,3</sup>	•
Speed-sensitive Volume Control (SVC)	•
USB device connector <sup>3</sup>	2
Wi-Fi tethering <sup>3</sup>	•
FUEL ECONOMY <sup>®</sup> (L/100 KM)	TYPE R
Manual transmission (City/Hwy/Combined)	10.5/8.4/9.6

DIMENSIONS	TYPE R
Cargo volume – rear seats up/down <sup>9</sup> (L)	727.7/1308.2
Curb weight (kg)	1415
Fuel tank capacity (L)	46.9
Ground clearance - no-load/full-load (mm)	132/109
Headroom – front/rear (mm)	998/951
Height (mm)	1434
Hip room – front/rear (mm)	1364/1240
Legroom – front/rear (mm)	1074/913
Length (mm)	4557
Passenger volume (L)	2747
Shoulder room – front/rear (mm)	1446/1398
Track - front/rear (mm)	1599/1593
Turning radius (m) (curb-to-curb)	6
Wheelbase (mm)	2700
Width – including mirrors/mirrors folded (mm)	2087/1878

- 6. Coverage varies by market.
- o. Coverage value by Indirec.

  7. Only available in certain areas. Includes a no-charge trial of three months.

  8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.

  9. Based on SAE J1100 cargo volume measurement standard, plus rear footwell space and front seats moved forward.

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
3. Only compatible with certain devices and operating systems. Operation may be dependent upon GPS satellite signal reception and available cellular data and/or voice connection. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
6. Concerns verice by metropolitan areas in Canada and the 48 contiguous U.S. states.