2021 Passport

ENGINE	SPORT	EX-L	TOURING
.5-litre, 24-valve, Direct Injection, SOHC, i-VTEC® V6	•	•	•
orsepower @ rpm'	280 @ 6000	280 @ 6000	280 @ 6000
orque (lbft. @ rpm)'	262 @ 4700	262 @ 4700	262 @ 4700
visplacement (cc)	3471	3471	3471
missions rating	TIER 3 BIN 125	TIER 3 BIN 125	TIER 3 BIN 125
ore and stroke (mm)	89 x 93	89 x 93	89 x 93
compression ratio	11.5:1	11.5:1	11.5:1
ctive Control Engine Mount (ACM) system	•	•	•
co Assist™ system	•	•	•
dle-stop	•	•	•
ariable Cylinder Management® (VCM®)	•	•	•
Recommended fuel	Regular	Regular	Regular
DRIVETRAIN	SPORT	EX-L	TOURING
-speed automatic transmission with Grade Logic Control	•	•	•
teering wheel-mounted paddle shifters	•	•	•
CON mode button	•	•	•
inal drive ratio	4.33	4.33	4.33
ntelligent Variable Torque Management (i-VTM4™) AWD system	•	•	•
ntelligent Traction Management System	•	•	•
owing capacity ² (kg)	1588 or available 2268	1588 or available 2268	1588 or available 2268
ODY/SUSPENSION/CHASSIS	SPORT	EX-L	TOURING
0" aluminum-alloy wheels	•	•	•
All-season tires	P245/50 R20 102H	P245/50 R20 102H	P265/45 R20 104H
Spare tire	T165/80 D17	T165/80 D17	T165/80 D17
gile Handle Assist	•	•	•
- lattery management system	•	•	•
mplitude reactive dampers	•	•	•
lacPherson strut front suspension	•	•	•
Iulti-link independent rear suspension	•	•	•
lectric power-assisted rack-and-pinion steering (EPS)	٠	•	•
tabilizer bars – front/rear (mm)	25/26.5	25/26.5	25/26.5
teering wheel turns, lock-to-lock	3.04	3.04	3.04
ower-assisted, ventilated front disc/solid rear disc brakes	•	•	•
CTIVE SAFETY	SPORT	EX-L	TOURING
-wheel Anti-lock Braking System ³ (ABS)	•	•	•
rake Assist	•	•	•
lectronic Brake-force Distribution (EBD)	•	•	•
Collision Mitigation Braking System™3 (CMBS®) (HS*)	•	•	•
orward Collision Warning ³ (FCW) system (HS*)	•	•	•
ane Departure Warning ³ (LDW) system (HS*)	•	•	•
toad Departure Mitigation ³ (RDM) system (HS*)	•	•	•
lill Start Assist ³	•	•	•
ED daytime running lights	•		•
ire Pressure Monitoring System ⁴ (TPMS) with tire fill assist	•	•	•
railer Stability Assist	•	•	•
/ehicle Stability Assist ³ (VSA [®]) with Traction Control	•	•	•
IS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.			
ASSIVE SAFETY	SPORT	EX-L	TOURING
-point rear seat belts	•	•	•
ront 3-point seat belts with automatic tensioning system	•	•	•
childproof rear door locks			
	•	•	•
	•	•	•
dvanced front airbag system	•	•	•
dvanced front airbag system ondaLink™ Assist Automatic Emergency Response System ^{35,6}	• • •	• • •	•
dvanced front airbag system ondaLink™ Assist Automatic Emergency Response System ^{35,6} ower Anchors and Tethers for Children (LATCH)	• • •	• • • • • •	• • • • •
dvanced front airbag system IondaLink™ Assist Automatic Emergency Response System ^{35.6} ower Anchors and Tethers for Children (LATCH) Iext-Generation Advanced Compatibility Engineering™ (ACE™) body structure	• • • •	• • • • • • • • • • • • • • • • • • • •	•
dvanced front airbag system IondaLink™ Assist Automatic Emergency Response System ^{3,5,6} ower Anchors and Tethers for Children (LATCH) Iext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags	• • • • •	• • • • • • • • • • • • • • • • • • • •	•
dvanced front airbag system IondaLink™ Assist Automatic Emergency Response System ^{35.6} ower Anchors and Tethers for Children (LATCH) lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system		•	• • •
dvanced front airbag system IondaLink™ Assist Automatic Emergency Response System ^{35,6} ower Anchors and Tethers for Children (LATCH) lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system INIVER ASSIST TECHNOLOGY	• • • • • • • • • • • • • • • • • • •	• • EX-L	•
dvanced front airbag system londaLink™ Assist Automatic Emergency Response System ^{35,6} ower Anchors and Tethers for Children (LATCH) lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system IRIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*)	SPORT •	• • EX-L •	• • •
dvanced front airbag system londaLink™ Assist Automatic Emergency Response System ^{3.5,6} ower Anchors and Tethers for Children (LATCH) lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control [®] (ACC) (HS*) ane Keeping Assist System ³ (LKAS) (HS*)	SPORT • •	• EX-L •	
dvanced front airbag system ondaLink™ Assist Automatic Emergency Response System ^{3.5,6} ower Anchors and Tethers for Children (LATCH) ext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control [®] (ACC) (HS*) ane Keeping Assist System [®] (LKAS) (HS*) uto high beam	SPORT •	• • EX-L •	• • •
dvanced front airbag system IondaLink™ Assist Automatic Emergency Response System ^{35,6} ower Anchors and Tethers for Children (LATCH) lext-Generation Advanced Compatibility Engineering™ (ACE™) body structure martVent™ side airbags ide curtain airbags with rollover sensor system RIVER ASSIST TECHNOLOGY daptive Cruise Control ³ (ACC) (HS*) ane Keeping Assist System ³ (LKAS) (HS*) uto high beam lind Spot Information ³ (BSI) system	SPORT • •	• EX-L •	•
Avanced front airbag system 4ondaLink [™] Assist Automatic Emergency Response System ^{3.5.6} Lower Anchors and Tethers for Children (LATCH) Next-Generation Advanced Compatibility Engineering [™] (ACE [™]) body structure SmartVent [™] side airbags Side curtain airbags with rollover sensor system DRIVER ASSIST TECHNOLOGY Adaptive Cruise Control ³ (ACC) (HS*) Lane Keeping Assist System ³ (LKAS) (HS*) Auto high beam Blind Spot Information ³ (BSI) system Rear Cross Traffic Monitor ³ system	SPORT • •	• EX-L •	•

EXTERIOR	SPORT	EX-L	TOURING
Auto-levelling front headlights			•
Body-coloured door handles	•	•	•
Heated power side mirrors	•	•	•
Bumper skid garnish	Black	Black	Gloss black
Dual exposed exhaust outlets	•	•	•
LED fog lights	•	•	•
Front and rear splash guards	•	•	•
Front wiper de-icer	•	•	•
Intermittent rear window wiper/washer	•	٠	•
LED taillights	•	•	•
Auto-dimming power folding side mirrors			•
Memory-linked side mirrors with reverse gear tilt-down		•	•
Mirror-integrated LED turn signal indicators	•	•	•
LED headlights with auto-on/off (Low beam)	•	•	
LED headlights with auto-on/off (High and low beam)			•
One-touch power moonroof with tilt feature	•	•	•
Power tailgate		•	Hands-free access
Rain-sensing windshield wipers Rear window defroster			
Roof rails		•	
Rear privacy-tinted glass	•		
Variable intermittent windshield wipers	•	•	•
COMFORT & CONVENIENCE	SPORT	EX-L	TOURING
12-volt power outlets	3	3	3
115-volt power outlet			•
Acoustic windshield		•	•
Acoustic glass (front doors)			•
Active Noise Cancellation (ANC)	•	•	• With cupholder/door/footwell
Ambient lighting Auto-dimming rearview mirror		•	with cuphotder/door/lootwell
Body-coloured front and rear parking sensors	•	•	
Cargo area tie-down anchors (4)	•		•
7" colour TFT centre meter display with Driver Information Interface	•	•	•
Compass			Navi-based
Display Audio System³ with Honda Satellite-Linked Navigation System™3.7			•
and bilingual Voice Recognition			
Driver's and front passenger's seatback and device pockets	Seatback pockets only	•	•
Illuminated driver's and front passenger's vanity mirrors	•	•	•
Electronic gear selector	•	•	•
Exterior temperature indicator	•	•	•
HandsFreeLink™-bilingual Bluetooth [®] wireless mobile phone interface ^{3,5}	•	•	•
with steering-wheel mounted controls HomeLink® remote system ⁸	•		
Immobilizer theft-deterrent system	•	•	
Floor mats	Carpet	Carpet	Carpet
Maintenance Minder™ system	•	earper	•
Multi-angle rearview camera ³ with dynamic guidelines	•	•	•
One-touch turn signals	•		•
Power windows with auto-up/down driver and passenger window	•	•	•
Proximity key entry system with pushbutton start	•	•	•
Remote engine starter	•	•	•
Second-row folding centre armrest	•	•	•
Second-row heater ducts	•	•	•
Security system	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone, multi-information display)	•	•	٠
Tilt and telescoping steering column	•	•	•
Tri-zone automatic climate control with air-filtration system	•	•	•
Walk-away door lock	•	٠	•
Wireless charging			•
SEATING & TRIM	SPORT	EX-L	TOURING
Driver's seat armrest	•	Adjustable	Adjustable
Passenger seat armrest	•	•	Adjustable
Driver's seat with 10-way power adjustment including power lumbar support	•	•	•
Driver's seat position memory		•	•
Heated front seats	٠	٠	•
Heated second-row seats (outboard positions only)		•	•
Heated leather-wrapped steering wheel	٠	٠	٠
Leather-trimmed seating surfaces		•	•
Passenger's seat with 4-way manual adjustment	•		
Passenger's seat with 4-way power adjustment		•	•
Sliding and reclining 60/40 split-folding second-row seat	•	•	•
Seating capacity	5	5	5
Ventilated front seats			

ENTERTAINMENT	SPORT	EX-L	TOURING
215-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 7 speakers including subwoofer	٠	•	
550-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer			٠
Apple CarPlay™3.5 / Android Auto™3.5	•	•	•
Display Audio System ³	•	•	•
HondaLink ^{™3.5,9}	•		
HondaLink™ ^{3,5,9} Subscription Services			•
AT&T Wi-Fi hotspot ^{5,10}			•
Bluetooth® Streaming Audio3.5	•	•	•
CabinControl™ app ^{3.5}	•	•	•
MP3/auxiliary input jack	•	•	•
HD Radio™11		•	•
JSB device connector ⁵	2	4	4
Siri Eyes Free compatibility ^{3,5}	•	•	•
SMS text message ^{3,5} /E-mail function ^{3,5}	•	•	•
SiriusXM ^{™12}		•	•
Ni-Fi tethering ⁵	•	•	٠
FUEL ECONOMY ¹³ (L/100 KM)	SPORT	EX-L	TOURING
-VTM4™ AWD (City/Hwy/Combined)	12.5/9.8/11.3	12.5/9.8/11.3	12.5/9.8/11.3
DIMENSIONS	SPORT	EX-L	TOURING
Approach/departure angle (degrees)	21.4/27.6	21.4/27.6	21.4/27.6
Cargo volume behind front row (L)	2854	2854	2852
Cargo volume behind 2nd row (L)	1430	1430	1430
Curb weight (kg)	1890	1894	1914
uel tank capacity (L)	73.8	73.8	73.8
Gross vehicle weight rating (kg)	2400	2400	2400
Ground clearance (mm)	205	205	205
Headroom – front/2nd row (mm)	1004/1017	1004/1017	1004/1017
Height (mm)	1835	1835	1835
Hip room – front/2nd row (mm)	1501/1456	1501/1456	1501/1456
.egroom – front/2nd row (mm)	1040/1005	1040/1005	1040/1005
ength (mm)	4839	4839	4839
Passenger volume (L)	3254	3254	3254
Shoulder room – front/2nd row (mm)	1576/1573	1576/1573	1576/1573
īrack – front/rear (mm)	1694/1694	1694/1694	1694/1694
īurning radius (m)	5.99	5.99	5.99
Nheelbase (mm)	2817	2817	2817
Width – including mirrors/mirrors folded (mm)	2279/2116	2279/2116	2279/2116

1. Horsepower and torque calculations reflect SAE net. Rev. 08/04. SAE J1349 procedures.

 Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.
 Accessory towing package required. Packages are available at an additional cost as a dealer-installed item. See your Owner's Manual for proper towing operation.
 Mone of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless It is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

4. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.

5. Only compatible with certain devices and operating systems. 5. Only compatible with certain devices and operating systems. 6. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon: 1 GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. 6. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

7. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states. 8. HomeLink® can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

9. Subscription to HondaLink[™] services is required. HondaLink[™]-equipped whicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink[™] to operate properly. Service interruptions may occur and/or vehicles system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink[™] information, please visit www.honda.ca/hondalink and www.honda.ca/privacy.

10. New vehicles are equipped with a complimentary time or data trial period, whichever comes first. After the trial period, contact AT&T or visit att.com/honda to purchase available data plans. 4G LTE connection speeds may vary by region.

11. Coverage varies by market.

12. Only available in certain areas. Includes a no-charge trial of three months. 13. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.