## 2019 Civic Coupe

ENGINE	LX	SPORT	TOURING	Si
2.0-litre, 16-valve, Port Injection, DOHC, i-VTEC® 4-cylinder	•			
1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder				
Horsepower @ rpm1	158 @ 6500	158 @ 6500	174 @ 6000	205 @ 5700
Torque (lbft. @ rpm) <sup>1</sup>	138 @ 4200	138 @ 4200	162 @ 1700-5500	192 @ 2100-5000
	1996	1996	1498	1498
Displacement (cc)				
Emissions rating	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125
Bore and stroke (mm)	86 x 85.9	86 x 85.9	73 x 89.5	73 x 89.5
Compression ratio	10.8:1	10.8:1	10.6:1	10.3:1
Drive-by-Wire Throttle System™	•	•	•	•
Eco Assist™ system	•	•	•	
Recommended fuel	Regular	Regular	Regular	Premium
DRIVETRAIN	LX	SPORT	TOURING	Si
6-speed manual transmission (MT)	•			
Continuously variable transmission (CVT)	Available	Available		
ECON mode button	Available	Available		
Front-wheel drive	•	•	•	
	•	•	•	•
Helical limited slip differential				•
Sport mode button		0.47		•
Steering wheel-mounted paddle shifters		CVT only	•	
CHASSIS	LX	SPORT	TOURING	Si
16" aluminum-alloy wheels	•			
18" aluminum-alloy wheels (dark)		•		
18" aluminum-alloy wheels				
Adaptive Damper System				
Agile Handling Assist² (AHA)				
All-season tires	P215/55 R16 93H	P235/40 R18 91W	P235/40 R18 91W	P235/40 R18 91W
	P213/33 KIO 93H	P255/40 NIO 91VV	P255/40 NIO 91VV	P233/40 N10 91W
Capless fueling system	•	•	•	•
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•		•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•
Front and rear stabilizer bars (mm)	25.0/16.0	25.5/16.0	25.5/16.0	27.0/18.0
Independent strut front suspension	•	•	•	•
Independent multi-link rear suspension	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
Straight Driving Assist	•	•	•	•
Temporary spare tire	T125/80 D16 97M	T125/70 R17 98M	T125/70 R17 98M	T125/70 R17 98M
ACTIVE SAFETY	LX	SPORT	TOURING	Si
4-wheel Anti-lock Braking System² (ABS)	•			
Brake Assist	•			
Electronic Brake-force Distribution (EBD)	•	•	•	
Auto high beam <sup>2</sup>		•	•	
Collision Mitigation Braking System™² (CMBS®) (HS*)	•	•	•	•
	•			
Forward Collision Warning (FCW) system <sup>2</sup> (HS*)	•	•		
Hill Start Assist <sup>2</sup>	•	•	•	•
Lane Departure Warning (LDW) system <sup>2</sup> (HS*)	•	•	•	
LED daytime running lights	•	•	•	•
Road Departure Mitigation (RDM) system <sup>2</sup> (HS*)	•	•	•	
Vehicle Stability Assist² (VSA®) with Traction Control	•	•	•	•
HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.				
	LX	SPORT	TOURING	Si
PASSIVE SAFETY				
	•	•	•	•
3-point seat belts with front automatic tensioning system	•	•	•	•
B-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure		•	•	•
B-point seat belts with front automatic tensioning system Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure -SRS airbag system (front)	•	•	•	:
3-point seat belts with front automatic tensioning system Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure -SRS airbag system (front) Side curtain airbags with rollover sensor system	•	•	•	•
3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  -SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags	•	•	•	•
PASSIVE SAFETY  3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  i-SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags  HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup>	•	· · ·	•	•
3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  i-SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags  HondaLink™ Assist Automatic Emergency Response System <sup>2,3,4</sup>	•	•	•	•
3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  i-SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags  HondaLink™ Assist Automatic Emergency Response System <sup>2.3,4</sup> Lower Anchors and Tethers for Children (LATCH)	•	· · ·	•	• • • • •
3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  i-SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags  HondaLink™ Assist Automatic Emergency Response System <sup>2.3.4</sup> Lower Anchors and Tethers for Children (LATCH)  DRIVER ASSIST TECHNOLOGY	:		· · ·	: : : :
3-point seat belts with front automatic tensioning system  Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure  i-SRS airbag system (front)  Side curtain airbags with rollover sensor system  SmartVent™ side airbags		· · · · · · · · · · · · · · · · · · ·	· · ·	: : : :

 $HS^* = \text{Feature is a component of the Honda Sensing}^{\text{\tiny M}} \text{ suite of safety and driver assist features.} \\ {}^{\text{\tiny T}} \text{Low-Speed Follow is not applicable on MT trims with Honda Sensing}^{\text{\tiny M}} \text{ safety and driver assist features.} \\$ 

EXTERIOR	LX	SPORT	TOURING	Si
Body-coloured bumpers	•	•	•	•
Body-coloured door handles	•	•	Chrome	•
Centre exhaust finisher		•		•
Fog lights, halogen		•		•
Fog lights, LED			•	
Folding door mirrors	•	•	•	•
Front splash guards	•	•	•	•
Heated power door mirrors	Body-coloured	Body-coloured	Body-coloured with	Body-coloured
			chrome accent	
Intermittent windshield wipers	•			
LED front turn signal indicators			• / 66	• / 60
LED headlights (High and low beam)			With auto-on/off	With auto-on/off
LED taillights	•	•	•	•
Mirror-integrated LED turn signal indicators			•	
One-touch power moonroof with tilt feature		•	•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off		
Rain-sensing windshield wipers			•	
Rear window defroster	•	•	•	•
Rear wing spoiler				•
Shark fin antenna			•	•
Speed-sensing, variable intermittent windshield wipers		•	•	•
Taillight-integrated rear spoiler	•	•	•	•
COMFORT & CONVENIENCE	LX	SPORT	TOURING	Si
12-volt power outlet	1	1	1	1
7" colour TFT centre meter display with Driver Information Interface	•	•	•	•
Acoustic windshield	•	•	•	•
Aluminum-trimmed sport pedals		•		•
Auto-dimming rearview mirror			•	
Automatic climate control with air-filtration system	•	Dual-zone	Dual-zone	Dual-zone
Cargo area light	•	•		•
Display Audio System² with Honda Satellite-Linked Navigation System™ <sup>2,5</sup> with bilingual Voice Recognition			•	•
Door pockets	•	•	•	•
Driver's and front passenger's vanity mirrors		Illuminated	Illuminated	•
Exterior temperature indicator	•	•	•	•
	•	•	•	•
HomeLink® remote system <sup>6</sup>			•	
mmobilizer theft-deterrent system	•	•	•	•
Maintenance Minder™ system	•	•		•
Map lights	•	•	•	•
Multi-angle rearview camera <sup>2</sup> with dynamic guidelines		•	•	•
Multi-functional centre console storage			•	•
One-touch turn signals				
Power windows with auto-up/down driver's and passenger's window				
Power door locks	•	•		
Proximity key entry system with pushbutton start	•	•	•	•
Remote engine starter		CV/T only		•
0		CVT only	•	
Remote entry system with electronic trunk release	•			
Security system	•	•	•	•
Steering wheel-mounted cruise control	•	•	•	•
Tilt and telescopic steering column	•	•	•	•
Walk-away door lock		•	•	•
Wireless charging		00000		•
SEATING & TRIM	LX	SPORT	TOURING	Si
60/40 split fold-down rear seatback	•	•	•	•
Driver's seat with 6-way manual adjustment	•	•	•	•
Front passenger's seat with 4-way manual adjustment	•	•	•	•
Floor mats	•	•	•	•
Heated front seats	•	•	•	•
Black combi seats (leatherette/fabric)		•		
Leather-trimmed seating surfaces Leather-wrapped steering wheel			•	

ENTERTAINMENT	LX	SPORT	TOURING	Si
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 8 speakers	•	•		
452-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer			•	•
Apple CarPlay™ <sup>2,3</sup> /Android Auto™ <sup>2,3</sup>	•	•	•	•
Bluetooth® Streaming Audio <sup>2,3</sup>	•	•	•	•
Display Audio System² with HondaLink™²,3	•	•	Including Navigation <sup>2,5</sup>	Including Navigation <sup>2,5</sup>
HD Radio™ <sup>7</sup>			•	•
Illuminated steering wheel-mounted audio controls	•	•	•	•
Siri Eyes Free compatibility <sup>2,3</sup>	•	•	•	•
SiriusXM™ <sup>2,8</sup>			•	•
SMS text message <sup>2,3</sup> /E-mail function <sup>2,3</sup>	•	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•	•
USB device connector <sup>3</sup>	2	2	2	2
Wi-Fi tethering <sup>3</sup>	•	•	•	•
FUEL ECONOMY <sup>9</sup> (L/100 KM)	LX	SPORT	TOURING	Si
Continuously variable transmission (City/Hwy/Combined)	7.8/6.1/7.1	8.3/6.6/7.5	7.8/6.4/7.2	
Manual transmission (City/Hwy/Combined)	9.3/6.7/8.1	9.3/6.7/8.1		8.4/6.2/7.4
DIMENSIONS	LX	SPORT	TOURING	Si
Cargo volume (L)	343	343	337	289
Curb weight - MT/CVT (kg)	1256/1261	1295/1299	NA/1336	1330/NA
Fuel tank capacity (L)	46.9	46.9	46.9	46.9
Ground clearance – no-load/full-load (mm)	125/105	125/105	125/105	120/103
Headroom - front/rear (mm)	970/879	928/876	928/876	928/876
Height (mm)	1395	1395	1395	1390
Hip room – front/rear (mm)	1374/1223	1374/1223	1374/1223	1374/1223
Legroom – front/rear (mm)	1074/912	1074/912	1074/912	1074/912
Length (mm)	4502	4503	4502	4505
Passenger volume (L)	2577	2509	2509	2509
Shoulder room – front/rear (mm)	1446/1336	1446/1336	1446/1336	1446/1336
Track - front/rear (mm)	1547/1563	1547/1563	1547/1563	1537/1555
Turning radius (m) (curb-to-curb)	5.4	5.7	5.7	5.8
Wheelbase (mm)	2700	2700	2700	2700
Width – including mirrors/mirrors folded (mm)	2076/1878	2087/1878	2087/1878	2087/1878

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

Horsepower and torque calculations reflect SAE net, Rev. 09/04, SAE JISH9 procedures.
 None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
 Only compatible with certain devices and operating systems. Operation may be dependent upon GPS satellite signal reception and available cellular data and/or voice connection.
 Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
 Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
 HomeLink\* can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).

Coverage varies by market.
 Only available in certain areas. Includes a no-charge trial of three months.
 Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.