2018 Civic Coupe

ENGINE	LX	EX-T	TOURING	Si
2.0-litre, 16-valve, Port Injection, DOHC, i-VTEC® 4-cylinder	•			
1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder		•	•	•
Horsepower @ rpm ¹	158 @ 6500	174 @ 5500 (6MT) 174 @ 6000 (CVT)	174 @ 6000	205 @ 5700 rpm
Torque (lbft. @ rpm)'	138 @ 4200	167 @ 1800-5500 (6MT) 162 @ 1700-5500 (CVT)	162 @ 1700-5500	192 @ 2100-5000
Displacement (cc)	1996	1498	1498	1498
Emissions rating	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125	Tier 3 Bin 125
Bore and stroke (mm)	86 x 85.9	73 x 89.5	73 x 89.5	73 x 89.5
Compression ratio	10.8:1	10.6:1	10.6:1	10.3:1
Drive-by-Wire Throttle System™	•	•	•	•
Eco Assist™ system	•	•	•	
Recommended fuel	Regular	Regular	Regular	Premium
DRIVETRAIN	LX	EX-T	TOURING	Si
6-speed manual transmission (MT)	•	•		•
Continuously variable transmission (CVT)	Available	Available		
ECON mode button	•	•	•	
Front-wheel drive	•	•	•	•
Helical limited slip differential				
Sport mode button				•
Steering wheel-mounted paddle shifters		CVT only	•	
CHASSIS	LX	EX-T	TOURING	Si
	LX	EX-I	TOURING	31
16" aluminum-alloy wheels	•			
17" aluminum-alloy wheels			•	
17" aluminum-alloy wheels (aero design)		•		
18" aluminum-alloy wheels				•
Adaptive Damper System				•
Agile Handling Assist ² (AHA)	• Post (55 Ps 0 00 L)	• DOIE (50 DIE 01)	• PO15 (50 P15 01)	• B005/40 B10 0114
All-season tires	P215/55 R16 93H	P215/50 R17 91H	P215/50 R17 91H	P235/40 R18 91W
Capless fueling system	•	•	•	•
Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	
Front and rear stabilizer bars (mm)	25.0/16.0	25.5/16.0	25.5/16.0	27.0/18.0
Independent strut front suspension	•	•	•	•
Independent multi-link rear suspension	•	•	•	•
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
Straight Driving Assist	• T105 /00 D10 05M	T105 /00 D10 0514	• T105 /00 D10 05M	• T105/50 D15 0014
Temporary spare tire	T125/80 D16 97M	T125/80 D16 97M	T125/80 D16 97M	T125/70 R17 98M
ACTIVE SAFETY	LX	EX-T	TOURING	Si
4-wheel Anti-lock Braking System ² (ABS)	•	•	•	•
Brake Assist	•	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Collision Mitigation Braking System™² (CMBS®) (HS*)	Honda Sensing™ model	Honda Sensing™ model	•	
Forward Collision Warning (FCW) system ² (HS*)	Honda Sensing™ model	Honda Sensing™ model	•	
Hill Start Assist ²	•	•	•	•
Lane Departure Warning (LDW) system² (HS*)	Honda Sensing™ model	Honda Sensing™ model	•	
LED daytime running lights	•	•	•	•
Road Departure Mitigation (RDM) system² (HS*)	Honda Sensing™ model	Honda Sensing™ model	•	
Vehicle Stability Assist² (VSA®) with Traction Control HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.	•	•	•	•
PASSIVE SAFETY	LX	EX-T	TOURING	Si
3-point seat belts with front automatic tensioning system	•	•	•	•
		•	•	•
	•			
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure -SRS airbag system (front)	:	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure -SRS airbag system (front) Side curtain airbags with rollover sensor system	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System ^{2,3,4}	•	•	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} Lower Anchors and Tethers for Children (LATCH)	: : :	:	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} Lower Anchors and Tethers for Children (LATCH) DRIVER ASSIST TECHNOLOGY		· · · EX-T	• • • • TOURING	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} Lower Anchors and Tethers for Children (LATCH) DRIVER ASSIST TECHNOLOGY Adaptive Cruise Control (ACC)² with Low-Speed Follow (HS*)		:	•	•
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure i-SRS airbag system (front) Side curtain airbags with rollover sensor system SmartVent™ side airbags HondaLink™ Assist Automatic Emergency Response System²³³⁴ Lower Anchors and Tethers for Children (LATCH) DRIVER ASSIST TECHNOLOGY Adaptive Cruise Control (ACC)² with Low-Speed Follow (HS*) Honda LaneWatch™ blind spot display² Lane Keeping Assist System (LKAS)² (HS*)	• • • • LX Honda Sensing™ model	· · · EX-T	• • • • TOURING	•

EXTERIOR	LX	EX-T	TOURING	Si
Body-coloured bumpers	•	•	•	•
Body-coloured door handles	•	•	Chrome	•
Centre exhaust finisher				•
Fog lights		•	•	•
Folding door mirrors	•	•	•	•
Front splash guards	•	•	•	•
Heated power door mirrors	Body-coloured	Body-coloured	Body-coloured with	Body-coloured
Interesittant windehield winers			chrome accent	
Intermittent windshield wipers LED front turn signal indicators	•			
LED headlights (High and low beam)			With auto-on/off	With auto-on/off
LED treatignts (riigh and tow bearif)	•	•	• • • • • • • • • • • • • • • • • • •	vvitii auto-onjon
Mirror-integrated LED turn signal indicators				
One-touch power moonroof with tilt feature			•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off		
Rain-sensing windshield wipers	, , , ,	, , , , , ,		
Rear window defroster	•	•	•	•
Rear wing spoiler				•
Shark fin antenna			•	•
Speed-sensing, variable intermittent windshield wipers		•	•	•
Taillight-integrated rear spoiler	•	•	•	•
COMFORT & CONVENIENCE	LX	EX-T	TOURING	Si
12-volt power outlet	1	1	1	1
7" colour TFT centre meter display with Driver Information Interface	•		•	•
Acoustic windshield	•	•	•	•
Aluminum-trimmed sport pedals		·		
Auto-dimming rearview mirror			•	
Automatic climate control with air-filtration system	•	Dual-zone	Dual-zone	Dual-zone
Cargo area light	•	•	•	•
Display Audio System² with Honda Satellite-Linked Navigation System™2,5			•	•
with bilingual Voice Recognition				
Door pockets	•	•	•	•
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	•
Exterior temperature indicator	•	•	•	•
HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{2,3}	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•
Maintenance Minder™ system Map lights	•	•	•	•
Map lights Multi-page require compress with dynamic guidelines	•	•	•	•
Multi-angle rearview camera ² with dynamic guidelines Multi-functional centre console storage	•	•	•	•
One-touch turn signals	•	•	•	•
Power windows with auto-up/down driver's and passenger's window				
Power door locks	•	•	•	•
Proximity key entry system with pushbutton start		•	•	
Remote engine starter		CVT only	•	
Remote entry system with electronic trunk release		,		
Security system	•	•	•	•
Steering wheel-mounted cruise control	•	•	•	•
Tilt and telescopic steering column	•	•	•	•
Walk-away door lock		•	•	•
Wireless charging			•	•
SEATING & TRIM	LX	EX-T	TOURING	Si
60/40 split fold-down rear seatback	•	•	•	•
Driver's seat with 6-way manual adjustment		•	•	
Front passenger's seat with 4-way manual adjustment	•	•	•	•
Floor mats	•	•		•
Heated front seats	•	•		•
Leather-trimmed seating surfaces			•	
Leather-wrapped steering wheel		•	•	•
ENTERTAINMENT	LX	EX-T	TOURING	Si
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability	LA	EX-I	TOOKING	- Ji
and 8 speakers	-	-		
452-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback			•	•
capability and 10 speakers including subwoofer				
Apple CarPlay ^{™2,3} /Android Auto ^{™2,3}	•	•	•	•
Bluetooth® Streaming Audio ^{2,3}	•	•		
Display Audio System² with HondaLink™2.3	•	•	Including Navigation ^{2,5}	Including Navigation ^{2,5}
HD Radio™6			•	•
Illuminated steering wheel-mounted audio controls	•	•	•	•
Siri Eyes Free compatibility ^{2,3} SiriusXM ^{2,7}	•	•	•	•
SMS text message ^{2,3} /E-mail function ^{2,3}		•	•	•
Speed-sensitive Volume Control (SVC)		•	•	•
USB device connector ³	2	2	2	2
Wi-Fi tethering ³	•	•	•	•

FUEL ECONOMY ⁸ (L/100 KM)	LX	EX-T	TOURING	Si
Continuously variable transmission (City/Hwy/Combined)	7.8/6.0/7.0	7.5/5.9/6.8	7.5/5.9/6.8	
Manual transmission (City/Hwy/Combined)	8.5/6.1/7.4	7.7/5.7/6.8		8.4/6.2/7.4
DIMENSIONS	LX	EX-T	TOURING	Si
Cargo volume (L)	343	343	337	289
Curb weight – MT/CVT (kg)	1251/1257	1287/1313	NA/1317	1330/NA
Fuel tank capacity (L)	46.9	46.9	46.9	46.9
Ground clearance – no-load/full-load (mm)	125/105	125/105	125/105	120/103
Headroom – front/rear (mm)	970/879	928/876	928/876	928/876
Height (mm)	1395	1395	1395	1390
Hip room – front/rear (mm)	1374/1223	1374/1223	1374/1223	1374/1223
.egroom – front/rear (mm)	1074/912	1074/912	1074/912	1074/912
ength (mm)	4492	4492	4492	4505
Passenger volume (L)	2577	2509	2509	2509
Shoulder room – front/rear (mm)	1446/1336	1446/1336	1446/1336	1446/1336
Frack - front/rear (mm)	1547/1563	1547/1563	1547/1563	1537/1555
Furning radius (m) (curb-to-curb)	5.4	5.4	5.4	5.8
Wheelbase (mm)	2700	2700	2700	2700
Width – including mirrors/mirrors folded (mm)	2076/1878	2087/1878	2087/1878	2087/1878

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

^{1.} Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

3. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply.

^{4.} Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

^{6.} Coverage varies by market.

^{7.} Only available in certain areas. Includes a no-charge trial of three months.

8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca.