

2018 Civic Coupe

| ENGINE | LX | EX-T | TOURING | Si |
|--|----------------|-----------------|-----------------|-----------------|
| 2.0-litre, 16-valve, Port Injection, DOHC, i-VTEC® 4-cylinder | • | | | |
| 1.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder | | • | • | • |
| Horsepower @ rpm ¹ | 158 @ 6500 | 174 @ 6000 | 174 @ 6000 | 205 @ 5700 rpm |
| Torque (lb.-ft. @ rpm) ¹ | 138 @ 4200 | 162 @ 1700-5500 | 162 @ 1700-5500 | 192 @ 2100-5000 |
| Displacement (cc) | 1996 | 1498 | 1498 | 1498 |
| Emissions rating | Tier 3 Bin 125 | Tier 3 Bin 125 | Tier 3 Bin 125 | Tier 3 Bin 125 |
| Bore and stroke (mm) | 86 x 85.9 | 73 x 89.5 | 73 x 89.5 | 73 x 89.5 |
| Compression ratio | 10.8:1 | 10.6:1 | 10.6:1 | 10.3:1 |
| Drive-by-Wire Throttle System™ | • | • | • | • |
| Eco Assist™ system | • | • | • | • |
| Recommended fuel | Regular | Regular | Regular | Premium |

| DRIVETRAIN | LX | EX-T | TOURING | Si |
|--|-----------|-----------|---------|----|
| 6-speed manual transmission (MT) | • | • | | • |
| Continuously variable transmission (CVT) | Available | Available | • | |
| ECON mode button | • | • | • | |
| Front-wheel drive | • | • | • | • |
| Helical limited slip differential | | | | • |
| Sport mode button | | | | • |
| Steering wheel-mounted paddle shifters | | CVT only | • | |

| CHASSIS | LX | EX-T | TOURING | Si |
|---|-----------------|-----------------|-----------------|-----------------|
| 16" aluminum-alloy wheels | • | | | |
| 17" aluminum-alloy wheels | | | • | |
| 17" aluminum-alloy wheels (aero design) | | • | | |
| 18" aluminum-alloy wheels | | | | • |
| Adaptive Damper System | | | | • |
| Agile Handling Assist ² (AHA) | • | • | • | • |
| All-season tires | P215/55 R16 93H | P215/50 R17 91H | P215/50 R17 91H | P235/40 R18 91W |
| Capless fueling system | • | • | • | • |
| Variable Ratio Electric Power-Assisted Rack-and-Pinion Steering (EPS) | • | • | • | • |
| Electronic Parking Brake (EPB) with automatic brake hold | • | • | • | • |
| Front and rear stabilizer bars (mm) | 25.0/16.0 | 25.5/16.0 | 25.5/16.0 | 27.0/18.0 |
| Independent strut front suspension | • | • | • | • |
| Independent multi-link rear suspension | • | • | • | • |
| Power-assisted, ventilated front disc/solid rear disc brakes | • | • | • | • |
| Straight Driving Assist | • | • | • | • |
| Temporary spare tire | T125/80 D16 97M | T125/80 D16 97M | T125/80 D16 97M | T125/70 R17 98M |

| ACTIVE SAFETY | LX | EX-T | TOURING | Si |
|--|----------------------|----------------------|---------|----|
| 4-wheel Anti-lock Braking System ² (ABS) | • | • | • | • |
| Brake Assist | • | • | • | • |
| Electronic Brake-force Distribution (EBD) | • | • | • | • |
| Collision Mitigation Braking System™ ² (CMBS®) (HS*) | Honda Sensing™ model | Honda Sensing™ model | • | |
| Forward Collision Warning (FCW) system ² | Honda Sensing™ model | Honda Sensing™ model | • | |
| Hill Start Assist ² | • | • | • | • |
| Lane Departure Warning (LDW) system ² (HS*) | Honda Sensing™ model | Honda Sensing™ model | • | |
| LED daytime running lights | • | • | • | • |
| Road Departure Mitigation (RDM) system ² (HS*) | Honda Sensing™ model | Honda Sensing™ model | • | |
| Vehicle Stability Assist ² (VSA®) with Traction Control | • | • | • | • |

HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.

| PASSIVE SAFETY | LX | EX-T | TOURING | Si |
|---|----|------|---------|----|
| 3-point seat belts with front automatic tensioning system | • | • | • | • |
| Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure | • | • | • | • |
| i-SRS airbag system (front) | • | • | • | • |
| Side curtain airbags with rollover sensor system | • | • | • | • |
| SmartVent™ side airbags | • | • | • | • |
| HondaLink™ Assist Automatic Emergency Response System ^{2,3,4} | • | • | • | • |
| Lower Anchors and Tethers for Children (LATCH) | • | • | • | • |

| DRIVER ASSIST TECHNOLOGY | LX | EX-T | TOURING | Si |
|--|----------------------|----------------------|---------|----|
| Adaptive Cruise Control (ACC) ² with Low-Speed Follow (HS*) | Honda Sensing™ model | Honda Sensing™ model | • | |
| Honda LaneWatch™ blind spot display ² | | • | • | • |
| Lane Keeping Assist System (LKAS) ² (HS*) | Honda Sensing™ model | Honda Sensing™ model | • | |

HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.

| EXTERIOR | LX | EX-T | TOURING | Si |
|--|------------------|------------------|-------------------------------------|-------------------------------------|
| Body-coloured bumpers | • | • | • | • |
| Body-coloured door handles | • | • | Chrome | • |
| Centre exhaust finisher | | | | • |
| Fog lights | | • | • | • |
| Folding door mirrors | • | • | • | • |
| Front splash guards | • | • | • | • |
| Heated power door mirrors | Body-coloured | Body-coloured | Body-coloured with chrome accent | Body-coloured |
| Intermittent windshield wipers | • | | | |
| LED front turn signal indicators | | | • | • |
| LED headlights (High and low beam) | | | With auto-on/off | With auto-on/off |
| LED taillights | • | • | • | • |
| Mirror-integrated LED turn signal indicators | | | • | |
| One-touch power moonroof with tilt feature | | • | • | • |
| Projector-beam halogen headlights | With auto-on/off | With auto-on/off | | |
| Rain-sensing windshield wipers | | | • | |
| Rear window defroster | • | • | • | • |
| Rear wing spoiler | | | | • |
| Shark fin antenna | | | • | • |
| Speed-sensing, variable intermittent windshield wipers | | • | • | • |
| Taillight-integrated rear spoiler | • | • | • | • |
| COMFORT & CONVENIENCE | LX | EX-T | TOURING | Si |
| 12-volt power outlet | 1 | 1 | 1 | 1 |
| 7" colour TFT centre meter display with Driver Information Interface | • | • | • | • |
| Acoustic windshield | • | • | • | • |
| Aluminum-trimmed sport pedals | | | | • |
| Auto-dimming rearview mirror | | | • | |
| Automatic climate control with air-filtration system | • | Dual-zone | Dual-zone | Dual-zone |
| Cargo area light | • | • | • | • |
| Display Audio System ² with Honda Satellite-Linked Navigation System™ ^{2,5} with bilingual Voice Recognition | | | • | • |
| Door pockets | • | • | • | • |
| Driver's and front passenger's vanity mirrors | • | Illuminated | Illuminated | • |
| Exterior temperature indicator | • | • | • | • |
| HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface ^{3,3} | • | • | • | • |
| Immobilizer theft-deterrent system | • | • | • | • |
| Maintenance Minder™ system | • | • | • | • |
| Map lights | • | • | • | • |
| Multi-angle rearview camera ² with dynamic guidelines | • | • | • | • |
| Multi-functional centre console storage | • | • | • | • |
| One-touch turn signals | • | • | • | • |
| Power windows with auto-up/down driver's and passenger's window | • | • | • | • |
| Power door locks | • | • | • | • |
| Proximity key entry system with pushbutton start | | • | • | • |
| Remote engine starter | | CVT only | • | |
| Remote entry system with electronic trunk release | • | | | |
| Security system | • | • | • | • |
| Steering wheel-mounted cruise control | • | • | • | • |
| Tilt and telescopic steering column | • | • | • | • |
| Walk-away door lock | | • | • | • |
| Wireless charging | | | • | • |
| SEATING & TRIM | LX | EX-T | TOURING | Si |
| 60/40 split fold-down rear seatback | • | • | • | • |
| Driver's seat with 6-way manual adjustment | • | • | • | • |
| Front passenger's seat with 4-way manual adjustment | • | • | • | • |
| Floor mats | • | • | • | • |
| Heated front seats | • | • | • | • |
| Leather-trimmed seating surfaces | | | • | |
| Leather-wrapped steering wheel | | • | • | • |
| ENTERTAINMENT | LX | EX-T | TOURING | Si |
| 180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 8 speakers | • | • | | |
| 452-watt AM/FM Premium audio system with MP3/Windows Media® Audio playback capability and 10 speakers including subwoofer | | | • | • |
| Apple CarPlay™ ^{2,3} /Android Auto™ ^{2,3} | • | • | • | • |
| Bluetooth® Streaming Audio ^{2,3} | • | • | • | • |
| Display Audio System ² with HondaLink™ ^{2,3} | • | • | Including Navigation ^{2,5} | Including Navigation ^{2,5} |
| HD Radio™ ⁶ | | | • | • |
| Illuminated steering wheel-mounted audio controls | • | • | • | • |
| Siri Eyes Free compatibility ^{2,3} | • | • | • | • |
| SiriusXM™ ^{2,7} | | | • | • |
| SMS text message ^{2,3} /E-mail function ^{2,3} | • | • | • | • |
| Speed-sensitive Volume Control (SVC) | • | • | • | • |
| USB device connector ³ | 2 | 2 | 2 | 2 |
| Wi-Fi tethering ³ | • | • | • | • |

| FUEL ECONOMY⁸ (L/100 KM) | LX | EX-T | TOURING | Si |
|--|-------------|--------------|----------------|-------------|
| Continuously variable transmission (City/Hwy/Combined) | 7.8/6.0/7.0 | 7.5/5.9/6.8 | 7.5/5.9/6.8 | |
| Manual transmission (City/Hwy/Combined) | 8.5/6.1/7.4 | 7.7/5.7/ 6.8 | | 8.4/6.2/7.4 |
| DIMENSIONS | LX | EX-T | TOURING | Si |
| Cargo volume (L) | 343 | 343 | 337 | 289 |
| Curb weight – MT/CVT (kg) | 1251/1257 | 1287/1313 | NA/1317 | 1330/NA |
| Fuel tank capacity (L) | 46.9 | 46.9 | 46.9 | 46.9 |
| Ground clearance – no-load/full-load (mm) | 125/105 | 125/105 | 125/105 | 120/103 |
| Headroom – front/rear (mm) | 970/879 | 928/876 | 928/876 | 928/876 |
| Height (mm) | 1395 | 1395 | 1395 | 1390 |
| Hip room – front/rear (mm) | 1374/1223 | 1374/1223 | 1374/1223 | 1374/1223 |
| Legroom – front/rear (mm) | 1074/912 | 1074/912 | 1074/912 | 1074/912 |
| Length (mm) | 4492 | 4492 | 4492 | 4505 |
| Passenger volume (L) | 2577 | 2509 | 2509 | 2509 |
| Shoulder room – front/rear (mm) | 1446/1336 | 1446/1336 | 1446/1336 | 1446/1336 |
| Track – front/rear (mm) | 1547/1563 | 1547/1563 | 1547/1563 | 1537/1555 |
| Turning radius (m) (curb-to-curb) | 5.4 | 5.4 | 5.4 | 5.8 |
| Wheelbase (mm) | 2700 | 2700 | 2700 | 2700 |
| Width – including mirrors/mirrors folded (mm) | 2076/1878 | 2087/1878 | 2087/1878 | 2087/1878 |

1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.

3. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. connection to vehicle's built-in Wi-Fi hotspot, or 2. GPS satellite signal reception and available cellular data and/or voice connection; associated charges (incl. data plans, roaming charges and/or other amounts charged by your wireless carrier) may apply.

4. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.

5. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.

6. Coverage varies by market.

7. Only available in certain areas. Includes a no-charge trial of three months.

8. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only.

For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.