## 2017 CR-V

ENGINE	LX	EX	EX-L	TOURING
.5-litre, 16-valve, Direct Injection, DOHC, turbocharged 4-cylinder	•	•	•	•
Horsepower @ rpm¹	190 @ 5600	190 @ 5600	190 @ 5600	190 @ 5600
Torque (lbft. @ rpm)¹	179 @ 2000-5000	179 @ 2000-5000	179 @ 2000-5000	179 @ 2000-5000
Displacement (cc)	1498	1498	1498	1498
Emissions rating	Tier 3 Bin 70	Tier 3 Bin 70	Tier 3 Bin 70	Tier 3 Bin 70
Bore and stroke (mm)	73 x 89.5	73 x 89.5	73 x 89.5	73 x 89.5
Compression ratio	10.3:1	10.3:1	10.3:1	10.3:1
Eco Assist™ system	Dogulor	Dogulor	Dogulor	Dogulor
Recommended fuel	Regular	Regular	Regular	Regular
DRIVETRAIN	LX	EX	EX-L	TOURING
Continuously variable transmission (CVT)	•	•	•	•
Drive-by-Wire Throttle System™	•	•	•	•
Front-wheel drive (FWD)	•			
ECON mode button	•	•	•	•
Real Time AWD™ with Intelligent Control System™	Available	•	•	•
Towing capacity <sup>2</sup> (kg)	Available 680	Available 680	Available 680	Available 680
CHASSIS	LX	EX	EX-L	TOURING
17" aluminum-alloy wheels	•			
18" aluminum-alloy wheels		•	•	•
All-season tires	P235/65 R17 104H	P235/60 R18 103H	P235/60 R18 103H	P235/60 R18 103H
Capless fueling system	•	•	•	•
Compact spare tire	•	•	•	•
Electronic Parking Brake (EPB) with automatic brake hold	•	•	•	•
MacPherson strut front suspension	•	•	•	•
Motion-Adaptive Electric Power-Assisted Rack-and-Pinion Steering (EPS)	•	•	•	•
Multi-link rear suspension	•	•	•	•
Stabilizer bars - front/rear (mm)	23/17.7 (FWD) 23/13 (AWD)	23/13	23/13	23/13
Steering wheel turns, lock-to-lock	2.3	2.3	2.3	2.3
Power-assisted, ventilated front disc/solid rear disc brakes	•	•	•	•
ACTIVE SAFETY	LX	EX	EX-L	TOURING
4-wheel Anti-lock Braking System³ (ABS)	•	•	•	•
Brake Assist	•	•	•	•
Collision Mitigation Braking System™ (CMBS®)³ (HS*)	AWD model	•	•	•
Forward Collision Warning (FCW) system³ (HS*)	AWD model	•	•	•
Lane Departure Warning (LDW) system³ (HS*)	AWD model	•	•	•
Electronic Brake-force Distribution (EBD)	•	•	•	•
Hill Start Assist <sup>3</sup>	•	•	•	•
LED daytime running lights	•	•	•	•
Tire Pressure Monitoring System <sup>4</sup> (TPMS)	•	•	•	•
Road Departure Mitigation (RDM) system³ (HS*)	AWD model	•	•	•
Vehicle Stability Assist³ (VSA®) with Traction Control	•	•	•	•
HS* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features. Thes				
PASSIVE SAFETY	LX	EX	EX-L	TOURING
3-point rear seat belts	•	•	•	•
3-point height-adjustable seat belts with front automatic tensioning system	•	•	•	•
Childproof rear door locks	•	•	•	•
-SRS airbag system (front)	•	•	•	•
HondaLink™ Assist Automatic Emergency Response System <sup>3,5,6</sup>	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	3	3	3	3
Next-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•
SmartVent™ side airbags	•	•	•	•
Side curtain airbags with rollover sensor system	•	•	•	•
DRIVER ASSIST TECHNOLOGY	LX	EX	EX-L	TOURING
Adaptive Cruise Control <sup>3</sup> (ACC) with Low-Speed Follow (HS*)	AWD model	•	•	•
	AWD model		•	•
Auto nign-peam				
Auto high-beam Blind Spot Information (BSI) system³ with Rear Cross Traffic Monitor³ system				•
Auto nign-beam Blind Spot Information (BSI) system³ with Rear Cross Traffic Monitor³ system Honda LaneWatch™ blind spot display³			•	•

EXTERIOR	LX	EX	EX-L	TOURING
Active shutter grill	•	•		•
Body-coloured door handles	•	•	•	•
Fog lights		•	•	•
Front and rear splash guards	•	•	•	•
Front wiper de-icer	•	•	•	•
Body-coloured heated power door mirrors	•	With integrated turn signal indicators	With integrated turn signal indicators	With integrated turn signal indicators
Folding door mirrors	•	•	•	•
Intermittent rear window wiper/washer	•	•	•	•
Intermittent windshield wipers	•			
Variable intermittent windshield wipers		•	•	•
Projector-beam halogen headlights	With auto-on/off	With auto-on/off	With auto-on/off	
LED headlights (High and low beam)				With auto-on/off
One-touch power moonroof with tilt feature		•	•	
Panoramic moonroof  Rower tailgate with programmable height			_	Hands-free access
Power tailgate with programmable height  Rain-sensing windshield wipers			•	natius-free access
Rear privacy-tinted glass		•	•	•
Rear window defroster	•	•	•	•
Roof rails				•
Dual exhaust with chrome finisher				•
COMFORT & CONVENIENCE	LX	EX	EX-L	TOURING
12-volt power outlets (Front: 2; cargo area: 1)	•	•	•	•
7-inch Display Audio System³ with Honda Satellite-Linked Navigation System™3.7				•
and bilingual Voice Recognition				
Adjustable cargo floor height (2 levels)	•	•	•	•
Ambient lighting (front door handles)				•
Auto-dimming rearview mirror  Beverage holders, front and rear			•	•
Cargo area tie-down anchors (4)	•	•	•	•
Centre console	•	•	•	•
Colour TFT centre meter display with Driver Information Interface	•	•	•	•
Conversation mirror with sunglasses holder	•	•	•	•
Door-pocket storage bins	•	•	•	•
Driver attention monitor <sup>3</sup>	•	•	•	•
Driver's and front passenger's vanity mirrors	•	Illuminated	Illuminated	Illuminated
Dual-zone automatic climate control with air-filtration system	•	•	•	•
Exterior temperature indicator	•	•	•	•
Front passenger's seatback pocket  HandsFreeLink™-bilingual Bluetooth® wireless mobile phone interface <sup>3,5</sup>	•	•	•	•
HomeLink® remote system8	•	•	•	•
Immobilizer theft-deterrent system	•	•	•	•
Maintenance Minder™ system	•	•	•	•
Map lights	•	•	•	•
Multi-angle rearview camera <sup>3</sup> with dynamic guidelines	•	•	•	•
One-touch turn signals	•	•	•	•
Power door locks	•	•	•	•
Power windows with auto-up/down driver's window	•	•	•	•
Proximity key entry system with pushbutton start  Rear air vents	•	•	•	•
Rear-seat centre armrest with cupholders	•	•	•	•
Rear-seat heater ducts	•	•	•	•
Remote engine start	•	•	•	•
Retractable cargo cover		•	•	•
Security system	•	•	•	•
Steering wheel-mounted controls (cruise control, audio, telephone	•	•	•	•
and Multi-Information Display) Tilt and telescoping steering column				
Walk-away door lock	•	•	•	•
SEATING & TRIM	LX	EX	EX-L	TOURING
Driver's seat position memory		LA -	• EX-L	·
Driver's seat with 6-way manual adjustment (including height adjustment)	•			
Driver's seat with 12-way power adjustment including 4-way power lumbar support		•		•
Front passenger's seat with 4-way manual adjustment	•	•		
Front passenger's seat with 4-way power adjustment			•	•
Easy fold-down 60/40 split rear seatback	•	•	•	•
Floor mats	•	•	•	•
Heated front seats	•	•	•	•
Heated leather-wronged steering wheel			•	•
Heated leather-wrapped steering wheel Instrument panel trim finish	High-bright silver	Woodgrain	• Woodgrain	• Woodgrain
Perforated leather-trimmed seating surfaces	1 11611 DITISTIC SILVET	**Oougraiii	• •	•
Leather-wrapped shift knob				•
Seating capacity	5	5	5	5

ENTERTAINMENT	LX	EX	EX-L	TOURING
160-watt AM/FM audio system with MP3/Windows Media® Audio playback capability	•			
and 4 speakers				
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 6 speakers		•		
180-watt AM/FM audio system with MP3/Windows Media® Audio playback capability and 8 speakers			•	
331-watt AM/FM Premium audio system with MP3/Windows Media* Audio playback capability and 9 speakers including subwoofer				•
7-inch Display Audio System³ with HondaLink™3.5 Next Generation	•	•	•	Including Navigation <sup>3,7</sup>
Bluetooth® Streaming Audio <sup>3,5</sup>	•	•	•	•
Apple CarPlay™3.5 / Android Auto™3.5	•	•	•	•
HD Radio™ <sup>9</sup>				•
Siri Eyes Free compatibility <sup>3,5</sup>	•	•	•	•
Speed-sensitive Volume Control (SVC)	•	•	•	•
Front USB charge/data port(s) <sup>5</sup>	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp	2 ports; 1.0 & 1.5 amp
Rear USB ports <sup>5</sup>		2 ports: 2.5-amp charging ports	2 ports: 2.5-amp charging ports	2 ports: 2.5-amp charging ports
SiriusXM™2;10		5 01	•	•
Wi-Fi tethering <sup>5</sup>	•	•	•	•
FUEL ECONOMY <sup>II</sup> (L/100 KM)	LX	EX	EX-L	TOURING
Front-wheel drive (City/Hwy/Combined)	8.4/7.0/7.8	NA	NA	NA
Real Time AWD™ (City/Hwy/Combined)	8.7/7.2/8.0	8.7/7.2/8.0	8.7/7.2/8.0	8.7/7.2/8.0
DIMENSIONS	LX	EX	EX-L	TOURING
Cargo volume; rear seats up/down – (L)	1110/2146	1110/2146	1110/2146	1065/2146
Curb weight – FWD/Real Time AWD™ (kg)	1502/1557	NA/1580	NA/1589	NA/1617
Fuel tank capacity (L)	53	53	53	53
Gross vehicle weight rating (kg)	2130	2130	2130	2130
Ground clearance – FWD/Real Time AWD™ (mm)	198/208	NA/208	NA/208	NA/208
Headroom - front/rear (mm)	1018/996	964/994	964/994	961/974
Height (with antenna) (mm) (FWD/AWD)	1679/1689	NA/1689	NA/1689	NA/1689
Hip room – front/rear (mm)	1400/1257	1400/1257	1400/1257	1400/1257
Legroom – front/rear (mm)	1050/1025	1050/1025	1050/1025	1050/1025
Length (mm)	4586	4586	4586	4586
Passenger volume (L)	2999	2914	2914	2877
Shoulder room - front/rear (mm)	1470/1412	1470/1412	1470/1412	1470/1412
Track - front/rear - FWD (mm)	1601/1617	NA	NA	NA
Track - front/rear - Real Time AWD™ (mm)	1598/1613	1598/1613	1598/1613	1598/1613
Turning radius - FWD/Real Time AWD™ (m)	5.7/5.7	NA/5.7	NA/5.7	NA/5.7
Wheelbase (mm)	2660	2660	2660	2660
Width – including mirrors/mirrors folded (mm)	2065/1849	2107/1951	2107/1951	2107/1951

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.

<sup>1.</sup> Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE JI349 procedures.
2. With the required accessory towing package. See your Owner's Manual for proper towing operation.
3. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
4. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
5. Only compatible with certain devices and operating systems. Cellular data and/or voice double on the remoint of system.
6. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
7. Map database covers major metropolitan areas in Canada and the 48 contiguous U.S. states.
8. HomeLink\* can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).
9. Coverage varies by market.
10. Only available in certain areas. Includes a no-charge trial of three months.
11. Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only.

In Estimated fuel consumption based on Government of Canada's 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors – use for comparison only. For more information on 5-cycle testing, visit http://vehicles.nrcan.gc.ca