2022 Accord Hybrid

NGINE	HYBRID	HYBRID TOURING
D-litre, 16-valve, Atkinson cycle DOHC, i-VTEC* 4-cylinder	•	•
gine horsepower @ rpm	143 @ 6200	143 @ 6200
ctric motor horsepower @ rpm ¹	181 @ 5000-6000	181 @ 5000-6000
nbined total horsepower @ rpm ⁻	212 @ 6200	212 @ 6200
gine torque (lbft. @ rpm) ¹	129 @ 3500	129 @ 3500
ectric motor torque (lbft. @ rpm) ¹	232 @ 0-2000	232 @ 0-2000
splacement (cc)	1993	1993
nissions rating	Tier 3 Bin 30	Tier 3 Bin 30
re and stroke (mm)	81 x 97	81 x 97
mpression ratio	13.5:1	13.5:1
o Guide™ system	•	•
ive-by-Wire Throttle System™	•	•
rt fuel injection	•	•
commended fuel	Regular	Regular
RIVETRAIN	HYBRID	HYBRID TOURING
ectric-Continuously Variable Transmission (E-CVT)	•	•
and Sport Drive button	•	•
ON mode button	•	•
ont-wheel drive	•	
eering wheel-mounted deceleration paddle selectors	•	
<u> </u>		·
ATTERY	HYBRID	HYBRID TOURING
hium-lon battery	•	•
HASSIS	HYBRID	HYBRID TOURING
'aluminum-alloy wheels	•	•
laptive Damper System		
-season tires	P225/50 R17 94V	P225/50 R17 94V
ipless fueling system	F223/30 KI/ 74V	F ZZ3/30 K1/ 74V
ectronic Parking Brake (EPB) with automatic brake hold	•	•
ectric power-assisted rack-and-pinion steering (EPS)	•	•
acPherson strut front suspension	•	•
'	•	•
ulti-link independent rear suspension	•	•
wer-assisted, ventilated front/solid rear disc brakes	•	•
eering wheel turns, lock-to-lock	2.3	2.3
abilizer bars – front and rear (mm)	27.2/16.5	27.2/16.5
re repair kit	•	•
CTIVE SAFETY	HYBRID	HYBRID TOURING
wheel Anti-lock Braking System (ABS) ²	•	•
ito high beam		•
ake Assist	•	•
ollision Mitigation Braking System™ (CMBS*)² (HS*)	•	•
ectronic Brake-force Distribution (EBD)	•	•
rward Collision Warning (FCW) system ² (HS*)		•
Il Start Assist ^a	•	•
D daytime running lights	•	•
re Pressure Monitoring System (TPMS) ³ – indirect	•	
ne Departure Warning (LDW) system ² (HS*)	•	•
pad Departure Mitigation (RDM) system ² (HS*)	•	•
affic sign recognition (HS*)	•	•
chicle Stability Assist ² (VSA*) with Traction Control	•	•
* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.		
· · · · · · · · · · · · · · · · · · ·	10/2010	LIV/DDID TOUR
SSIVE SAFETY	HYBRID	HYBRID TOURING
point front seat belts with automatic tensioning system	•	•
ext-Generation Advanced Compatibility Engineering™ (ACE™) body structure	•	•
ildproof rear door locks	•	•
RS airbag system (front)	•	•
ont knee airbags	•	•
ndaLink™ Assist Automatic Emergency Response System ^{2,5}	•	•
e curtain airbags with rollover sensor system	•	•
artVent™ side airbags	•	•
wer Anchors and Tethers for Children (LATCH)	•	•
RIVER ASSIST TECHNOLOGY	HYBRID	HYBRID TOURING
laptive Cruise Control (ACC): with Low-Speed Follow (HS*)	• •	- THERIE TOURING
	•	•
ne Keeping Assist System (LKAS): (HS*)	•	•
onda LaneWatch™ blind spot display*	•	
ind Spot Information (BSI) system ^a with Rear Cross Traffic Monitor ^a system		•
* = Feature is a component of the Honda Sensing™ suite of safety and driver assist features.	LIVERID	LIVEDID TOURING
(TERIOR	HYBRID	HYBRID TOURING

Chrome door handles Body-coloured heated power door mirrors with integrated LED turn signal indicators	•	• With reverse gear tilt-down
,		(passenger side)
Folding door mirrors	•	•
ody-coloured side sill garnish with chrome moulding	•	•
hrome grille ront wiper de-icer	•	•
nutter grille (Upper)	•	•
ED daytime running lights (DRL)	•	•
D fog lights	•	•
ont splash guards	•	•
D brake lights	•	•
D taillights	•	•
ne-touch power moonroof with tilt feature D headlights with auto-on/off (low beam)	•	•
D headlights with auto-on/off (low and high beam)	•	•
D front turn indicators	•	•
in-sensing windshield wipers		•
ar window defroster	•	•
eed-sensing, variable intermittent windshield wipers	•	•
DMFORT & CONVENIENCE	HYBRID	HYBRID TOURING
-volt power outlet	2	2
colour TFT meter display with Driver Information Interface	•	•
oustic windshield	•	•
tive Noise Cancellation (ANC)	•	•
oustic Vehicle Alerting System (AVAS) iver attention monitor ²	•	•
ial-zone automatic climate control with air-filtration system	•	•
to-dimming rearview mirror		•
rgo area light	•	•
ntre console and storage compartment	•	•
iver's and front passenger's illuminated vanity mirrors	•	•
iver's and front passenger's seatback pockets	•	•
splay Audio System∙ with Honda Satellite-Linked Navigation System™ and bilingual Voice Recognition terior temperature indicator		•
ont and rear beverage holders	•	•
ont and rear door pockets	•	•
andsFreeLink™-bilingual Bluetooth° wireless mobile phone interface∘ with steering wheel-mounted controls	•	•
omeLink® remote system®		•
ead-up display (HUD)		•
dy-coloured front and rear parking sensors		•
ap lights ulti-angle rearview camera: with dynamic guidelines	•	•
ear field communication (NFC)	•	•
ne-touch turn signals	•	•
wer door locks	•	•
wer windows with auto-up/down driver's and front passenger's windows	•	•
oximity key entry and pushbutton start	•	•
ar console ventilation	•	•
ar-seat centre armrest with cupholder ar-seat heater ducts	•	•
mote engine starter	•	•
internance Minder™ system	•	•
ering wheel-mounted controls (cruise control, audio, telephone, Driver Information Interface)	•	•
nglasses holder	•	•
curity system	•	•
mobilizer theft-deterrent system	•	•
alk-away door lock reless charging	•	•
t and telescopic steering column	•	•
		LIVEDID TOURING
ATING & TRIM	HYBRID	HYBRID TOURING •
ver's seat position memory ver's seat with 12-way power adjustment including 4-way power lumbar support		•
or mats	•	•
40 split fold-down rear seatback	•	•
nt passenger's seat with 4-way manual adjustment	•	
nt passenger's seat with 4-way power adjustment		•
ated front seats	•	•
ated leather wrapped storing wheel		•
ated leather-wrapped steering wheel ather-wrapped steering wheel	•	•
forated leather-trimmed seating surfaces	•	•
intilated front seats		•
ITERTAINMENT	HYBRID	HYBRID TOURING
52-watt AM/FM Premium audio system with MP3/Windows Media [,] Audio playback capability and 10 speakers including	•	•

subwoofer

Apple CarPlay™s/ Android Auto™s	•	•
AT&T Wi-Fi hotspot ⁴⁸		•
Bluetooth* Streaming Audio ^{2,4}	•	•
Display Audio System³ with HondaLink™³	•	Including Navigation ^{2,7}
HondaLink ^{Tec,19}	•	•
HondaLink™e.v Subscription Services		•
HD Radio [™] ready		•
Siri Eyes Free compatibility ^{4,4}	•	•
Illuminated steering wheel-mounted audio controls	•	•
USB audio interface:	(2) 2.5-Amp Charging Ports	(2) 2.5-Amp Charging Ports
Rear USB ports:	(2) 2.5-Amp Charging Ports	(2) 2.5-Amp Charging Ports
SMS text message: / E-mail function:	•	•
SiriusXM ^{TMs}		•
Wi-Fi tethering ⁴	•	•
FUEL ECONOMYº (L/100 KM)	HYBRID	HYBRID TOURING
	5.0/5.0/5.0	5.0/5.0/5.0
E-Continuously Variable Transmission (City/Hwy/Combined)	5.0/5.0/5.0	5.0/5.0/5.0
E-Continuously Variable Transmission (City/Hwy/Combined) DIMENSIONS	5.0/5.0/5.0 HYBRID	HYBRID TOURING
DIMENSIONS	HYBRID	HYBRID TOURING
DIMENSIONS Cargo volume (L)	HYBRID 473	HYBRID TOURING 473
DIMENSIONS Cargo volume (L) Curb weight (kg)	HYBRID 473 1524	HYBRID TOURING 473 1553
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L)	HYBRID 473 1524 48.5	HYBRID TOURING 473 1553 48.5
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm)	HYBRID 473 1524 48.5 149/125	HYBRID TOURING 473 1553 48.5 149/125
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948	HYBRID TOURING 473 1553 48.5 149/125 953/944
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398 1075/1026	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398 1075/1026
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398 1075/1026 4882	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398 1075/1026 4882
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Passenger volume (L)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398 1075/1026 4882 2990	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398 1075/1026 4882 2908
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Legroom – front/rear (mm) Passenger volume (L) Shoulder room – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398 1075/1026 4882 2990 1481/1436	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398 1075/1026 4882 2908 1481/1436
DIMENSIONS Cargo volume (L) Curb weight (kg) Fuel tank capacity (L) Ground clearance – no-load/full-load (mm) Headroom – front/rear (mm) Height (mm) Hip room – front/rear (mm) Legroom – front/rear (mm) Length (mm) Passenger volume (L) Shoulder room – front/rear (mm) Track – front/rear (mm)	HYBRID 473 1524 48.5 149/125 1004/948 1450 1405/1398 1075/1026 4882 2990 1481/1436 1600/1610	HYBRID TOURING 473 1553 48.5 149/125 953/944 1450 1405/1398 1075/1026 4882 2908 1481/1436 1600/1610

- 1. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J1349 procedures.
- 2. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do s features have technological limitations. For additional feature information, limitations and restrictions, please visit www.honda.ca/disclaimers and refer to the vehicle's Owner's Manual.
- 3. For optimal tire wear and performance, the pressure should be checked regularly with a tire gauge. Do not rely solely on the monitor system.
- 4. Only compatible with certain devices and operating systems. Operation may be dependent upon: 1. GPS satellite signal reception and available cellular data and/or voice connection; or 2. connection to vehicle's built-in Wi-Fi hc applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply.
- 5. Operation requires wireless mobile phone to be paired with the vehicle. Operation is dependent upon cellular data and/or voice connection availability and GPS satellite signal reception.
- $6. \ Home Link` can be programmed with codes of up to three remote-control devices (e.g., garage-door opener, home security system, etc.).$
- $7.\,\mathsf{Map}\,\mathsf{database}\,\mathsf{covers}\,\mathsf{major}\,\mathsf{metropolitan}\,\mathsf{areas}\,\mathsf{in}\,\mathsf{Canada}\,\mathsf{and}\,\mathsf{the}\,\mathsf{48}\,\mathsf{contiguous}\,\mathsf{U.S.}\,\mathsf{states}.$
- 8. New vehicles are equipped with a complimentary time or data trial period, whichever comes first. After the trial period, contact AT&T to purchase available data plans. 4G LTE connection speeds may vary by region.
- 9. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability compromised. Some restrictions may apply. For additional HondaLink™ information, please visit www.honda.ca/hondalink and www.honda.ca/privacy.

o. Some

otspot, if

on trial ty is