

# 2026 CR-V

## ENGINEERING

ENGINE	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Drivetrain	Available Real Time AWD™ with Intelligent Control System™ <sup>1</sup>	Real Time AWD™ with Intelligent Control System™ <sup>1</sup>	Real Time AWD™ with Intelligent Control System™ <sup>1</sup>	Real Time AWD™ with Intelligent Control System™ <sup>1</sup>	Real Time AWD™ with Intelligent Control System™ <sup>1</sup>	Real Time AWD™ with Intelligent Control System™ <sup>1</sup>
Engine type	1.5-litre inline 4-cylinder with Turbocharger	1.5-litre inline 4-cylinder with Turbocharger	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder	2.0-litre inline 4-cylinder
Displacement (cc)	1498	1498	1993	1993	1993	1993
Horsepower @ rpm <sup>2</sup>	190 @ 6000	190 @ 6000				
Torque (lb.-ft. @ rpm) <sup>2</sup>	179 @ 1700-5000	179 @ 1700-5000				
Two-motor hybrid system						
Combined total horsepower <sup>3</sup>		204	204	204	204	
Combined torque @ (lb.-ft. @ rpm) <sup>3</sup>		247 @ 0-2000	247 @ 0-2000	247 @ 0-2000	247 @ 0-2000	
Electric motor horsepower @ rpm <sup>4</sup>		181 @ 5000-8000	181 @ 5000-8000	181 @ 5000-8000	181 @ 5000-8000	
Idle-stop						
Redline (rpm)	6600	6600	6100	6100	6100	6100
Bore and stroke (mm)	73 x 89.5	73 x 89.5	81 x 96.7	81 x 96.7	81 x 96.7	86 x 85.9
Compression ratio	10.3:1	10.3:1	13.9:1	13.9:1	13.9:1	13.9:1
Valve train	16-valve DOHC VTEC® (intake) with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® (intake) with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® with Dual Variable Timing Control (VTC)	16-valve DOHC VTEC® with Dual Variable Timing Control (VTC)
Fuel injection	Direct injection	Direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection	Multi-stage, high pressure direct injection
Drive-by-Wire Throttle System™	.	.	.	.	.	.
<b>CONVENIENCE</b>						
Remote engine starter	.	.	.	.	.	.
<b>DRIVE MODE</b>						
Drive modes	ECON, Normal, Snow	ECON, Normal, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow	ECON, Normal, Sport, Snow
Eco Assist™ system	.	.	.	.	.	.
<b>DRIVETRAIN</b>						
<b>TRANSMISSION</b>						
Continuously Variable Transmission (CVT)	.	.	.	.	.	.
Electro-Continuously Variable Transmission (E-CVT)	.	.	.	.	.	.
<b>FUEL ECONOMY</b>						
Emissions rating	SULEV30	SULEV30	SULEV20	SULEV20	SULEV20	SULEV20
Front-wheel drive (City/Hwy/Combined <sup>5</sup> )	8.4/7.1/7.8					
Real Time AWD™ (City/Hwy/Combined <sup>5</sup> )	9.1/7.6/8.4	9.1/7.6/8.4	6.0/6.9/6.4	6.3/7.2/6.7	6.0/6.9/6.4	6.0/6.9/6.4
Recommended fuel	Regular	Regular	Regular	Regular	Regular	Regular
Capless fueling system	.	.	.	.	.	.
Fuel tank capacity (L)	53	53	53	53	53	53
<b>BODY/SUSPENSION/CHASSIS</b>						
<b>BRAKES</b>						
Power-assisted, ventilated front disc/solid rear disc brakes	.	.	.	.	.	.
Electronic Parking Brake (EPB) with automatic brake hold	.	.	.	.	.	.
<b>DIMENSIONS</b>						
Towing capacity <sup>6</sup> (kg)	Available 680	Available 680	Available 453	Available 453	Available 453	Available 453
Stabilizer bars – front/rear (mm)	26/17.2 (FWD) 26/12.5 (Real Time AWD™)	26/12.5	26.6/13	26.6/13	26.6/13	26.6/13
Steering ratio	12.4:1 (FWD) 12.3:1 (Real Time AWD™)	12.3:1	12.3:1	12.3:1	12.3:1	12.3:1
Steering wheel turns, lock-to-lock	2.4	2.4	2.4	2.4	2.4	2.4
Turning diameter – curb-to-curb (m)	11.3	11.3	11.3	11.3	11.3	11.3
<b>TIRES</b>						
Tires	All-season P235/65 R17 104H M+S	All-season P235/60 R18 103H M+S	All-season P235/60 R18 103H M+S	All-terrain P235/60 R18 107V M+S	All-season P235/60 R18 103H M+S	All-season P235/55 R19 101H M+S
Spare tire	T155/90D17 112M	T155/90D17 112M				
Tire repair kit	.	.	.	.	.	.
<b>WHEELS</b>						
17" steel wheels with silver wheel caps	.	.	.	.	.	.
18" aluminum-alloy wheels	Gloss Black	Gloss Black	Grey	Gloss Black		
19" aluminum-alloy wheels					Gloss Black	

CHASSIS	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Variable ratio electric power-assisted rack-and-pinion steering (EPS)	•	•	•	•	•	•
<b>SUSPENSION</b>						
MacPherson strut front suspension	•	•	•	•	•	•
Multi-link independent rear suspension	•	•	•	•	•	•
<b>HONDA SENSING® DRIVER-ASSISTIVE FEATURES</b>						
<b>HONDA SENSING®</b>						
Adaptive Cruise Control <sup>1,7</sup> (ACC)	•	•	•	•	•	•
Auto high beam headlights <sup>1</sup>	•	•	•	•	•	•
Blind Spot Information (BSI) system <sup>1,8</sup>	•	•	•	•	•	•
Collision Mitigation Braking System™ <sup>1,9</sup> (CMBS®)	•	•	•	•	•	•
Cross Traffic Monitor <sup>1,10</sup> (CTM)	•	•	•	•	•	•
Lane Departure Warning <sup>1,11</sup> (LDW)	•	•	•	•	•	•
Lane Keeping Assist System <sup>1,12</sup> (LKAS)	•	•	•	•	•	•
Low-Speed Braking Control <sup>1</sup>	•	•	•	•	•	•
Road Departure Mitigation (RDM) system <sup>1,13</sup>	•	•	•	•	•	•
Traffic Jam Assist <sup>1,14</sup>	•	•	•	•	•	•
Traffic Sign Recognition (TSR) system <sup>1,15</sup>	•	•	•	•	•	•
<b>SAFETY &amp; DRIVER ASSISTIVE TECHNOLOGY</b>						
<b>ACTIVE SAFETY</b>						
Anti-lock Braking System <sup>1,16</sup> (ABS)	•	•	•	•	•	•
Brake Assist <sup>1</sup>	•	•	•	•	•	•
Electronic Brake-force Distribution <sup>1</sup> (EBD)	•	•	•	•	•	•
Vehicle Stability Assist <sup>1,17</sup> (VSA®) with Traction Control	•	•	•	•	•	•
Hill Start Assist <sup>1,18</sup>	•	•	•	•	•	•
Hill Descent Control <sup>1</sup>	•	•	•	•	•	•
<b>PASSIVE SAFETY</b>						
3-point seat belts at all seating positions	•	•	•	•	•	•
Advanced Compatibility Engineering™ (ACE™) body structure	•	•	•	•	•	•
Advanced front airbags (SRS)	•	•	•	•	•	•
Childproof rear door locks	•	•	•	•	•	•
Driver attention monitor <sup>1</sup>	•	•	•	•	•	•
Driver's and front passenger's advanced front airbags (SRS)	•	•	•	•	•	•
Driver & passenger side knee airbag	•	•	•	•	•	•
Lower Anchors and Tethers for Children (LATCH)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)	Lower Anchors (2nd-row outboard), Tether Anchors (2nd-row all)
Rear outboard passengers' side airbags	•	•	•	•	•	•
Rear seat reminder <sup>19</sup>	•	•	•	•	•	•
Seat belt reminder for all seating positions	•	•	•	•	•	•
Side curtain airbags with rollover sensor	•	•	•	•	•	•
SmartVent™ side airbags	•	•	•	•	•	•
<b>EXTERIOR</b>						
<b>LIGHTING</b>						
LED Daytime Running Lights (DRL)	•	•	•	•	•	•
LED headlights with auto-on/off	•	•	•	•	•	•
LED taillights	•	•	•	•	•	•
<b>WIPERS</b>						
Front wiper de-icer	•	•	•	•	•	•
Wipers	Intermittent	Intermittent, speed-sensing	Intermittent, speed-sensing	Intermittent, speed-sensing	Intermittent, speed-sensing	Rain-sensing
<b>SIDE MIRRORS</b>						
Heated power-adjusting side mirrors	•	•	•	•	•	•
Side mirror colour	Body-coloured	Body-coloured	Black	Black	Black	Black
<b>EXTERIOR – MISCELLANEOUS</b>						
One-touch power moonroof		With tilt and slide function				
Front and rear splash guards	•	•	•	•	•	•
Exhaust finisher			Dual chrome	Dual chrome	Dual chrome	Dual chrome
Door handles	Body-coloured	Body-coloured	Body-coloured	Black	Body-coloured	Body-coloured
Spoiler type	Tailgate	Tailgate	Tailgate	Tailgate	Tailgate	Tailgate
Roof rails	Black	Black	Black	Black	Black	Black
Power tailgate	•	•	•	•	•	Hands-free access

## COMFORT AND CONVENIENCE

CONVENIENCE	LX	SPORT	SPORT HYBRID	TRAILSPORT HYBRID	EX-L HYBRID	TOURING HYBRID
Pushbutton start	.	.	.	.	.	.
Proximity key entry system	.	.	.	.	.	.
Smart Entry	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®	With Walk-Away Auto Lock®
<b>CAMERA</b>						
Multi-angle rearview camera with dynamic guidelines <sup>20</sup>	.	.	.	.	.	.
Rear camera washer	.	.	.	.	.	.
<b>PARKING</b>						
Parking sensors <sup>1</sup>					Front (4), rear (4)	Front (4), rear (4)
<b>CARGO</b>						
Cargo area light	.	.	.	.	.	.
Cargo area tie-down anchors (4)	.	.	.	.	.	.
Adjustable cargo floor height (2 levels)	.	.	.	.	.	.
<b>SECURITY</b>						
Immobilizer theft-deterrent system	.	.	.	.	.	.
Security system	.	.	.	.	.	.
<b>SHIFTER</b>						
Leather-wrapped shift knob	.	.	.	.	.	.
<b>STEERING WHEEL</b>						
Steering wheel with mounted controls	Urethane	Heated, leather-wrapped				
Tilt and telescopic steering column	.	.	.	.	.	.
Steering wheel-mounted deceleration paddle selectors	.	.	.	.	.	.
<b>WINDOWS</b>						
Acoustic laminate glass					Windshield	Windshield
Power windows with auto-up/down	Driver only	Front	Front	Front	Front and rear	Front and rear
Rear privacy-tinted glass	.	.	.	.	.	.
<b>CLIMATE</b>						
Climate control	Dual-zone	Dual-zone	Dual-zone	Dual-zone	Dual-zone	Dual-zone
Second-row heater ducts	.	.	.	.	.	.
<b>LIGHTING</b>						
Ambient lighting		White Front	White Front	Orange Front: door handle, footwell	White Front	White Front
One-touch turn signals	.	.	.	.	.	.
Auto-dimming rearview mirror	.	.	.	.	.	.
<b>STORAGE</b>						
Sunglasses holder	.	.	.	.	.	.
<b>INTERIOR</b>						
Front vanity mirrors	.	.	.	.	.	.
Illuminated front vanity mirrors	.	.	.	.	.	.
Floor mats	Carpet	Carpet	Carpet	All-season with TrailSport logo	Carpet	Carpet
<b>OUTLET</b>						
12-volt outlet	Front console: 1; cargo area: 1	Front console: 1; cargo area: 1	Front console: 1; cargo area: 1	Front console: 1; cargo area: 1	Front console: 1; cargo area: 1	Front console: 1; cargo area: 1
<b>SEATING</b>						
<b>SEATS</b>						
Seat material	Fabric	Fabric	Fabric	Fabric with embossed TrailSport logo	Perforated leather-trimmed with Orange accents	Perforated leather-trimmed with Orange accents
Driver seat	6-way manual adjustment	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support	8-way power adjustment including 2-way power lumbar support
Passenger seat	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment	4-way manual adjustment	4-way power adjustment	4-way power adjustment
Memory driver's seat					Two position	Two position
Heated front seats	.	.	.	.	.	.
Seating capacity	5	5	5	5	5	5
<b>REAR SEATS</b>						
Heated second-row seats					Outboard positions only	Outboard positions only
60/40 split-folding rear seat	.	.	.	.	.	.
<b>STORAGE</b>						
Seatback pockets		Passenger	Passenger	Passenger	Passenger	Passenger

## AUDIO & CONNECTIVITY

1. None of the features we describe are intended to replace the driver's responsibility to exercise due care while driving. Drivers should not use handheld devices or operate certain vehicle features unless it is safe and legal to do so. Some features have technological limitations. These product and feature disclaimers are intended to provide a general overview of feature information, restrictions and limitations. For more comprehensive product and feature information, limitations and restrictions, please refer to your vehicle's Owner's Manual.
2. Horsepower and torque calculations reflect SAE net, Rev. 08/04, SAE J349 procedures.
3. Total combined horsepower and torque figures includes the maximum power of the engine and all motors combined that can be produced at any one time. ISO net.
4. Horsepower and torque calculations reflect SAE J308 procedures.
5. Estimated fuel economy based on Government of Canada's new 5-cycle testing method. Your actual fuel consumption will vary based on driving habits and other factors - use for comparison only. For more information on 5-cycle testing, visit <http://vehicles.nrcan.gc.ca>.
6. With the required accessory towing package. See your Owner's Manual for proper towing operation.
7. Improper use of Adaptive Cruise Control (ACC) with Low-Speed Follow (LSF) can lead to a crash. Use the brake pedal whenever necessary, and always keep a safe distance between your vehicle and other vehicles. Use ACC with LSF only when driving on expressways or freeways and in good weather conditions. Exiting a vehicle that has been stopped while the ACC with LSF system is operating can result in the vehicle moving without operator control which could result in serious injury or death. Do not use ACC with LSF in conditions including: in poor visibility; when you must slow down and speed up repeatedly; on winding roads; when you enter a toll gate, interchange, service area, parking area, etc.; on a slippery road; when a spare tire is installed; or when going down a steep hill.
8. Accuracy of the Blind Spot Information (BSI) system will vary based on weather, size of object and speed, and may not detect all relevant traffic. Do not rely only on BSI system when changing lanes. Always look in your mirrors, to either side of your vehicle, and behind you for other vehicles before changing lanes.
9. The Collision Mitigation Braking System (CMBS) is designed to reduce the severity of an unavoidable collision. CMBS does not prevent collisions nor stop the vehicle automatically and may not activate or detect a vehicle in certain circumstances. It is still your responsibility to operate the brake pedal and steering wheel appropriately according to the driving conditions. System operation affected by extreme interior heat.
10. Do not solely rely on the Cross Traffic Monitor system. Always also use your mirrors, and look behind and to the sides of your vehicle before reversing.
11. Lane Departure Warning (LDW) only alerts drivers when lane drift is detected without a turn signal in use. LDW may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
12. Lane Keeping Assist System (LKAS) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. Keep your hands on the steering wheel at all times. LKAS is not a substitute for your vehicle control and may not detect all lane markings; accuracy will vary based on weather, speed and road condition including condition and visibility of lane markings. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
13. Road Departure Mitigation (RDM) only alerts drivers when lane drift is detected without a turn signal in use. RDM may not detect all lane markings or lane departures; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
14. Traffic Jam Assist (TJA) only assists driver in maintaining proper lane position when lane markings are identified without a turn signal in use and can only apply mild steering torque to assist. TJA may not detect all lane markings; accuracy will vary based on weather, speed and road condition. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and avoiding collisions.
15. Traffic Sign Recognition (TSR) cannot detect all traffic signs and may misidentify certain signs. Accuracy will vary based on weather and other factors. System operation affected by extreme interior heat. Driver remains responsible for safely operating vehicle and complying with all traffic regulations.
16. The ABS does not reduce the time or distance it takes to stop the vehicle. It only helps with steering control during hard braking.
17. The VSA® may not function properly if tire type and size are mixed. Make sure to use the same size and type of tire, and the air pressures as specified. VSA® cannot enhance stability in all driving situations and does not control the entire braking system. Always drive appropriately for the conditions.
18. Hill Start Assist is designed to operate temporarily and may not prevent the vehicle from rolling downhill on a very steep or slippery slope, and will not operate on small inclines. Hill start assist is not a replacement for the parking brake.
19. Feature uses rear door sensors only. Sensors are designed to detect if a rear door was opened and closed since the last time the vehicle was turned off. Sensors do not detect the presence of rear-seat passengers or other items. Always check rear seats before exiting the vehicle.
20. confirm that it is safe to drive before backing up. Certain conditions (such as weather, lighting and high temperatures) may also restrict the rear view. Do not rely on the rearview display, which does not give you all information about conditions at the back of your vehicle.
21. Apple CarPlay is provided by Apple Inc. and only compatible with certain Apple devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Apple CarPlay when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Apple CarPlay can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with the connected iPhone. See Apple's privacy policy or contact Apple Inc. at [www.apple.com](http://www.apple.com) for details regarding Apple's use and handling of data uploaded by Apple CarPlay. Use of Apple CarPlay is at user's own risk, and is subject to agreement to the Apple CarPlay terms of use, which are included as part of the Apple iOS terms of use. Apple CarPlay vehicle integration is provided "as is" and Honda cannot guarantee Apple CarPlay operability or functionality now or in the future due to, among other conditions, changes in Apple CarPlay software/Apple iOS, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Apple and Apple CarPlay are trademarks of Apple Inc.
22. Android Auto is provided by Google Inc. and only compatible with certain Android devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Cellular data and/or voice charges may apply, including roaming charges and/or other amounts charged by your wireless carrier. Only use Android Auto when conditions allow you to do so safely. Some laws prohibit the operation of electronic devices while operating a vehicle. Launch applications and perform other operations on electronic devices only when the vehicle is safely parked. Certain functionalities may be locked while vehicle is operational. Depending on use, Android Auto can share certain user and vehicle information (e.g., vehicle location, speed and other operating conditions) with Google and its service providers. See Google privacy policy or contact Google Inc. at [www.google.com](http://www.google.com) for details regarding Google's use and handling of data uploaded by Android Auto. Use of Android Auto is at user's own risk, and is subject to agreement to the Android Auto terms of use, which are presented to the user when the Android Auto application is downloaded to the user's Android phone. Android Auto vehicle integration is provided "as is" and Honda cannot guarantee Android Auto operability or functionality now or in the future due to, among other conditions, changes in Android Auto software/Android operating system, service interruptions, or incompatibility or obsolescence of vehicle-integrated hardware or software. See dealer for details. Android and Android Auto are trademarks of Google Inc.
23. Amazon, Alexa, and all related marks are trademarks of Amazon.com, Inc. or its affiliates. Certain Alexa functionality is dependent on smart home technology and may require account linking to use this feature. Functionality is subject to limitations and may vary by vehicle, infotainment system and location. Feature is dependent on data connectivity. Paid data plan may be required.
24. Customers need to sign up for a free Wi-Fi hotspot trial to use Google built-in features. This trial is applicable for a period of 3 months or 3Gb, whichever is earlier after which the customers will be required to either: tether/hotspot from a compatible mobile device or subscribe to a compatible data plan from Bell at then-current pricing. For details, see: <https://myvehicle.att.com/#/landing?country=CA&language=en&oem=honda>
25. Coverage varies by market. HD Radio is a proprietary trademark of iBiquity Digital Corporation.
26. New vehicles are equipped with a complimentary AT&T 90-day or 3 GB data trial period, whichever comes first, which must be redeemed/activated by setting up an AT&T account within the first 90 days of eligible vehicle purchase or lease (as applicable). After the trial period, AT&T and Bell Mobility have partnered to enable Bell Mobility to support in-vehicle Wi-Fi® Hotspot connectivity in Canada. Contact AT&T or visit [www.myvehicle.att.com](http://www.myvehicle.att.com) to purchase available data plans after the trial period has ended. The availability of certain GPS satellite and/or cellular networks is required for Wi-Fi® Hotspot to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. 4G LTE connection speeds may vary by region. Wi-Fi is a registered trademark of Wi-Fi Alliance®.
27. Only compatible with certain devices and operating systems. Devices, cables and adapters are not included and must be purchased separately. Only use these functions when conditions allow you to do so safely.
28. Honda wireless phone charger is compatible with Qi wireless charging standards. Check with your device's manufacturer for wireless capability.
29. Only compatible with certain devices and operating systems. Operation may be dependent upon: GPS satellite signal reception and available cellular data and/or voice connection; or connection to vehicle's built-in Wi-Fi hotspot, if applicable. Associated charges (incl. data plans, roaming charges or other amounts charged by your wireless carrier) may apply. Subscription to HondaLink™ services is required. HondaLink™-equipped vehicles come with complimentary time-limited trial subscriptions; fees, taxes and other charges will apply in order to continue subscription services upon trial expiry. The availability of certain GPS satellite and/or cellular networks is required for HondaLink™ to operate properly. Service interruptions may occur and/or vehicle system upgrades may be required if cellular network availability is compromised. Some restrictions may apply. For additional HondaLink™ information, please visit [www.honda.ca/hondalink](http://www.honda.ca/hondalink) and [www.honda.ca/privacy](http://www.honda.ca/privacy)